







M3	M4
	
	
<p>Mounted with Trim</p>	<p>Mounted with Trim</p>
<p>7.5W/ 11W</p>	<p>9WW/ 13W</p>
<p>2700K/ 3000K/ 4000K Dim to Warm</p>	<p>2700K/ 3000K/ 4000K Dim to Warm/</p>
<p>>80/ >90</p>	<p>>80/ >90</p>
<p>15°/ 25°/ 35°/ 60°</p>	<p>20°/ 35°/ 60°</p>
<p>1050lm @CRI80 3000K</p>	<p>1300lm @CRI80 3000K</p>
<p>NEKO Standard</p>	
<p>IP54</p>	
<p>On/ Off, Phase Dim, 0/1-10V Dim, DALI Dim</p>	
<p>Fit with CLUB Series Trims</p>	

NEKO / M3

LED Downlight Module
Fit with CLUB Series Trims



11W 7.5W	CRI90 CRI80	2700K 3000K 4000K	15° 25° 35° 60°	CITIZEN Blue Diamond LED 60,000h@L80B10	UGR < 19	IP54	5 YEARS GUARANTEE	CB	CE	Intertek
-------------	----------------	-------------------------	--------------------------	--	-------------	------	----------------------	----	----	----------




LED Power	System Power	LED Voltage	LED Current	CRI	CCT	Beam	LED Output	System Output	Code
11 W	13 W	31 V	350 mA	90	2700K	15°	1000lm	900lm	M3-9271511X-NN
						25°	1000lm	900lm	M3-9272511X-NN
						35°	1000lm	900lm	M3-9273511X-NN
						60°	1000lm	900lm	M3-9276011X-NN
					3000K	15°	1100lm	950lm	M3-9301511X-NN
						25°	1100lm	950lm	M3-9302511X-NN
						35°	1100lm	950lm	M3-9303511X-NN
						60°	1100lm	950lm	M3-9306011X-NN
					4000K	15°	1200lm	1000lm	M3-9401511X-NN
						25°	1200lm	1000lm	M3-9402511X-NN
						35°	1200lm	1000lm	M3-9403511X-NN
						60°	1200lm	1000lm	M3-9406011X-NN
7.5W	9 W	31 V	250 mA	90	2700K	15°	850lm	650lm	M3-9271508X-NN
						25°	850lm	650lm	M3-9272508X-NN
						35°	850lm	650lm	M3-9273508X-NN
						60°	850lm	650lm	M3-9276008X-NN
					3000K	15°	900lm	700lm	M3-9301508X-NN
						25°	900lm	700lm	M3-9302508X-NN
						35°	900lm	700lm	M3-9303508X-NN
						60°	900lm	700lm	M3-9306008X-NN
					4000K	15°	950lm	750lm	M3-9401508X-NN
						25°	950lm	750lm	M3-9402508X-NN
						35°	950lm	750lm	M3-9403508X-NN
						60°	950lm	750lm	M3-9406008X-NN

Code Remark: X=F(ON-OFF) X=P(Phase Dim) X=A(1-10V Dim) X=D(DALI Dim)

NEW

12W CRI95 1800K-3000K Dim to Warm 35° 60° bridgelux 50,000h@L80B10 Replace Halogen 50W UGR < 19 IP54 5 YEARS GUARANTEE CB CE



M3-DW

LED Power	System Power	LED Voltage	LED Current	CRI	CCT	Beam	LED Output	System Output	Code
12 W	14 W	34 V	350 mA	95	1800K-3000K	35° 60°	1100lm 1100lm	Max.950lm Max.950lm	M3- 9D33512X-NN M3- 9D36012X-NN

Code Remark: X=P(Phase Dim) X=A(1-10V Dim) X=D(DALI Dim)

DIM to WARM

1800K

2700K

3000K




Can be used in limited ceiling space of 80mm height

NEKO / M4

LED Downlight Module
Fit with CLUB Series Trims



13W 9W	CRI90 CRI80	2700K 3000K 4000K	20° 35° 60°	CITIZEN Blue Diamond 50,000h@L80B10	UGR < 19	IP54	5 YEARS GUARANTEE	CB	CE	ETL Intertek
-----------	----------------	-------------------------	-------------------	--	-------------	------	-------------------------	----	----	-----------------




M4

LED Power	System Power	LED Voltage	LED Current	CRI	CCT	Beam	LED Output	System Output	Code					
13 W	15 W	36 V	350 mA	90	2700K	20°	1300lm	1100lm	M4- 9272013X-NN					
						35°	1300lm	1100lm	M4- 9273513X-NN					
						60°	1300lm	1100lm	M4- 9276013X-NN					
						3000K	20°	1400lm	1200lm	M4- 9302013X-NN				
							35°	1400lm	1200lm	M4- 9303513X-NN				
							60°	1400lm	1200lm	M4- 9306013X-NN				
					4000K	20°	1500lm	1300lm	M4- 9402013X-NN					
						35°	1500lm	1300lm	M4- 9403513X-NN					
						60°	1500lm	1300lm	M4- 9406013X-NN					
					9W	11 W	36 V	250 mA	90	2700K	20°	900lm	800lm	M4- 9272009X-NN
											35°	900lm	800lm	M4- 9273509X-NN
											60°	900lm	800lm	M4- 9276009X-NN
3000K	20°	1000lm	850lm	M4- 9302009X-NN										
	35°	1000lm	850lm	M4- 9303509X-NN										
	60°	1000lm	850lm	M4- 9306009X-NN										
4000K	20°	1100lm	950lm	M4- 9402009X-NN										
	35°	1100lm	950lm	M4- 9403509X-NN										
	60°	1100lm	950lm	M4- 9406009X-NN										

Code Remark: X=F(ON-OFF) X=P(Phase Dim) X=A(1-10V Dim) X=D(DALI Dim)

NEW

12W | CRI95 | 1800K-3000K Dim to Warm | 35°/60° | bridgelux 50,000h@L80B10 | Replace Halogen 60W | UGR < 19 | IP54 | 5 YEARS GUARANTEE | CB CE



LED Power	System Power	LED Voltage	LED Current	CRI	CCT	Beam	LED Output	System Output	Code
12 W	14 W	34 V	350 mA	95	1800K-3000K	35°	1100lm	Max.950lm	M4- 9D33512X-NN
						60°	1100lm	Max.950lm	M4- 9D36012X-NN

Code Remark: X=P(Phase Dim) X=A(1-10V Dim) X=D(DALI Dim)

DIM to WARM

1800K

2700K

3000K



NEKO / CLUB

Trim Series

- Perfect choice for specified architectural projects
- Compatible with Mr16 and LED Modules
- Wide range of design variants for different applications
- Available in trimless versions
- Decorative rings painted in a variety of colors (black, white, marble, wood, etc.)
- Magnetic design for changing decorative ring without any tools



M3

Module



Ring



Holding Ring-R

Honeycomb

Trim



TA Pre-installation Trim
75

KA-EI Pre-installation Trim
75

KA Pre-installation Trim
75

Reflector



Decoration Ring

Decoration Ring Cover



TA8



TA9



TA5



TA6



KA8-EI



KA9-EI



KA5-EI



KA6-EI



KA8





KA9



KA5



KA6





M4



MR16 Replacement



Frosted glass



Striped glass



Diffuser



Holding Ring-S



TSA Pre-installation Trim



KSA-EI Pre-installation Trim




KSA Pre-installation Trim



Decoration Ring
Decoration Ring Cover



Decoration Ring
Decoration Ring Cover



TA7



TSA1



TSA2



TSA3



KA7-EI



KSA1-EI



KSA2-EI



KSA3-EI



KA7



KSA1





KSA2



KSA3



NEKO / CLUB
Trim Series















TA5

TA6

TA7

TA8



TA9

TSA1

TSA2

TSA3


NEKO / CLUB

Trim Series

Surface IP65




TA5-IP65



NEKO / CLUB
Easy Installation Trimless Series



KA5-EI



KA8-EI




KA9-EI



KA6-EI



KA7-EI



KSA1-EI





KSA3-EI



KSA2-EI


Easy Installation Trimless Trims



NEKO / CLUB
Trimless Series



KA5



KA8



KA9



KA6



KA7



KSA1





KSA3



KSA2

Installation Trimless Trims



NEKO / CLUB

Trim Series

TA5



M3-TA5



M4-TA5



TA6



M3-TA6



M4-TA6



KA5-EI



M3-KA5-EI



M4-KA5-EI



KA6-EI



M3-TA6-EI



M4-TA6-EI



KA5



M3-KA5



M4-KA5



KA6




M3-TA6




M4-TA6



TA7




M3-TA7




M4-TA7

TA8



M3-TA8




M4-TA8

KA7-EI




M3-KA7-EI




M4-KA7-EI

KA8-EI



M3-KA8-EI




M4-KA8-EI

KA7




M3-KA7




M4-KA7

KA8



M3-KA8



M4-KA8

NEKO / CLUB

Trim Series


TA9



M3-TA9



M4-TA9




TSA1



M3-TSA1



M4-TSA1




KA9-EI



M3-KA9-EI



M4-KA9-EI




KSA1-EI



M3-KSA1-EI




M4-KSA1-EI



KA9



M3-KA9



M4-KA9



KSA1



M3-KSA1



M4-KSA1




TSA2





TSA3




KSA2-EI



KSA3-EI



KSA2



KSA3

