


# □ NODO NUO



LEFT light  
Luce SINISTRA


LED - 4,5W - 230V

3000K CRI 90 - 400 lm

50021 Silver Argento  
50321 White Bianco  
50521 Black Nero

Power-supply included  
Dimmable

Alimentatore incluso  
Dimmerabile



RIGHT light  
Luce DESTRA

LED - 4,5W - 230V


3000K CRI 90 - 400 lm

50011 Silver Argento  
50311 White Bianco  
50511 Black Nero


Power-supply included  
Dimmable

Alimentatore incluso  
Dimmerabile

Maximum extension: 400 mm  
Estensione massima 400 mm



Maximum extension: 400 mm  
Estensione massima 400 mm



IP20 CE Kg 0.50

IP20 CE Kg 0.50

NUO is a reading light with a diffuser designed to avoid glare. NUO is available in the left and right version. LED lighting device with a flexible arm covered in anthracite grey fabric. Anodized aluminium structure and dissipater. Integrated Shuttle device [enables the connection to the selected power line of the track]. Touch switch for switching on and LED circuit diffraction. Integrated power supply.

NUO è una luce da lettura con un diffusore studiato per evitare l'abbagliamento. NUO è disponibile nella versione sinistra e destra. Apparecchio di illuminazione LED dotato di braccio flessibile rivestito in tessuto grigio antracite. Struttura e dissipatore in alluminio. Dispositivo Shuttle integrato [consente la connessione alla linea elettrica scelta del binario]. Interruttore Touch per l'accensione e la dimmerazione del circuito LED. Alimentatore integrato.



LETROH Srl  
Via Cadorna 15  
20073 Opera [Milano] Italia  
[contact@letroh.com](mailto:contact@letroh.com)  
[letroh.com](http://letroh.com)

