






**MOUNTING OPTIONS**




**KKCP-03** (1no.)  
**KKCP-53** (500no.)  
Clip (Allow 3 per metre/40")  
S/Steel finish



**KKCP-09**  
Lock clip (Allow 2 per metre/40")  
S/Steel finish



**KKBK-07**  
Fixing plate (Allow 2 per metre/40")  
Anodised aluminium finish  
Pre-assembled in factory



**KKBK-21**  
Adjustable bracket  
(Allow 2 per metre/40")  
Anodised aluminium finish  
Pre-assembled in factory

**CONNECTORS**



**CN54-2P-0300** 300mm (11.81") pair  
IP54  
2 PIN male + female connector set



**CN54-4P-0300** 300mm (11.81") pair  
IP54  
4 PIN RGB male + female connector set



**CONNECTORS (CONTINUED)**



**CN67-2P-0300** 300mm (11.81") pair  
**CN67-2P-1000** 1000mm (39.37") pair  
**CN67-2P-3000** 3000mm (118.11") pair  
 IP67  
 2 PIN male + female connector set



**CN67-4P-0300** 300mm (11.81") pair  
**CN67-4P-1000** 1000mm (39.37") pair  
**CN67-4P-3000** 3000mm (118.11") pair  
 IP67  
 4 PIN RGB male + female connector set

**EXTERIOR JUNCTION BOXES**



**KKJB-07**  
 IP67 Slim J-Box  
 (including type A,B,C bushings)



**KKJB-07R**  
 Potting Resin for IP67 Slim J-Box

**KKDC CONTROL**



IP67  
 100W 24V  
 Aluminium housing  
 L248/W73/H48mm  
 (L9.76/W2.87/H1.89in)

**KKPS-01** 1-10V PSU\*  
 visDIM dimmable power supply (See Control Gear)  
 \* Not suitable for use with RGB/LEDmix



IP67  
 100W 24V  
 Aluminium housing  
 L248/W73/H48mm  
 (L9.76/W2.87/H1.89in)

**KKPS-02** DMX PSU  
 visDIM dimmable power supply (See Control Gear)



**KKDC CONTROL (CONTINUED)**



IP67  
100W 24V  
Aluminium housing  
L248/W73/H48mm  
(L9.76/W2.87/H1.89in)

**KKPS-03** DALI PSU

visDIM dimmable power supply (See Control Gear)



IP20  
Black plastic housing  
L164/W64/H34mm  
(L6.46/W2.52/H1.34in)

**KKDM-05** 1-10V

visDIM dimmable sub-controllers (See Control Gear)



IP20  
Black plastic housing  
L164/W64/H34mm  
(L6.46/W2.52/H1.34in)

**KKSC-03A** DMX (Screw terminal)

visDIM dimmable sub-controllers (See Control Gear)



IP20  
Black plastic housing  
L164/W64/H34mm  
(L6.46/W2.52/H1.34in)

**KKSC-03B** DMX (RJ45)

visDIM dimmable sub-controllers (See Control Gear)



IP20  
Black plastic housing  
L164/W64/H34mm  
(L6.46/W2.52/H1.34in)

**KKDL-01** DALI

visDIM dimmable sub-controllers (See Control Gear)