




## Pixo 36 - L: 170 mm

1387BC31-903020D010



### DESCRIPTION

Ceiling mounted luminaire with light body in extruded aluminium. Light body available in two diameter (36mm and 77mm). Exchangable front ring in wide range of colours. Available in two sizes and three different lengths.

### MOUNTING

Indoor Lighting - Surface Mounted

### OPTIC

Reflector. Narrow, medium and wide beam angle available.

### ELECTRICAL / LED DRIVER

D0 - No Dimming

### LIGHT SOURCE AND PERFORMANCE

LIGHT SOURCE: LED Built-in with body - Citizen - COB

SDCM: 3-step MacAdam

CCT: 30 - 3000K

CRI: 90

SYSTEM POWER: 6.6

DELIVERED LUMEN: 657lm

IP: 20

Notes:

### ACCESSORIES



Acrylic diffuser 2C36



Colour Rings 2C34



### ORDERING CODE

Follow the steps to specify your fixture final code, example: RE61MB13-803020DL11

PRODUCT CODE	LIGHT SOURCE CODE	-	CRI	CCT	BEAM ANGLE (BA°)	DRIVER OPTIONS	FINISH
1387	BC31	-	90	30 - 3000K	20	D0	10 - Black

### NOTES:

Product length: 170 mm.


We reserve the right to change specifications without prior notification.

HONG KONG	-	LONDON	-	MILAN	-	SHANGHAI	-	USA
-----------	---	--------	---	-------	---	----------	---	-----



## Pixo 36 - L: 330 mm

1389BC31-903020D010



### DESCRIPTION

Ceiling mounted luminaire with light body in extruded aluminium. Light body available in two diameter (36mm and 77mm). Exchangable front ring in wide range of colours. Available in two sizes and three different lengths.

### MOUNTING

Indoor Lighting - Surface Mounted

### OPTIC

Reflector. Narrow, medium and wide beam angle available.

### ELECTRICAL / LED DRIVER

D0 - No Dimming

### LIGHT SOURCE AND PERFORMANCE

LIGHT SOURCE: LED Built-in with body - Citizen - COB

SDCM: 3-step MacAdam

CCT: 30 - 3000K

CRI: 90

SYSTEM POWER: 6.6

DELIVERED LUMEN: 657lm

IP: 20

Notes:

### ACCESSORIES



Acrylic diffuser 2C36



Colour Rings 2C34



### ORDERING CODE

Follow the steps to specify your fixture final code, example: RE61MB13-803020DL11

PRODUCT CODE	LIGHT SOURCE CODE	-	CRI	CCT	BEAM ANGLE (BA°)	DRIVER OPTIONS	FINISH
1389	BC31	-	90	30 - 3000K	20	D0	10 - Black

### NOTES:

Product length: 330 mm.

We reserve the right to change specifications without prior notification.


HONG KONG	-	LONDON	-	MILAN	-	SHANGHAI	-	USA
-----------	---	--------	---	-------	---	----------	---	-----



## Pixo 36 - L: 550 mm



## 1391BC31-903020D010



### DESCRIPTION

Ceiling mounted luminaire with light body in extruded aluminium. Light body available in two diameter (36mm and 77mm). Exchangable front ring in wide range of colours. Available in two sizes and three different lengths.

### MOUNTING

Indoor Lighting - Surface Mounted

### OPTIC

Reflector. Narrow, medium and wide beam angle available.

### ELECTRICAL / LED DRIVER

D0 - No Dimming

### LIGHT SOURCE AND PERFORMANCE

LIGHT SOURCE: LED Built-in with body - Citizen - COB

SDCM: 3-step MacAdam

CCT: 30 - 3000K

CRI: 90

SYSTEM POWER: 6.6

DELIVERED LUMEN: 657lm

IP: 20

Notes:

### ACCESSORIES



Acrylic diffuser 2C36



Colour Rings 2C34



### ORDERING CODE

Follow the steps to specify your fixture final code, example: RE61MB13-803020DL11

PRODUCT CODE	LIGHT SOURCE CODE	-	CRI	CCT	BEAM ANGLE (BA°)	DRIVER OPTIONS	FINISH
1391	BC31	-	90	30 - 3000K	20	D0	10 - Black

### NOTES:

Product length: 550 mm.

We reserve the right to change specifications without prior notification.

HONG KONG	-	LONDON	-	MILAN	-	SHANGHAI	-	USA
-----------	---	--------	---	-------	---	----------	---	-----