




Pixo 77 - L: 170 mm

1388BC22-903016D010



DESCRIPTION

Ceiling mounted luminaire with light body in extruded aluminium. Light body available in two diameter (36mm and 77mm). Exchangable front ring in wide range of colours. Available in two sizes and three different lengths.

MOUNTING

Indoor Lighting - Surface Mounted

OPTIC

Reflector. Narrow, medium and wide beam angle available.

ELECTRICAL / LED DRIVER

D0 - No Dimming

LIGHT SOURCE AND PERFORMANCE

LIGHT SOURCE: LED Built-in with body - Citizen - COB

SDCM:

CCT: 30 - 3000K

CRI: 90



SYSTEM POWER: 13.2

DELIVERED LUMEN: 1227.6lm

IP: 20

Notes:

ACCESSORIES

	Acrylic diffuser	2C36
	Colour Rings	2C34



ORDERING CODE

Follow the steps to specify your fixture final code, example: RE61MB13-803020DL11

PRODUCT CODE	LIGHT SOURCE CODE	-	CRI	CCT	BEAM ANGLE (BA°)	DRIVER OPTIONS	FINISH
1388	BC22	-	90	30 - 3000K	16	D0	10 - Black

NOTES:

Product length: 170 mm.


We reserve the right to change specifications without prior notification.

HONG KONG	-	LONDON	-	MILAN	-	SHANGHAI	-	USA
-----------	---	--------	---	-------	---	----------	---	-----



Pixo 77 - L: 330 mm

1390BC22-903016D011



DESCRIPTION

Ceiling mounted luminaire with light body in extruded aluminium. Light body available in two diameter (36mm and 77mm). Exchangable front ring in wide range of colours. Available in two sizes and three different lengths.

MOUNTING

Indoor Lighting - Surface Mounted

OPTIC

Reflector. Narrow, medium and wide beam angle available.

ELECTRICAL / LED DRIVER

D0 - No Dimming

LIGHT SOURCE AND PERFORMANCE

LIGHT SOURCE: LED Built-in with body - Citizen - COB

SDCM:

CCT: 30 - 3000K

CRI: 90



SYSTEM POWER: 13.2

DELIVERED LUMEN: 1227.6lm

IP: 20

Notes:

ACCESSORIES

	Acrylic diffuser	2C36
	Colour Rings	2C34



ORDERING CODE

Follow the steps to specify your fixture final code, example: RE61MB13-803020DL11

PRODUCT CODE	LIGHT SOURCE CODE	-	CRI	CCT	BEAM ANGLE (BA°)	DRIVER OPTIONS	FINISH
1390	BC22	-	90	30 - 3000K	16	D0	11 - White

NOTES:

Product length: 330 mm.

We reserve the right to change specifications without prior notification.


HONG KONG	-	LONDON	-	MILAN	-	SHANGHAI	-	USA
-----------	---	--------	---	-------	---	----------	---	-----



Pixo 77 - L: 550 mm



1392BC22-903016D010



DESCRIPTION

Ceiling mounted luminaire with light body in extruded aluminium. Light body available in two diameter (36mm and 77mm). Exchangable front ring in wide range of colours. Available in two sizes and three different lengths.

MOUNTING

Indoor Lighting - Surface Mounted

OPTIC

Reflector. Narrow, medium and wide beam angle available.

ELECTRICAL / LED DRIVER

D0 - No Dimming

LIGHT SOURCE AND PERFORMANCE

LIGHT SOURCE: LED Built-in with body - Citizen - COB

SDCM:

CCT: 30 - 3000K

CRI: 90

SYSTEM POWER: 13.2

DELIVERED LUMEN: 1227.6lm

IP: 20

Notes:

ACCESSORIES



Acrylic diffuser 2C36



Colour Rings 2C34



ORDERING CODE

Follow the steps to specify your fixture final code, example: **RE61MB13-803020DL11**

PRODUCT CODE	LIGHT SOURCE CODE	-	CRI	CCT	BEAM ANGLE (BA°)	DRIVER OPTIONS	FINISH
1392	BC22	-	90	30 - 3000K	16	D0	10 - Black

NOTES:

Product length: 550 mm.

We reserve the right to change specifications without prior notification.

HONG KONG	-	LONDON	-	MILAN	-	SHANGHAI	-	USA
-----------	---	--------	---	-------	---	----------	---	-----