




Indoor | Recessed luminaires | Yori Linear recessed



**CUT  
OUT**  
-----  
470x40mm



Wide 77°

12

IP43



Risk 0

850°



### Code 0.BH020.HQ12

#### Light source features

**Number of light sources:** 1

**Source type:** LED HQ

**Watt:** 13W

**Lm:** 1552lm

**Lm/W:** 119lm/W

**Kelvin/CRI:** 3000K / >90

**SDCM/L70 B10:** / 50000

#### Electrical features

**Driver included:** YES

**Driver position:** integrated

**Driver type:** On-Off 220/240 Vac 50/60 Hz

**Total power consumption (LED + DRIVER):** 15W

**Isolation class:** Class I

#### Optical features

**Beam angle:** 77°

**Optical type, adjustability:** Fixed

**Interchangeable optic (IOS):** NO

#### Physical features

**Material:** aluminum

**Diffusing screen:** Opal

**Mounting:** Recessed

**Fixing:** Ceiling

**Finishing:** Embossed matt white (Standard)

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

#### Reggiani SPA Illuminazione

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net  
contact@reggiani.net




## Photometries



Yori Linear Recessed 460mm\_13W\_IE

Yori Linear Recessed 460mm\_13W\_LL

Indoor | Recessed luminaires | Yori Linear recessed



**CUT  
OUT**

930x40mm



Wide 77°

12

IP43



Risk 0

850°



### Code 0.BH050.HQ12

#### Light source features

**Number of light sources:** 1

**Source type:** LED HQ

**Watt:** 26W

**Lm:** 3000lm

**Lm/W:** 115lm/W

**Kelvin/CRI:** 3000K / >90

**SDCM/L70 B10:** / 50000

#### Electrical features

**Driver included:** YES

**Driver position:** integrated

**Driver type:** On-Off 220/240 Vac 50/60 Hz

**Total power consumption (LED + DRIVER):** 28W

**Isolation class:** Class I

#### Optical features

**Beam angle:** 77°

**Optical type, adjustability:** Fixed

**Interchangeable optic (IOS):** NO

#### Physical features

**Material:** aluminum

**Diffusing screen:** Opal

**Mounting:** Recessed

**Fixing:** Ceiling

**Finishing:** Embossed matt white (Standard)

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

#### Reggiani SPA Illuminazione

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net  
contact@reggiani.net



## Photometries



Yori Linear Recessed 920mm\_26W\_IE

Yori Linear Recessed 920mm\_26W\_LL

Indoor | Recessed luminaires | Yori Linear recessed



**CUT  
OUT**

1390x40mm



Wide 77°

12

IP43



Risk 0

850°



### Code 0.BH070.HQ12

#### Light source features

**Number of light sources:** 1

**Source type:** LED HQ

**Watt:** 38W

**Lm:** 4691lm

**Lm/W:** 123lm/W

**Kelvin/CRI:** 3000K / >90

**SDCM/L70 B10:** / 50000

#### Electrical features

**Driver included:** YES

**Driver position:** integrated

**Driver type:** On-Off 220/240 Vac 50/60 Hz

**Total power consumption (LED + DRIVER):** 43W

**Isolation class:** Class I

#### Optical features

**Beam angle:** 77°

**Optical type, adjustability:** Fixed

**Interchangeable optic (IOS):** NO

#### Physical features

**Material:** aluminum

**Diffusing screen:** Opal

**Mounting:** Recessed

**Fixing:** Ceiling

**Finishing:** Embossed matt white (Standard)

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

#### Reggiani SPA Illuminazione

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net  
contact@reggiani.net

## Photometries



Yori Linear Recessed 1380mm\_38W\_I

Yori Linear Recessed 1380mm\_38W\_L