



Indoor | Pendants | Traceline Deep Pendant Indirect – Yori Module



Product No optic



Code 0.3M959.TSL0

Light source features

Number of light sources: 0
Source type: FOR SPOT TS
Watt: 0
SDCM/L90 B10: < 0 / 0

Electrical features

Driver included: YES
Driver position: integrated
Driver type: On-Off 120/277 Vac 50/60 Hz
Isolation class: Class II
Driver note: 35W - 900mA

Optical features

Beam angle: No optic
Interchangeable optic (IOS): NO

Physical features

Material: Extruded aluminum
Mounting: Suspension
Finishing: Antiqued brushed bronze

Notes:


- Maximum length for continuous line configuration with one Power module : 6m (i.e. 1 Power module 3000mm + 1 Continuous 3000mm)
- End caps not included, to be ordered separately
- For configuration of Yori Evo Spotlights with Traceline modules, pick up Traceline driver options (no Ghosttrack driver needed).

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Reggiani SPA Illuminazione
 Viale Monza, 16 20845 Sovico (MB) Italy
 Tel. (+39) 039 2071.1 fax (+39) 039 2071 999


www.reggiani.net
 contact@reggiani.net

Yori Spotlights




Yori Pendant Ghostrack Ø35mm - Ø35mm | H 150 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....




Yori Pendant Ghostrack Ø35mm - Ø35mm | H 400 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....



Yori Pendant Ghostrack Ø35mm - Ø35mm | H 800 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø60mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø75mm


Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø95mm


Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...

Yori Spotlights




Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 205mm

From the Yori Evo Ghostrack family, a new line of suspension luminaries is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....




Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 255mm

From the Yori Evo Ghostrack family, a new line of suspension luminaries is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....




-



Yori Evo Ghostrack Mini - Ø35mm / 1X / Precision

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack Mini - Ø43mm / 1X / Precision



Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack Mini - Ø43mm / 1X / Performance



Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...

Accessories





Code 0.26814.0001 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Chrome





Code 0.26814.0012 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Embossed matt white (Standard)





Code 0.26814.0031 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Embossed matt black (Standard)





Code 0.26814.00B0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Royal matt black



Code 0.26814.00C0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Royal matt white





Code 0.26814.00D0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed brass



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories





Code 0.26814.00E0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed gold





Code 0.26814.00L0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Antiqued brushed bronze





Code 0.26814.00M0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed aluminum




Code 0.26814.00N0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed copper



Code 0.26814.00T1 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Anodized Bronze




Code 0.26820.0012 - Suspension set with 1,5m tige and long bracket (1x)

Type: Mounting
Finishing: Embossed matt white (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, long bracket (1x)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories




Code 0.26820.0031 - Suspension set with 1,5m tige and long bracket (1x)

Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ceiling surface base, aluminium box, 1,5m rod, long bracket (1x)




Code 0.26821.0012 - Suspension set for 3-phase track - Short brackets (2x)

Type: Mounting
 Finishing: Embossed matt white (Standard)
 Description: Ghostrack adapters (2x) for 3-phase track, 3000m cables, short brackets (2x)




Code 0.26821.0031 - Suspension set for 3-phase track - Short brackets (2x)

Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ghostrack adapters (2x) for 3-phase track, 3000m cables, short brackets (2x)




Code 0.26822.0012 - Suspension set for 3-phase track - long bracket (1x)

Type: Mounting
 Finishing: Embossed matt white (Standard)
 Description: Ghostrack adapter for 3-phase track, 3000m cable, long bracket (1x)



Code 0.26822.0031 - Suspension set for 3-phase track - long bracket (1x)


Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ghostrack adapter for 3-phase track, 3000m cable, long bracket (1x)



Code 0.26823.0021 - Power adapter ON-OFF/BLUETOOTH for 3-phase track suspension kit


Type: Mounting
 Finishing: Black (Standard)
 Description:
 Traceline Pendant / Deep Pendant: the use of codes 0.26823 and 0.26824 requires the replacement of the cable supplied with the product with the one supplied with the accessory.

Accessories




Code 0.26824.0021 - Power adapter DALI/dimm for 3-phase track suspension kit

Type: Mounting
 Finishing: Black (Standard)
 Description: Traceline Pendant / Deep Pendant: the use of codes 0.26823 and 0.26824 requires the replacement of the cable supplied with the product with the one supplied with the accessory.




Code 0.26825.0000 - Suspension set for 3000mm cable with short brackets (2x)

Type: Structural
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)
 Description: Short brackets (2x) with gripper Ø 1,5m, surface ceiling rose, 3000mm cable




Code 0.26826.0000 - Suspension set for 3000mm cable with long bracket (1x)

Type: Structural
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)
 Description: Long bracket with gripper Ø 1,5m, surface ceiling rose, 3000mm cable




Code 0.26827.0012 - Power cable (ON-OFF/BLUETOOTH) with Surface trim base-3000mm

Type: Structural
 Finishing: Embossed matt white (Standard)



Code 0.26827.0031 - Power cable (ON-OFF/BLUETOOTH) with Surface trim base-3000mm

Type: Structural
 Finishing: Embossed matt black (Standard)




Code 0.26828.0012 - Power cable (DALI/DIMM) with Surface trim base- 3000mm

Type: Structural
 Finishing: Embossed matt white (Standard)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories




Code 0.26828.0031 - Power cable (DALI/DIMM) with Surface trim base- 3000mm

Type: Structural
Finishing: Embossed matt black (Standard)




Code 0.26829.0012 - Power cable (ON-OFF/BLUETOOTH) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt white (Standard)




Code 0.26829.0031 - Power cable (ON-OFF/BLUETOOTH) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt black (Standard)




Code 0.26831.0012 - Suspension set with 1,5m tige - short brackets (2x)

Type: Structural
Finishing: Embossed matt white (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, short brackets (2x)



Code 0.26831.0031 - Suspension set with 1,5m tige - short brackets (2x)


Type: Structural
Finishing: Embossed matt black (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, short brackets (2x)



Code 0.26832.0012 - Wall bracket

Type: Structural
Finishing: Embossed matt white (Standard)



Accessories



Code 0.26832.0031 - Wall bracket

Type: Structural

Finishing: Embossed matt black (Standard)




Code 0.26833.0000 - Fixing bracket for surface vertical installatio

Type: Structural

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

Description: Traceline Surface/Pendant

Indoor | Pendants | Traceline Deep Pendant Indirect – Yori Module



Product No optic



IP20



Risk 0 850°



Code 0.PM952.TSC0

Light source features

Number of light sources: 0
Source type: FOR SPOT TS
Watt: 0
SDCM/L90 B10: < 0 / 0

Electrical features

Driver included: YES
Driver position: integrated
Driver type: On-Off 120/277 Vac 50/60 Hz
Isolation class: Class II
Driver note: 35W - 250mA

Optical features

Beam angle: No optic
Interchangeable optic (IOS): NO

Physical features

Material: Extruded aluminum
Mounting: Suspension
Finishing: Royal matt white

Notes:

- Maximum length for continuous line configuration with one Power module : 6m (i.e. 1 Power module 3000mm + 1 Continuous 3000mm)
- End caps not included, to be ordered separately
- For configuration of Yori Evo Spotlights with Traceline modules, pick up Traceline driver options (no Ghostrack driver needed).

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Reggiani SPA Illuminazione

Viale Monza, 16 20845 Sovico (MB) Italy
 Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net
 contact@reggiani.net

Yori Spotlights



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø60mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 205mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....





Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 255mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....





Accessories





Code 0.26814.0001 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Chrome





Code 0.26814.0012 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Embossed matt white (Standard)





Code 0.26814.0031 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Embossed matt black (Standard)





Code 0.26814.00B0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Royal matt black



Code 0.26814.00C0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Royal matt white





Code 0.26814.00D0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed brass



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories





Code 0.26814.00E0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed gold





Code 0.26814.00L0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Antiqued brushed bronze





Code 0.26814.00M0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed aluminum




Code 0.26814.00N0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed copper



Code 0.26814.00T1 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Anodized Bronze




Code 0.26820.0012 - Suspension set with 1,5m tige and long bracket (1x)

Type: Mounting
Finishing: Embossed matt white (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, long bracket (1x)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories




Code 0.26820.0031 - Suspension set with 1,5m tige and long bracket (1x)

Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ceiling surface base, aluminium box, 1,5m rod, long bracket (1x)




Code 0.26821.0012 - Suspension set for 3-phase track - Short brackets (2x)

Type: Mounting
 Finishing: Embossed matt white (Standard)
 Description: Ghosttrack adapters (2x) for 3-phase track, 3000m cables, short brackets (2x)




Code 0.26821.0031 - Suspension set for 3-phase track - Short brackets (2x)

Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ghosttrack adapters (2x) for 3-phase track, 3000m cables, short brackets (2x)




Code 0.26822.0012 - Suspension set for 3-phase track - long bracket (1x)

Type: Mounting
 Finishing: Embossed matt white (Standard)
 Description: Ghosttrack adapter for 3-phase track, 3000m cable, long bracket (1x)



Code 0.26822.0031 - Suspension set for 3-phase track - long bracket (1x)


Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ghosttrack adapter for 3-phase track, 3000m cable, long bracket (1x)



Code 0.26823.0021 - Power adapter ON-OFF/BLUETOOTH for 3-phase track suspension kit


Type: Mounting
 Finishing: Black (Standard)
 Description:
 Traceline Pendant / Deep Pendant: the use of codes 0.26823 and 0.26824 requires the replacement of the cable supplied with the product with the one supplied with the accessory.

Accessories




Code 0.26824.0021 - Power adapter DALI/dimm for 3-phase track suspension kit

Type: Mounting
 Finishing: Black (Standard)
 Description: Traceline Pendant / Deep Pendant: the use of codes 0.26823 and 0.26824 requires the replacement of the cable supplied with the product with the one supplied with the accessory.




Code 0.26825.0000 - Suspension set for 3000mm cable with short brackets (2x)

Type: Structural
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)
 Description: Short brackets (2x) with gripper Ø 1,5m, surface ceiling rose, 3000mm cable




Code 0.26826.0000 - Suspension set for 3000mm cable with long bracket (1x)

Type: Structural
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)
 Description: Long bracket with gripper Ø 1,5m, surface ceiling rose, 3000mm cable




Code 0.26827.0012 - Power cable (ON-OFF/BLUETOOTH) with Surface trim base-3000mm

Type: Structural
 Finishing: Embossed matt white (Standard)



Code 0.26827.0031 - Power cable (ON-OFF/BLUETOOTH) with Surface trim base-3000mm

Type: Structural
 Finishing: Embossed matt black (Standard)




Code 0.26828.0012 - Power cable (DALI/DIMM) with Surface trim base-3000mm

Type: Structural
 Finishing: Embossed matt white (Standard)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories




Code 0.26828.0031 - Power cable (DALI/DIMM) with Surface trim base- 3000mm

Type: Structural
Finishing: Embossed matt black (Standard)




Code 0.26829.0012 - Power cable (ON-OFF/BLUETOOTH) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt white (Standard)




Code 0.26829.0031 - Power cable (ON-OFF/BLUETOOTH) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt black (Standard)




Code 0.26831.0012 - Suspension set with 1,5m tige - short brackets (2x)

Type: Structural
Finishing: Embossed matt white (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, short brackets (2x)



Code 0.26831.0031 - Suspension set with 1,5m tige - short brackets (2x)


Type: Structural
Finishing: Embossed matt black (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, short brackets (2x)



Code 0.26832.0012 - Wall bracket

Type: Structural
Finishing: Embossed matt white (Standard)



Accessories



Code 0.26832.0031 - Wall bracket

Type: Structural

Finishing: Embossed matt black (Standard)




Code 0.26833.0000 - Fixing bracket for surface vertical installatio

Type: Structural

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

Description: Traceline Surface/Pendant

Indoor | Pendants | Traceline Deep Pendant Indirect – Yori Module



Product No optic

01

IP20



Risk 0

850°



Code 0.PM952.TS01

Light source features

Number of light sources: 0
Source type: FOR SPOT TS
Watt: 0
SDCM/L90 B10: < 0 / 0

Electrical features

Driver included: YES
Driver position: integrated
Driver type: On-Off 120/277 Vac 50/60 Hz
Isolation class: Class II
Driver note: 35W - 250mA

Optical features

Beam angle: No optic
Interchangeable optic (IOS): NO

Physical features

Material: Extruded aluminum
Mounting: Suspension
Finishing: Chrome

Notes:

- Maximum length for continuous line configuration with one Power module : 6m (i.e. 1 Power module 3000mm + 1 Continuous 3000mm)
- End caps not included, to be ordered separately
- For configuration of Yori Evo Spotlights with Traceline modules, pick up Traceline driver options (no Ghostrack driver needed).

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Reggiani SPA Illuminazione

Viale Monza, 16 20845 Sovico (MB) Italy
 Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net
 contact@reggiani.net

Yori Spotlights



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø60mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 205mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....





Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 255mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....





Accessories





Code 0.26814.0001 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Chrome





Code 0.26814.0012 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Embossed matt white (Standard)





Code 0.26814.0031 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Embossed matt black (Standard)





Code 0.26814.00B0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Royal matt black



Code 0.26814.00C0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Royal matt white





Code 0.26814.00D0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed brass



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories





Code 0.26814.00E0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed gold





Code 0.26814.00L0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Antiqued brushed bronze





Code 0.26814.00M0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed aluminum




Code 0.26814.00N0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed copper



Code 0.26814.00T1 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Anodized Bronze




Code 0.26820.0012 - Suspension set with 1,5m tige and long bracket (1x)

Type: Mounting
Finishing: Embossed matt white (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, long bracket (1x)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories




Code 0.26820.0031 - Suspension set with 1,5m tige and long bracket (1x)

Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ceiling surface base, aluminium box, 1,5m rod, long bracket (1x)




Code 0.26821.0012 - Suspension set for 3-phase track - Short brackets (2x)

Type: Mounting
 Finishing: Embossed matt white (Standard)
 Description: Ghostrack adapters (2x) for 3-phase track, 3000m cables, short brackets (2x)




Code 0.26821.0031 - Suspension set for 3-phase track - Short brackets (2x)

Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ghostrack adapters (2x) for 3-phase track, 3000m cables, short brackets (2x)




Code 0.26822.0012 - Suspension set for 3-phase track - long bracket (1x)

Type: Mounting
 Finishing: Embossed matt white (Standard)
 Description: Ghostrack adapter for 3-phase track, 3000m cable, long bracket (1x)



Code 0.26822.0031 - Suspension set for 3-phase track - long bracket (1x)


Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ghostrack adapter for 3-phase track, 3000m cable, long bracket (1x)



Code 0.26823.0021 - Power adapter ON-OFF/BLUETOOTH for 3-phase track suspension kit


Type: Mounting
 Finishing: Black (Standard)

Accessories




Code 0.26824.0021 - Power adapter DALI/dimm for 3-phase track suspension kit

Type: Mounting
Finishing: Black (Standard)




Code 0.26825.0000 - Suspension set for 3000mm cable with short brackets (2x)

Type: Structural
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)
Description: Short brackets (2x) with gripper Ø 1,5m, surface ceiling rose, 3000mm cable




Code 0.26826.0000 - Suspension set for 3000mm cable with long bracket (1x)

Type: Structural
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)
Description: Long bracket with gripper Ø 1,5m, surface ceiling rose, 3000mm cable




Code 0.26827.0012 - Power cable (ON-OFF/BLUETOOTH) with Surface trim base-3000mm

Type: Structural
Finishing: Embossed matt white (Standard)



Code 0.26827.0031 - Power cable (ON-OFF/BLUETOOTH) with Surface trim base-3000mm

Type: Structural
Finishing: Embossed matt black (Standard)




Code 0.26828.0012 - Power cable (DALI/DIMM) with Surface trim base- 3000mm

Type: Structural
Finishing: Embossed matt white (Standard)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories




Code 0.26828.0031 - Power cable (DALI/DIMM) with Surface trim base- 3000mm

Type: Structural
Finishing: Embossed matt black (Standard)




Code 0.26829.0012 - Power cable (ON-OFF/BLUETOOTH) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt white (Standard)




Code 0.26829.0031 - Power cable (ON-OFF/BLUETOOTH) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt black (Standard)




Code 0.26830.0012 - Power cable (DALI/DIMM) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt white (Standard)



Code 0.26830.0031 - Power cable (DALI/DIMM) with Recessed trimless base - 3000mm


Type: Structural
Finishing: Embossed matt black (Standard)



Code 0.26831.0012 - Suspension set with 1,5m tige - short brackets (2x)

Type: Structural
Finishing: Embossed matt white (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, short brackets (2x)

Accessories




Code 0.26831.0031 - Suspension set with 1,5m tige - short brackets (2x)

Type: Structural

Finishing: Embossed matt black (Standard)


Description: Ceiling surface base, aluminium box, 1,5m rod, short brackets (2x)



Code 0.26832.0012 - Wall bracket

Type: Structural



Finishing: Embossed matt white (Standard)



Code 0.26832.0031 - Wall bracket

Type: Structural

Finishing: Embossed matt black (Standard)




Code 0.26833.0000 - Fixing bracket for surface vertical installatio

Type: Structural

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

Description: Traceline Surface/Pendant

Indoor | Pendants | Traceline Deep Pendant Indirect – Yori Module



Very wide 110°

01

IP20



Risk 0

850°



Code 0.PM995.QT01

Light source features

Number of light sources: 1

Source type: LED Tunable White QT

Watt: 14.4W

Lamp note: Dimming range: from 2200 K to 6500 K

Lm: 1930lm

Lm/W: 130lm/W

Kelvin/CRI: / >90

SDCM/L80 B10: < 3 / 50000

Electrical features

Driver included: YES

Driver position: integrated

Driver type: On-Off 120/277 Vac 50/60 Hz

Isolation class: Class II

Driver note: 35W - 500mA

Optical features

Beam angle: 110°

Interchangeable optic (IOS): NO

Physical features

Material: Extruded aluminum

Mounting: Suspension

Finishing: Chrome

Notes:

- Maximum length for continuous line configuration with one Power module : 6m (i.e. 1 Power module 3000mm + 1 Continuous 3000mm)

- End caps not included, to be ordered separately

- For configuration of Yori Evo Spotlights with Traceline modules, pick up Traceline driver options (no Ghosttrack driver needed).


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Reggiani SPA Illuminazione

Viale Monza, 16 20845 Sovico (MB) Italy
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999


www.reggiani.net
contact@reggiani.net

Yori Spotlights



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø60mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...




Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø75mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...




Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø95mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...




Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 205mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...





Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 255mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...





Accessories





Code 0.26814.0001 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Chrome





Code 0.26814.0012 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Embossed matt white (Standard)





Code 0.26814.0031 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Embossed matt black (Standard)





Code 0.26814.00B0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Royal matt black



Code 0.26814.00C0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Royal matt white





Code 0.26814.00D0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed brass



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories





Code 0.26814.00E0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed gold





Code 0.26814.00L0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Antiqued brushed bronze





Code 0.26814.00M0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed aluminum




Code 0.26814.00N0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed copper



Code 0.26814.00T1 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Anodized Bronze




Code 0.26820.0012 - Suspension set with 1,5m tige and long bracket (1x)

Type: Mounting
Finishing: Embossed matt white (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, long bracket (1x)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories




Code 0.26820.0031 - Suspension set with 1,5m tige and long bracket (1x)

Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ceiling surface base, aluminium box, 1,5m rod, long bracket (1x)




Code 0.26821.0012 - Suspension set for 3-phase track - Short brackets (2x)

Type: Mounting
 Finishing: Embossed matt white (Standard)
 Description: Ghosttrack adapters (2x) for 3-phase track, 3000m cables, short brackets (2x)




Code 0.26821.0031 - Suspension set for 3-phase track - Short brackets (2x)

Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ghosttrack adapters (2x) for 3-phase track, 3000m cables, short brackets (2x)




Code 0.26822.0012 - Suspension set for 3-phase track - long bracket (1x)

Type: Mounting
 Finishing: Embossed matt white (Standard)
 Description: Ghosttrack adapter for 3-phase track, 3000m cable, long bracket (1x)



Code 0.26822.0031 - Suspension set for 3-phase track - long bracket (1x)


Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ghosttrack adapter for 3-phase track, 3000m cable, long bracket (1x)



Code 0.26823.0021 - Power adapter ON-OFF/BLUETOOTH for 3-phase track suspension kit


Type: Mounting
 Finishing: Black (Standard)
 Description:
 Traceline Pendant / Deep Pendant: the use of codes 0.26823 and 0.26824 requires the replacement of the cable supplied with the product with the one supplied with the accessory.

Accessories




Code 0.26824.0021 - Power adapter DALI/dimm for 3-phase track suspension kit

Type: Mounting
 Finishing: Black (Standard)
 Description: Traceline Pendant / Deep Pendant: the use of codes 0.26823 and 0.26824 requires the replacement of the cable supplied with the product with the one supplied with the accessory.




Code 0.26825.0000 - Suspension set for 3000mm cable with short brackets (2x)

Type: Structural
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)
 Description: Short brackets (2x) with gripper Ø 1,5m, surface ceiling rose, 3000mm cable




Code 0.26826.0000 - Suspension set for 3000mm cable with long bracket (1x)

Type: Structural
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)
 Description: Long bracket with gripper Ø 1,5m, surface ceiling rose, 3000mm cable




Code 0.26827.0012 - Power cable (ON-OFF/BLUETOOTH) with Surface trim base-3000mm

Type: Structural
 Finishing: Embossed matt white (Standard)



Code 0.26827.0031 - Power cable (ON-OFF/BLUETOOTH) with Surface trim base-3000mm

Type: Structural
 Finishing: Embossed matt black (Standard)




Code 0.26828.0012 - Power cable (DALI/DIMM) with Surface trim base- 3000mm

Type: Structural
 Finishing: Embossed matt white (Standard)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories




Code 0.26828.0031 - Power cable (DALI/DIMM) with Surface trim base- 3000mm

Type: Structural
Finishing: Embossed matt black (Standard)




Code 0.26829.0012 - Power cable (ON-OFF/BLUETOOTH) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt white (Standard)




Code 0.26829.0031 - Power cable (ON-OFF/BLUETOOTH) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt black (Standard)




Code 0.26831.0012 - Suspension set with 1,5m tige - short brackets (2x)

Type: Structural
Finishing: Embossed matt white (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, short brackets (2x)



Code 0.26831.0031 - Suspension set with 1,5m tige - short brackets (2x)


Type: Structural
Finishing: Embossed matt black (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, short brackets (2x)



Code 0.26832.0012 - Wall bracket

Type: Structural
Finishing: Embossed matt white (Standard)



Accessories



Code 0.26832.0031 - Wall bracket

Type: Structural

Finishing: Embossed matt black (Standard)




Code 0.26833.0000 - Fixing bracket for surface vertical installatio

Type: Structural

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

Description: Traceline Surface/Pendant

Indoor | Pendants | Traceline Deep Pendant Indirect – Yori Module



Very wide 110°

IP20



Risk 0

850°



Code 0.3M995.DTT1

Light source features

Number of light sources: 1

Source type: LED Warm Dimming DT

Watt: 22W

Lamp note: Dimming range: from 1800 K to 2700 K

Lm: 1400lm

Lm/W: 64lm/W

Kelvin/CRI: / >90

SDCM/L80 B10: < 3 / 50000

Electrical features

Driver included: YES

Driver position: integrated

Driver type: On-Off 120/277 Vac 50/60 Hz

Isolation class: Class II

Driver note: 35W - 500mA

Optical features

Beam angle: 110°

Interchangeable optic (IOS): NO

Physical features

Material: Extruded aluminum

Mounting: Suspension

Finishing: Anodized Bronze

Notes:

- Maximum length for continuous line configuration with one Power module : 6m (i.e. 1 Power module 3000mm + 1 Continuous 3000mm)

- End caps not included, to be ordered separately

- For configuration of Yori Evo Spotlights with Traceline modules, pick up Traceline driver options (no Ghosttrack driver needed).


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Reggiani SPA Illuminazione

Viale Monza, 16 20845 Sovico (MB) Italy
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net
contact@reggiani.net

Yori Spotlights



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø60mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø75mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...




Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø95mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 205mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...





Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 255mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...





Accessories





Code 0.26814.0001 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Chrome





Code 0.26814.0012 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Embossed matt white (Standard)





Code 0.26814.0031 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Embossed matt black (Standard)





Code 0.26814.00B0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Royal matt black



Code 0.26814.00C0 - End caps (2x) Traceline Deep Pendant Direct/Indirect



Type: Mounting
Finishing: Royal matt white



Code 0.26814.00D0 - End caps (2x) Traceline Deep Pendant Direct/Indirect



Type: Mounting
Finishing: Brushed brass

Accessories





Code 0.26814.00E0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed gold





Code 0.26814.00L0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Antiqued brushed bronze





Code 0.26814.00M0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed aluminum




Code 0.26814.00N0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed copper



Code 0.26814.00T1 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Anodized Bronze




Code 0.26820.0012 - Suspension set with 1,5m tige and long bracket (1x)

Type: Mounting
Finishing: Embossed matt white (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, long bracket (1x)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories




Code 0.26820.0031 - Suspension set with 1,5m tige and long bracket (1x)

Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ceiling surface base, aluminium box, 1,5m rod, long bracket (1x)




Code 0.26821.0012 - Suspension set for 3-phase track - Short brackets (2x)

Type: Mounting
 Finishing: Embossed matt white (Standard)
 Description: Ghosttrack adapters (2x) for 3-phase track, 3000m cables, short brackets (2x)




Code 0.26821.0031 - Suspension set for 3-phase track - Short brackets (2x)

Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ghosttrack adapters (2x) for 3-phase track, 3000m cables, short brackets (2x)




Code 0.26822.0012 - Suspension set for 3-phase track - long bracket (1x)

Type: Mounting
 Finishing: Embossed matt white (Standard)
 Description: Ghosttrack adapter for 3-phase track, 3000m cable, long bracket (1x)



Code 0.26822.0031 - Suspension set for 3-phase track - long bracket (1x)


Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ghosttrack adapter for 3-phase track, 3000m cable, long bracket (1x)



Code 0.26823.0021 - Power adapter ON-OFF/BLUETOOTH for 3-phase track suspension kit


Type: Mounting
 Finishing: Black (Standard)
 Description:
 Traceline Pendant / Deep Pendant: the use of codes 0.26823 and 0.26824 requires the replacement of the cable supplied with the product with the one supplied with the accessory.

Accessories




Code 0.26824.0021 - Power adapter DALI/dimm for 3-phase track suspension kit

Type: Mounting
 Finishing: Black (Standard)
 Description: Traceline Pendant / Deep Pendant: the use of codes 0.26823 and 0.26824 requires the replacement of the cable supplied with the product with the one supplied with the accessory.




Code 0.26825.0000 - Suspension set for 3000mm cable with short brackets (2x)

Type: Structural
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)
 Description: Short brackets (2x) with gripper Ø 1,5m, surface ceiling rose, 3000mm cable




Code 0.26826.0000 - Suspension set for 3000mm cable with long bracket (1x)

Type: Structural
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)
 Description: Long bracket with gripper Ø 1,5m, surface ceiling rose, 3000mm cable




Code 0.26827.0012 - Power cable (ON-OFF/BLUETOOTH) with Surface trim base-3000mm

Type: Structural
 Finishing: Embossed matt white (Standard)



Code 0.26827.0031 - Power cable (ON-OFF/BLUETOOTH) with Surface trim base-3000mm

Type: Structural
 Finishing: Embossed matt black (Standard)




Code 0.26828.0012 - Power cable (DALI/DIMM) with Surface trim base-3000mm

Type: Structural
 Finishing: Embossed matt white (Standard)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories




Code 0.26828.0031 - Power cable (DALI/DIMM) with Surface trim base- 3000mm

Type: Structural
Finishing: Embossed matt black (Standard)




Code 0.26829.0012 - Power cable (ON-OFF/BLUETOOTH) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt white (Standard)




Code 0.26829.0031 - Power cable (ON-OFF/BLUETOOTH) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt black (Standard)




Code 0.26831.0012 - Suspension set with 1,5m tige - short brackets (2x)

Type: Structural
Finishing: Embossed matt white (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, short brackets (2x)



Code 0.26831.0031 - Suspension set with 1,5m tige - short brackets (2x)


Type: Structural
Finishing: Embossed matt black (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, short brackets (2x)



Code 0.26832.0012 - Wall bracket

Type: Structural
Finishing: Embossed matt white (Standard)



Accessories



Code 0.26832.0031 - Wall bracket

Type: Structural

Finishing: Embossed matt black (Standard)




Code 0.26833.0000 - Fixing bracket for surface vertical installatio

Type: Structural

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

Description: Traceline Surface/Pendant

Indoor | Pendants | Traceline Deep Pendant Indirect – Yori Module



Very wide 110°



IP20



Risk 0

850°



Code 0.PM995.DTE0

Light source features

Number of light sources: 1

Source type: LED Warm Dimming DT

Watt: 22W

Lamp note: Dimming range: from 1800 K to 2700 K

Lm: 1400lm

Lm/W: 64lm/W

Kelvin/CRI: / >90

SDCM/L80 B10: < 3 / 50000

Electrical features

Driver included: YES

Driver position: integrated

Driver type: On-Off 120/277 Vac 50/60 Hz

Isolation class: Class II

Driver note: 35W - 500mA

Optical features

Beam angle: 110°

Interchangeable optic (IOS): NO

Physical features

Material: Extruded aluminum

Mounting: Suspension

Finishing: Brushed gold

Notes:

- Maximum length for continuous line configuration with one Power module : 6m (i.e. 1 Power module 3000mm + 1 Continuous 3000mm)

- End caps not included, to be ordered separately

- For configuration of Yori Evo Spotlights with Traceline modules, pick up Traceline driver options (no Ghosttrack driver needed).


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Reggiani SPA Illuminazione

Viale Monza, 16 20845 Sovico (MB) Italy
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999


www.reggiani.net
contact@reggiani.net

Yori Spotlights



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø60mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...




Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø75mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...




Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø95mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...




Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 205mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...





Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 255mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...





Accessories





Code 0.26814.0001 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Chrome





Code 0.26814.0012 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Embossed matt white (Standard)





Code 0.26814.0031 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Embossed matt black (Standard)





Code 0.26814.00B0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Royal matt black



Code 0.26814.00C0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Royal matt white





Code 0.26814.00D0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed brass



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories





Code 0.26814.00E0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed gold





Code 0.26814.00L0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Antiqued brushed bronze





Code 0.26814.00M0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed aluminum




Code 0.26814.00N0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed copper



Code 0.26814.00T1 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Anodized Bronze




Code 0.26820.0012 - Suspension set with 1,5m tige and long bracket (1x)

Type: Mounting
Finishing: Embossed matt white (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, long bracket (1x)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories




Code 0.26820.0031 - Suspension set with 1,5m tige and long bracket (1x)

Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ceiling surface base, aluminium box, 1,5m rod, long bracket (1x)




Code 0.26821.0012 - Suspension set for 3-phase track - Short brackets (2x)

Type: Mounting
 Finishing: Embossed matt white (Standard)
 Description: Ghosttrack adapters (2x) for 3-phase track, 3000m cables, short brackets (2x)




Code 0.26821.0031 - Suspension set for 3-phase track - Short brackets (2x)

Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ghosttrack adapters (2x) for 3-phase track, 3000m cables, short brackets (2x)




Code 0.26822.0012 - Suspension set for 3-phase track - long bracket (1x)

Type: Mounting
 Finishing: Embossed matt white (Standard)
 Description: Ghosttrack adapter for 3-phase track, 3000m cable, long bracket (1x)



Code 0.26822.0031 - Suspension set for 3-phase track - long bracket (1x)


Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ghosttrack adapter for 3-phase track, 3000m cable, long bracket (1x)



Code 0.26823.0021 - Power adapter ON-OFF/BLUETOOTH for 3-phase track suspension kit


Type: Mounting
 Finishing: Black (Standard)
 Description:
 Traceline Pendant / Deep Pendant: the use of codes 0.26823 and 0.26824 requires the replacement of the cable supplied with the product with the one supplied with the accessory.

Accessories




Code 0.26824.0021 - Power adapter DALI/dimm for 3-phase track suspension kit

Type: Mounting
 Finishing: Black (Standard)
 Description: Traceline Pendant / Deep Pendant: the use of codes 0.26823 and 0.26824 requires the replacement of the cable supplied with the product with the one supplied with the accessory.




Code 0.26825.0000 - Suspension set for 3000mm cable with short brackets (2x)

Type: Structural
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)
 Description: Short brackets (2x) with gripper Ø 1,5m, surface ceiling rose, 3000mm cable




Code 0.26826.0000 - Suspension set for 3000mm cable with long bracket (1x)

Type: Structural
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)
 Description: Long bracket with gripper Ø 1,5m, surface ceiling rose, 3000mm cable




Code 0.26827.0012 - Power cable (ON-OFF/BLUETOOTH) with Surface trim base-3000mm

Type: Structural
 Finishing: Embossed matt white (Standard)



Code 0.26827.0031 - Power cable (ON-OFF/BLUETOOTH) with Surface trim base-3000mm

Type: Structural
 Finishing: Embossed matt black (Standard)




Code 0.26828.0012 - Power cable (DALI/DIMM) with Surface trim base-3000mm

Type: Structural
 Finishing: Embossed matt white (Standard)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories




Code 0.26828.0031 - Power cable (DALI/DIMM) with Surface trim base- 3000mm

Type: Structural
Finishing: Embossed matt black (Standard)




Code 0.26829.0012 - Power cable (ON-OFF/BLUETOOTH) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt white (Standard)




Code 0.26829.0031 - Power cable (ON-OFF/BLUETOOTH) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt black (Standard)




Code 0.26831.0012 - Suspension set with 1,5m tige - short brackets (2x)

Type: Structural
Finishing: Embossed matt white (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, short brackets (2x)



Code 0.26831.0031 - Suspension set with 1,5m tige - short brackets (2x)


Type: Structural
Finishing: Embossed matt black (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, short brackets (2x)



Code 0.26832.0012 - Wall bracket

Type: Structural
Finishing: Embossed matt white (Standard)



Accessories



Code 0.26832.0031 - Wall bracket

Type: Structural

Finishing: Embossed matt black (Standard)




Code 0.26833.0000 - Fixing bracket for surface vertical installatio

Type: Structural

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

Description: Traceline Surface/Pendant

Indoor | Pendants | Traceline Deep Pendant Indirect – Yori Module



Very wide 110°



IP20



Risk 0

850°



Code 0.3M995.HNE0

Light source features

Number of light sources: 1

Source type: LED HN

Watt: 28W

Lm: 4100lm

Lm/W: 148lm/W

Kelvin/CRI: 4000K / >90

SDCM/L80 B10: < 3 / 50000

Electrical features

Driver included: YES

Driver position: integrated

Driver type: On-Off 120/277 Vac 50/60 Hz

Isolation class: Class II

Driver note: 35W - 500mA

Optical features

Beam angle: 110°

Interchangeable optic (IOS): NO

Physical features

Material: Extruded aluminum

Mounting: Suspension

Finishing: Brushed gold

Notes:

- Maximum length for continuous line configuration with one Power module : 6m (i.e. 1 Power module 3000mm + 1 Continuous 3000mm)

- End caps not included, to be ordered separately

- For configuration of Yori Evo Spotlights with Traceline modules, pick up Traceline driver options (no Ghosttrack driver needed).


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Reggiani SPA Illuminazione

Viale Monza, 16 20845 Sovico (MB) Italy
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net
contact@reggiani.net

Yori Spotlights



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø60mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø75mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...




Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø95mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 205mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...





Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 255mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...





Accessories





Code 0.26814.0001 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Chrome





Code 0.26814.0012 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Embossed matt white (Standard)





Code 0.26814.0031 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Embossed matt black (Standard)





Code 0.26814.00B0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Royal matt black



Code 0.26814.00C0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Royal matt white





Code 0.26814.00D0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed brass



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories





Code 0.26814.00E0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed gold





Code 0.26814.00L0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Antiqued brushed bronze





Code 0.26814.00M0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed aluminum




Code 0.26814.00N0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed copper



Code 0.26814.00T1 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Anodized Bronze




Code 0.26820.0012 - Suspension set with 1,5m tige and long bracket (1x)

Type: Mounting
Finishing: Embossed matt white (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, long bracket (1x)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories




Code 0.26820.0031 - Suspension set with 1,5m tige and long bracket (1x)

Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ceiling surface base, aluminium box, 1,5m rod, long bracket (1x)




Code 0.26821.0012 - Suspension set for 3-phase track - Short brackets (2x)

Type: Mounting
 Finishing: Embossed matt white (Standard)
 Description: Ghosttrack adapters (2x) for 3-phase track, 3000m cables, short brackets (2x)




Code 0.26821.0031 - Suspension set for 3-phase track - Short brackets (2x)

Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ghosttrack adapters (2x) for 3-phase track, 3000m cables, short brackets (2x)




Code 0.26822.0012 - Suspension set for 3-phase track - long bracket (1x)

Type: Mounting
 Finishing: Embossed matt white (Standard)
 Description: Ghosttrack adapter for 3-phase track, 3000m cable, long bracket (1x)



Code 0.26822.0031 - Suspension set for 3-phase track - long bracket (1x)

Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ghosttrack adapter for 3-phase track, 3000m cable, long bracket (1x)




Code 0.26823.0021 - Power adapter ON-OFF/BLUETOOTH for 3-phase track suspension kit

Type: Mounting
 Finishing: Black (Standard)
 Description:
 Traceline Pendant / Deep Pendant: the use of codes 0.26823 and 0.26824 requires the replacement of the cable supplied with the product with the one supplied with the accessory.


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories




Code 0.26824.0021 - Power adapter DALI/dimm for 3-phase track suspension kit

Type: Mounting
 Finishing: Black (Standard)
 Description: Traceline Pendant / Deep Pendant: the use of codes 0.26823 and 0.26824 requires the replacement of the cable supplied with the product with the one supplied with the accessory.




Code 0.26825.0000 - Suspension set for 3000mm cable with short brackets (2x)

Type: Structural
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)
 Description: Short brackets (2x) with gripper Ø 1,5m, surface ceiling rose, 3000mm cable




Code 0.26826.0000 - Suspension set for 3000mm cable with long bracket (1x)

Type: Structural
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)
 Description: Long bracket with gripper Ø 1,5m, surface ceiling rose, 3000mm cable




Code 0.26827.0012 - Power cable (ON-OFF/BLUETOOTH) with Surface trim base-3000mm

Type: Structural
 Finishing: Embossed matt white (Standard)



Code 0.26827.0031 - Power cable (ON-OFF/BLUETOOTH) with Surface trim base-3000mm

Type: Structural
 Finishing: Embossed matt black (Standard)




Code 0.26828.0012 - Power cable (DALI/DIMM) with Surface trim base- 3000mm

Type: Structural
 Finishing: Embossed matt white (Standard)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories




Code 0.26828.0031 - Power cable (DALI/DIMM) with Surface trim base- 3000mm

Type: Structural
Finishing: Embossed matt black (Standard)




Code 0.26829.0012 - Power cable (ON-OFF/BLUETOOTH) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt white (Standard)




Code 0.26829.0031 - Power cable (ON-OFF/BLUETOOTH) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt black (Standard)




Code 0.26831.0012 - Suspension set with 1,5m tige - short brackets (2x)

Type: Structural
Finishing: Embossed matt white (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, short brackets (2x)



Code 0.26831.0031 - Suspension set with 1,5m tige - short brackets (2x)

Type: Structural
Finishing: Embossed matt black (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, short brackets (2x)




Code 0.26832.0012 - Wall bracket

Type: Structural
Finishing: Embossed matt white (Standard)

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).



Accessories



Code 0.26832.0031 - Wall bracket

Type: Structural

Finishing: Embossed matt black (Standard)




Code 0.26833.0000 - Fixing bracket for surface vertical installatio

Type: Structural

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

Description: Traceline Surface/Pendant

Indoor | Pendants | Traceline Deep Pendant Indirect – Yori Module



Very wide 110°



IP20



Risk 0

850°



Code 0.PM995.HND0

Light source features

Number of light sources: 1

Source type: LED HN

Watt: 28W

Lm: 4100lm

Lm/W: 148lm/W

Kelvin/CRI: 4000K / >90

SDCM/L80 B10: < 3 / 50000

Electrical features

Driver included: YES

Driver position: integrated

Driver type: On-Off 120/277 Vac 50/60 Hz

Isolation class: Class II

Driver note: 35W - 500mA

Optical features

Beam angle: 110°

Interchangeable optic (IOS): NO

Physical features

Material: Extruded aluminum

Mounting: Suspension

Finishing: Brushed brass

Notes:

- Maximum length for continuous line configuration with one Power module : 6m (i.e. 1 Power module 3000mm + 1 Continuous 3000mm)

- End caps not included, to be ordered separately

- For configuration of Yori Evo Spotlights with Traceline modules, pick up Traceline driver options (no Ghosttrack driver needed).


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Reggiani SPA Illuminazione

Viale Monza, 16 20845 Sovico (MB) Italy
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net
contact@reggiani.net

Yori Spotlights



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø60mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø75mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...




Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø95mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 205mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...





Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 255mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...





Accessories





Code 0.26814.0001 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Chrome





Code 0.26814.0012 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Embossed matt white (Standard)





Code 0.26814.0031 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Embossed matt black (Standard)





Code 0.26814.00B0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Royal matt black



Code 0.26814.00C0 - End caps (2x) Traceline Deep Pendant Direct/Indirect



Type: Mounting
Finishing: Royal matt white



Code 0.26814.00D0 - End caps (2x) Traceline Deep Pendant Direct/Indirect



Type: Mounting
Finishing: Brushed brass

Accessories





Code 0.26814.00E0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed gold





Code 0.26814.00L0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Antiqued brushed bronze





Code 0.26814.00M0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed aluminum




Code 0.26814.00N0 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed copper



Code 0.26814.00T1 - End caps (2x) Traceline Deep Pendant Direct/Indirect

Type: Mounting
Finishing: Anodized Bronze




Code 0.26820.0012 - Suspension set with 1,5m tige and long bracket (1x)

Type: Mounting
Finishing: Embossed matt white (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, long bracket (1x)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories




Code 0.26820.0031 - Suspension set with 1,5m tige and long bracket (1x)

Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ceiling surface base, aluminium box, 1,5m rod, long bracket (1x)




Code 0.26821.0012 - Suspension set for 3-phase track - Short brackets (2x)

Type: Mounting
 Finishing: Embossed matt white (Standard)
 Description: Ghosttrack adapters (2x) for 3-phase track, 3000m cables, short brackets (2x)




Code 0.26821.0031 - Suspension set for 3-phase track - Short brackets (2x)

Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ghosttrack adapters (2x) for 3-phase track, 3000m cables, short brackets (2x)




Code 0.26822.0012 - Suspension set for 3-phase track - long bracket (1x)

Type: Mounting
 Finishing: Embossed matt white (Standard)
 Description: Ghosttrack adapter for 3-phase track, 3000m cable, long bracket (1x)



Code 0.26822.0031 - Suspension set for 3-phase track - long bracket (1x)

Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ghosttrack adapter for 3-phase track, 3000m cable, long bracket (1x)




Code 0.26823.0021 - Power adapter ON-OFF/BLUETOOTH for 3-phase track suspension kit

Type: Mounting
 Finishing: Black (Standard)
 Description:
 Traceline Pendant / Deep Pendant: the use of codes 0.26823 and 0.26824 requires the replacement of the cable supplied with the product with the one supplied with the accessory.


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories




Code 0.26824.0021 - Power adapter DALI/dimm for 3-phase track suspension kit

Type: Mounting
 Finishing: Black (Standard)
 Description: Traceline Pendant / Deep Pendant: the use of codes 0.26823 and 0.26824 requires the replacement of the cable supplied with the product with the one supplied with the accessory.




Code 0.26825.0000 - Suspension set for 3000mm cable with short brackets (2x)

Type: Structural
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)
 Description: Short brackets (2x) with gripper Ø 1,5m, surface ceiling rose, 3000mm cable




Code 0.26826.0000 - Suspension set for 3000mm cable with long bracket (1x)

Type: Structural
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)
 Description: Long bracket with gripper Ø 1,5m, surface ceiling rose, 3000mm cable




Code 0.26827.0012 - Power cable (ON-OFF/BLUETOOTH) with Surface trim base-3000mm

Type: Structural
 Finishing: Embossed matt white (Standard)



Code 0.26827.0031 - Power cable (ON-OFF/BLUETOOTH) with Surface trim base-3000mm

Type: Structural
 Finishing: Embossed matt black (Standard)




Code 0.26828.0012 - Power cable (DALI/DIMM) with Surface trim base- 3000mm

Type: Structural
 Finishing: Embossed matt white (Standard)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories




Code 0.26828.0031 - Power cable (DALI/DIMM) with Surface trim base- 3000mm

Type: Structural
Finishing: Embossed matt black (Standard)




Code 0.26829.0012 - Power cable (ON-OFF/BLUETOOTH) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt white (Standard)




Code 0.26829.0031 - Power cable (ON-OFF/BLUETOOTH) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt black (Standard)




Code 0.26831.0012 - Suspension set with 1,5m tige - short brackets (2x)

Type: Structural
Finishing: Embossed matt white (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, short brackets (2x)



Code 0.26831.0031 - Suspension set with 1,5m tige - short brackets (2x)

Type: Structural
Finishing: Embossed matt black (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, short brackets (2x)




Code 0.26832.0012 - Wall bracket

Type: Structural
Finishing: Embossed matt white (Standard)

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).



Accessories



Code 0.26832.0031 - Wall bracket

Type: Structural

Finishing: Embossed matt black (Standard)





Code 0.26833.0000 - Fixing bracket for surface vertical installatio

Type: Structural

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

Description: Traceline Surface/Pendant

Indoor | Pendants | Traceline Pendant Indirect – Yori Module



Very wide 110°

01

IP20



Risk 0

850°



Code 0.HM995.DT01

Light source features

Number of light sources: 1

Source type: LED Warm Dimming DT

Watt: 22W

Lamp note: Dimming range: from 1800 K to 2700 K

Lm: 1400lm

Lm/W: 64lm/W

Kelvin/CRI: / >90

SDCM/L80 B10: < 3 / 50000

Electrical features

Driver included: YES

Driver position: integrated

Driver type: On-Off 120/277 Vac 50/60 Hz

Isolation class: Class II

Driver note: 35W - 500mA

Optical features

Beam angle: 110°

Interchangeable optic (IOS): NO

Physical features

Material: Extruded aluminum

Mounting: Suspension

Finishing: Chrome

Notes:

- Maximum length for continuous line configuration with one Power module : 6m (i.e. 1 Power module 3000mm + 1 Continuous 3000mm)

- End caps not included, to be ordered separately

-For configuration of Yori Evo Spotlights with Traceline modules, pick up Traceline driver options (no Ghosttrack driver needed).


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Reggiani SPA Illuminazione

Viale Monza, 16 20845 Sovico (MB) Italy
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net
contact@reggiani.net

Yori Spotlights



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø60mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø75mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...




Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø95mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 205mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...





Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 255mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...





Accessories





Code 0.26813.0001 - End caps (2x) Traceline Pendant Direct/Indirect

Type: Mounting
Finishing: Chrome





Code 0.26813.0012 - End caps (2x) Traceline Pendant Direct/Indirect

Type: Mounting
Finishing: Embossed matt white (Standard)





Code 0.26813.0031 - End caps (2x) Traceline Pendant Direct/Indirect

Type: Mounting
Finishing: Embossed matt black (Standard)





Code 0.26813.00B0 - End caps (2x) Traceline Pendant Direct/Indirect

Type: Mounting
Finishing: Royal matt black



Code 0.26813.00C0 - End caps (2x) Traceline Pendant Direct/Indirect

Type: Mounting
Finishing: Royal matt white





Code 0.26813.00D0 - End caps (2x) Traceline Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed brass



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories





Code 0.26813.00E0 - End caps (2x) Traceline Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed gold





Code 0.26813.00L0 - End caps (2x) Traceline Pendant Direct/Indirect

Type: Mounting
Finishing: Antiqued brushed bronze





Code 0.26813.00M0 - End caps (2x) Traceline Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed aluminum




Code 0.26813.00N0 - End caps (2x) Traceline Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed copper



Code 0.26813.00T1 - End caps (2x) Traceline Pendant Direct/Indirect

Type: Mounting
Finishing: Anodized Bronze




Code 0.26820.0012 - Suspension set with 1,5m tige and long bracket (1x)

Type: Mounting
Finishing: Embossed matt white (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, long bracket (1x)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories




Code 0.26820.0031 - Suspension set with 1,5m tige and long bracket (1x)

Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ceiling surface base, aluminium box, 1,5m rod, long bracket (1x)




Code 0.26821.0012 - Suspension set for 3-phase track - Short brackets (2x)

Type: Mounting
 Finishing: Embossed matt white (Standard)
 Description: Ghosttrack adapters (2x) for 3-phase track, 3000m cables, short brackets (2x)




Code 0.26821.0031 - Suspension set for 3-phase track - Short brackets (2x)

Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ghosttrack adapters (2x) for 3-phase track, 3000m cables, short brackets (2x)




Code 0.26822.0012 - Suspension set for 3-phase track - long bracket (1x)

Type: Mounting
 Finishing: Embossed matt white (Standard)
 Description: Ghosttrack adapter for 3-phase track, 3000m cable, long bracket (1x)



Code 0.26822.0031 - Suspension set for 3-phase track - long bracket (1x)


Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ghosttrack adapter for 3-phase track, 3000m cable, long bracket (1x)



Code 0.26823.0021 - Power adapter ON-OFF/BLUETOOTH for 3-phase track suspension kit


Type: Mounting
 Finishing: Black (Standard)

Accessories




Code 0.26824.0021 - Power adapter DALI/dimm for 3-phase track suspension kit

Type: Mounting
Finishing: Black (Standard)




Code 0.26825.0000 - Suspension set for 3000mm cable with short brackets (2x)

Type: Structural
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)
Description: Short brackets (2x) with gripper Ø 1,5m, surface ceiling rose, 3000mm cable




Code 0.26826.0000 - Suspension set for 3000mm cable with long bracket (1x)

Type: Structural
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)
Description: Long bracket with gripper Ø 1,5m, surface ceiling rose, 3000mm cable




Code 0.26827.0012 - Power cable (ON-OFF/BLUETOOTH) with Surface trim base-3000mm

Type: Structural
Finishing: Embossed matt white (Standard)



Code 0.26827.0031 - Power cable (ON-OFF/BLUETOOTH) with Surface trim base-3000mm

Type: Structural
Finishing: Embossed matt black (Standard)




Code 0.26828.0012 - Power cable (DALI/DIMM) with Surface trim base- 3000mm

Type: Structural
Finishing: Embossed matt white (Standard)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories




Code 0.26828.0031 - Power cable (DALI/DIMM) with Surface trim base- 3000mm

Type: Structural
Finishing: Embossed matt black (Standard)




Code 0.26829.0012 - Power cable (ON-OFF/BLUETOOTH) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt white (Standard)




Code 0.26829.0031 - Power cable (ON-OFF/BLUETOOTH) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt black (Standard)




Code 0.26830.0012 - Power cable (DALI/DIMM) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt white (Standard)



Code 0.26830.0031 - Power cable (DALI/DIMM) with Recessed trimless base - 3000mm


Type: Structural
Finishing: Embossed matt black (Standard)



Code 0.26831.0012 - Suspension set with 1,5m tige - short brackets (2x)

Type: Structural
Finishing: Embossed matt white (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, short brackets (2x)

Accessories




Code 0.26831.0031 - Suspension set with 1,5m tige - short brackets (2x)

Type: Structural

Finishing: Embossed matt black (Standard)


Description: Ceiling surface base, aluminium box, 1,5m rod, short brackets (2x)



Code 0.26832.0012 - Wall bracket

Type: Structural



Finishing: Embossed matt white (Standard)



Code 0.26832.0031 - Wall bracket

Type: Structural

Finishing: Embossed matt black (Standard)





Code 0.26833.0000 - Fixing bracket for surface vertical installatio

Type: Structural

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

Description: Traceline Surface/Pendant

Indoor | Pendants | Traceline Pendant Indirect – Yori Module



Product No optic

01

IP20



Risk 0

850°



Code 0.HM952.TS01

Light source features

Number of light sources: 0
Source type: FOR SPOT TS
Watt: 0
SDCM/L90 B10: < 0 / 0

Electrical features

Driver included: YES
Driver position: integrated
Driver type: On-Off 120/277 Vac 50/60 Hz
Isolation class: Class II
Driver note: 35W - 250mA

Optical features

Beam angle: No optic
Interchangeable optic (IOS): NO

Physical features

Material: Extruded aluminum
Mounting: Suspension
Finishing: Chrome

Notes:

- Maximum length for continuous line configuration with one Power module : 6m (i.e. 1 Power module 3000mm + 1 Continuous 3000mm)
- End caps not included, to be ordered separately
- For configuration of Yori Evo Spotlights with Traceline modules, pick up Traceline driver options (no Ghosttrack driver needed).

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Reggiani SPA Illuminazione

Viale Monza, 16 20845 Sovico (MB) Italy
 Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net
 contact@reggiani.net

Yori Spotlights



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø60mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 205mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....





Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 255mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....





Accessories





Code 0.26813.0001 - End caps (2x) Traceline Pendant Direct/Indirect

Type: Mounting
Finishing: Chrome





Code 0.26813.0012 - End caps (2x) Traceline Pendant Direct/Indirect

Type: Mounting
Finishing: Embossed matt white (Standard)





Code 0.26813.0031 - End caps (2x) Traceline Pendant Direct/Indirect

Type: Mounting
Finishing: Embossed matt black (Standard)





Code 0.26813.00B0 - End caps (2x) Traceline Pendant Direct/Indirect

Type: Mounting
Finishing: Royal matt black



Code 0.26813.00C0 - End caps (2x) Traceline Pendant Direct/Indirect

Type: Mounting
Finishing: Royal matt white





Code 0.26813.00D0 - End caps (2x) Traceline Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed brass



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories





Code 0.26813.00E0 - End caps (2x) Traceline Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed gold





Code 0.26813.00L0 - End caps (2x) Traceline Pendant Direct/Indirect

Type: Mounting
Finishing: Antiqued brushed bronze





Code 0.26813.00M0 - End caps (2x) Traceline Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed aluminum




Code 0.26813.00N0 - End caps (2x) Traceline Pendant Direct/Indirect

Type: Mounting
Finishing: Brushed copper



Code 0.26813.00T1 - End caps (2x) Traceline Pendant Direct/Indirect

Type: Mounting
Finishing: Anodized Bronze




Code 0.26820.0012 - Suspension set with 1,5m tige and long bracket (1x)

Type: Mounting
Finishing: Embossed matt white (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, long bracket (1x)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories




Code 0.26820.0031 - Suspension set with 1,5m tige and long bracket (1x)

Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ceiling surface base, aluminium box, 1,5m rod, long bracket (1x)




Code 0.26821.0012 - Suspension set for 3-phase track - Short brackets (2x)

Type: Mounting
 Finishing: Embossed matt white (Standard)
 Description: Ghosttrack adapters (2x) for 3-phase track, 3000m cables, short brackets (2x)




Code 0.26821.0031 - Suspension set for 3-phase track - Short brackets (2x)

Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ghosttrack adapters (2x) for 3-phase track, 3000m cables, short brackets (2x)




Code 0.26822.0012 - Suspension set for 3-phase track - long bracket (1x)

Type: Mounting
 Finishing: Embossed matt white (Standard)
 Description: Ghosttrack adapter for 3-phase track, 3000m cable, long bracket (1x)



Code 0.26822.0031 - Suspension set for 3-phase track - long bracket (1x)


Type: Mounting
 Finishing: Embossed matt black (Standard)
 Description: Ghosttrack adapter for 3-phase track, 3000m cable, long bracket (1x)



Code 0.26823.0021 - Power adapter ON-OFF/BLUETOOTH for 3-phase track suspension kit


Type: Mounting
 Finishing: Black (Standard)

Accessories




Code 0.26824.0021 - Power adapter DALI/dimm for 3-phase track suspension kit

Type: Mounting
Finishing: Black (Standard)




Code 0.26825.0000 - Suspension set for 3000mm cable with short brackets (2x)

Type: Structural
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)
Description: Short brackets (2x) with gripper Ø 1,5m, surface ceiling rose, 3000mm cable




Code 0.26826.0000 - Suspension set for 3000mm cable with long bracket (1x)

Type: Structural
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)
Description: Long bracket with gripper Ø 1,5m, surface ceiling rose, 3000mm cable




Code 0.26827.0012 - Power cable (ON-OFF/BLUETOOTH) with Surface trim base-3000mm

Type: Structural
Finishing: Embossed matt white (Standard)



Code 0.26827.0031 - Power cable (ON-OFF/BLUETOOTH) with Surface trim base-3000mm


Type: Structural
Finishing: Embossed matt black (Standard)



Code 0.26828.0012 - Power cable (DALI/DIMM) with Surface trim base- 3000mm


Type: Structural
Finishing: Embossed matt white (Standard)

Accessories




Code 0.26828.0031 - Power cable (DALI/DIMM) with Surface trim base- 3000mm

Type: Structural
Finishing: Embossed matt black (Standard)




Code 0.26829.0012 - Power cable (ON-OFF/BLUETOOTH) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt white (Standard)




Code 0.26829.0031 - Power cable (ON-OFF/BLUETOOTH) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt black (Standard)




Code 0.26830.0012 - Power cable (DALI/DIMM) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt white (Standard)



Code 0.26830.0031 - Power cable (DALI/DIMM) with Recessed trimless base - 3000mm

Type: Structural
Finishing: Embossed matt black (Standard)




Code 0.26831.0012 - Suspension set with 1,5m tige - short brackets (2x)

Type: Structural
Finishing: Embossed matt white (Standard)
Description: Ceiling surface base, aluminium box, 1,5m rod, short brackets (2x)

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories




Code 0.26831.0031 - Suspension set with 1,5m tige - short brackets (2x)

Type: Structural

Finishing: Embossed matt black (Standard)


Description: Ceiling surface base, aluminium box, 1,5m rod, short brackets (2x)



Code 0.26832.0012 - Wall bracket

Type: Structural



Finishing: Embossed matt white (Standard)



Code 0.26832.0031 - Wall bracket

Type: Structural

Finishing: Embossed matt black (Standard)



Code 0.26833.0000 - Fixing bracket for surface vertical installatio

Type: Structural

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

Description: Traceline Surface/Pendant