



Indoor | Track mounted luminaires | Yori Evo Ghostrack



Narrow 12°

12

IP20



Risk 1

850°



**Code 0.3X.GH62B.HW12**

### Light source features

**Number of light sources:** 3

**Source type:** LED

**Watt:** 9W

**Lm:** 1050lm

**Lm/W:** 117lm/W

**Kelvin/CRI:** 2700K / >90

**SDCM/L90 B10:** < 2 / 50000

**Fixture total output:** 862 lm

**Fixture efficacy:** 84 lm/W

**Imax:** 13628 cd

### Electrical features

**Driver included:** YES

**Driver position:** integrated

**Driver type:** On-Off 220/240 Vac 50/60 Hz

**Total power consumption (LED + DRIVER):** 11

**Isolation class:** Class II

### Optical features

**Beam angle:** 12°

**Optical type, adjustability:** Adjustable

**Interchangeable optic (IOS):** YES

### Physical features

**Material:** Die-cast aluminum

**Mounting:** Track

**Fixing:** Ceiling

**Adjustability:** 356° horizontal axis 90° vertical axis

**Finishing:** Embossed matt white (Standard)

### Notes:

- 1X,2X,3X,4X = no. of light sources. The photometric data refer to the single light source
- Version with 220mm interdistance adapter is available on request



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

### Reggiani SPA Illuminazione

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net  
contact@reggiani.net


## Photometries



0\_GH62B\_HW\_12.ies


0\_GH62B\_HW\_12.LDT

## Tracks/channels




### Code 0.02030.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




### Code 0.02030.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




### Code 0.02030.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm





### Code 0.02031.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm



### Code 0.02031.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm




### Code 0.02031.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02032.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




### Code 0.02032.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




### Code 0.02032.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm





### Code 0.02033.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm



### Code 0.02033.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm




### Code 0.02033.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02034.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02034.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02034.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02035.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm



**Code 0.02035.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm




**Code 0.02035.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02036.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02036.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02036.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02037.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



**Code 0.02037.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm





**Code 0.02037.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02505.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 1000mm Width: 31mm Height: 83mm




### Code 0.02505.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 1000mm Width: 31mm Height: 83mm




### Code 0.02506.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 2000mm Width: 31mm Height: 83mm




### Code 0.02506.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 2000mm Width: 31mm Height: 83mm



### Code 0.02507.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 3000mm Width: 31mm Height: 83mm




### Code 0.02507.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 3000mm Width: 31mm Height: 83mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels



### Code 0.02508.0010 - H Track | Surface/Pendant


Finishing: White (Standard)  
Length: 4000mm Width: 31mm Height: 83mm



### Code 0.02508.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 4000mm Width: 31mm Height: 83mm

## Optics




Optic included - Code 0.35125.0000 - Ø60mm precision optic 12° - LED

Finishing:  
Description:



Narrow 12°




Code 0.35126.0000 - Ø60mm precision optic 20° - LED

Finishing:  
Description:



Medium 20°




Code 0.35127.0000 - Ø60mm precision optic 32° - LED

Finishing:  
Description:




Wide 32°

## Accessories




**Code 0.26402.004A - Red glass filter 1 mm**

Type: Optical  
Finishing: Red




**Code 0.26402.005A - Green glass filter 1 mm**

Type: Optical  
Finishing: Green




**Code 0.26402.006A - Blue glass filter 1 mm**

Type: Optical  
Finishing: Blue




**Code 0.26402.007A - Pink glass filter 1 mm**

Type: Optical  
Finishing: Pink



**Code 0.26402.008A - Yellow glass filter 1 mm**



Type: Optical  
Finishing: Yellow



**Code 0.26402.009A - Orange glass filter 1 mm**


Type: Optical  
Finishing: Orange

## Accessories





### Code 0.26508.0000 - Ghost lock - accessory for vertical installation

Type: Mounting  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Description: Max 3,5kg





### Code 0.26410.0000 - Colored Gel Slides (2 pieces)

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26418.0000 - Selective filter 2700K - 2500K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26426.0000 - Selective filter 2700K - 2200K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26434.0000 - Selective filter 2700K - 2000K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26442.0000 - Honeycomb dense texture

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

## Accessories



### Code 0.26450.0000 - Honeycomb wide texture

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26457.0000 - Ribbed glass

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26462.0000 - Opal lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26470.0000 - Diffusive lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26477.0000 - Cross blade louvre

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26485.0000 - Barn doors

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

## Accessories




### Code 0.26489.0012 - Cone 45 ° wall washer

Type: Optical  
Finishing: Embossed matt white (Standard)




### Code 0.26489.0031 - Cone 45 ° wall washer

Type: Optical  
Finishing: Embossed matt black (Standard)




### Code 0.26500.0000 - Standard spacer - 110mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 110mm




### Code 0.26501.0000 - Standard spacer - 220mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 220mm



### Code 0.26502.0000 - Customizable spacer - 300mm


Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 300mm



### Code 0.26503.0000 - Customizable spacer - 400mm


Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 400mm

## Accessories




**Code 0.26504.0000 - Customizable spacer - 600mm**

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 600mm




**Code 0.26505.0000 - Customizable spacer - 800mm**

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 800mm





**Code 0.26506.0000 - Customizable spacer - 1000mm**

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 1000mm




**Code 0.26507.0000 - Customizable spacer - 1200mm**

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 1200mm



**Code 0.26567.0000 - Selective filter 3000K-3600K**

Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




**Code 0.26575.0000 - Selective filter 3000K-4000K**

Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Accessories



**Code 0.26650.0021 - Framing accessory, light shape - round**


Type: Optical  
Finishing: Black (Standard)



**Code 0.26651.0021 - Framing accessory, light shape - square**

Type: Optical  
Finishing: Black (Standard)

Indoor | Track mounted luminaires | Yori Evo Ghostrack



Narrow 13°

12

IP20



Risk 1

850°



### Code 0.3X.GH72B.HQ12

#### Light source features

**Number of light sources:** 3

**Source type:** LED

**Watt:** 9W

**Lm:** 1100lm

**Lm/W:** 122lm/W

**Kelvin/CRI:** 3000K / >90

**SDCM/L90 B10:** < 2 / 50000

**Fixture total output:** 913 lm

**Fixture efficacy:** 89 lm/W

**Imax:** 11686 cd

#### Electrical features

**Driver included:** YES

**Driver position:** integrated

**Driver type:** On-Off 220/240 Vac 50/60 Hz

**Total power consumption (LED + DRIVER):** 11

**Isolation class:** Class II

#### Optical features

**Beam angle:** 13°

**Optical type, adjustability:** Adjustable

**Interchangeable optic (IOS):** YES

#### Physical features

**Material:** Die-cast aluminum

**Mounting:** Track

**Fixing:** Ceiling

**Adjustability:** 356° horizontal axis 90° vertical axis

**Finishing:** Embossed matt white (Standard)

#### Notes:

- 1X,2X,3X,4X = no. of light sources. The photometric data refer to the single light source
- Version with 220mm interdistance adapter is available on request



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

#### Reggiani SPA Illuminazione

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net  
contact@reggiani.net


## Photometries



0\_GH72B\_HQ\_12.ies


0\_GH72B\_HQ\_12.LDT

## Tracks/channels




**Code 0.02030.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




**Code 0.02030.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




**Code 0.02030.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




**Code 0.02031.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm



**Code 0.02031.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm




**Code 0.02031.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02032.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




### Code 0.02032.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




### Code 0.02032.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




### Code 0.02033.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm



### Code 0.02033.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm




### Code 0.02033.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02034.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02034.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02034.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02035.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm



**Code 0.02035.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm




**Code 0.02035.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02036.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02036.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02036.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02037.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



**Code 0.02037.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm





**Code 0.02037.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02505.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 1000mm Width: 31mm Height: 83mm




### Code 0.02505.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 1000mm Width: 31mm Height: 83mm




### Code 0.02506.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 2000mm Width: 31mm Height: 83mm




### Code 0.02506.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 2000mm Width: 31mm Height: 83mm



### Code 0.02507.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 3000mm Width: 31mm Height: 83mm




### Code 0.02507.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 3000mm Width: 31mm Height: 83mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels



### Code 0.02508.0010 - H Track | Surface/Pendant


Finishing: White (Standard)  
Length: 4000mm Width: 31mm Height: 83mm



### Code 0.02508.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 4000mm Width: 31mm Height: 83mm

## Optics




**Optic included - Code 0.35145.0000 - Ø60mm performance optic 13° - LED**

Finishing:  
Description:



Narrow 13°




**Code 0.35146.0000 - Ø60mm performance optic 24° - LED**

Finishing:  
Description:



Medium 24°




**Code 0.35147.0000 - Ø60mm performance optic 39° - LED**

Finishing:  
Description:




Medium-wide 38°

## Accessories




**Code 0.26403.004A - Red glass filter 1 mm**

Type: Optical  
Finishing: Red




**Code 0.26403.005A - Green glass filter 1 mm**

Type: Optical  
Finishing: Green




**Code 0.26403.006A - Blue glass filter 1 mm**

Type: Optical  
Finishing: Blue




**Code 0.26403.007A - Pink glass filter 1 mm**

Type: Optical  
Finishing: Pink



**Code 0.26403.008A - Yellow glass filter 1 mm**


Type: Optical  
Finishing: Yellow



**Code 0.26403.009A - Orange glass filter 1 mm**


Type: Optical  
Finishing: Orange

## Accessories





### Code 0.26508.0000 - Ghost lock - accessory for vertical installation

Type: Mounting  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Description: Max 3,5kg





### Code 0.26411.0000 - Colored Gel Slides (2 pieces)

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26419.0000 - Selective filter 2700K - 2500K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26427.0000 - Selective filter 2700K - 2200K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26435.0000 - Selective filter 2700K - 2000K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26443.0000 - Honeycomb dense texture

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)


## Accessories



### Code 0.26451.0000 - Honeycomb wide texture

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26463.0000 - Opal lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26471.0000 - Diffusive lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26481.0000 - Cross blade louver

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26493.0000 - Ribbed glass

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26497.0012 - Cone 45 ° wall washer

Type: Optical


Finishing: Embossed matt white (Standard)

## Accessories




### Code 0.26497.0031 - Cone 45 ° wall washer

Type: Optical  
Finishing: Embossed matt black (Standard)




### Code 0.26500.0000 - Standard spacer - 110mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 110mm




### Code 0.26501.0000 - Standard spacer - 220mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 220mm




### Code 0.26502.0000 - Customizable spacer - 300mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 300mm



### Code 0.26503.0000 - Customizable spacer - 400mm


Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 400mm



### Code 0.26504.0000 - Customizable spacer - 600mm


Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 600mm

## Accessories




### Code 0.26505.0000 - Customizable spacer - 800mm

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 800mm





### Code 0.26506.0000 - Customizable spacer - 1000mm

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 1000mm




### Code 0.26507.0000 - Customizable spacer - 1200mm

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 1200mm




### Code 0.26568.0000 - Selective filter 3000K-3600K

Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26576.0000 - Selective filter 3000K-4000K

Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26650.0021 - Framing accessory, light shape - round

Type: Optical  
 Finishing: Black (Standard)

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Accessories





**Code 0.26651.0021 - Framing accessory, light shape - square**

Type: Optical

Finishing: Black (Standard)

Indoor | Track mounted luminaires | Yori Evo Ghostrack



Narrow 12°



IP20



Risk 1

850°



**Code 0.3X.LH62B.NNN0**

### Light source features

**Number of light sources:** 3

**Source type:** LED

**Watt:** 9W

**Lm:** 1360lm

**Lm/W:** 151lm/W

**Kelvin/CRI:** 4000K / >80

**SDCM/L90 B10:** < 3 / 50000

### Electrical features

**Driver included:** YES

**Driver position:** integrated

**Driver type:** On-Off 220/240 Vac 50/60 Hz

**Total power consumption (LED + DRIVER):** 11

**Isolation class:** Class II

### Optical features

**Beam angle:** 12°

**Optical type, adjustability:** Adjustable

**Interchangeable optic (IOS):** YES

### Physical features

**Material:** Die-cast aluminum

**Mounting:** Track

**Fixing:** Ceiling

**Adjustability:** 356° horizontal axis 90° vertical axis

**Finishing:** Brushed copper

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

**Reggiani SPA Illuminazione**

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999


www.reggiani.net  
contact@reggiani.net

## Photometries




Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02030.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




### Code 0.02030.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




### Code 0.02030.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




### Code 0.02031.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm



### Code 0.02031.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm




### Code 0.02031.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02032.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




### Code 0.02032.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




### Code 0.02032.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




### Code 0.02033.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm



### Code 0.02033.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm




### Code 0.02033.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02034.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02034.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02034.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02035.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm



**Code 0.02035.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm




**Code 0.02035.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02036.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02036.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02036.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02037.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



**Code 0.02037.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm





**Code 0.02037.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02505.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 1000mm Width: 31mm Height: 83mm




### Code 0.02505.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 1000mm Width: 31mm Height: 83mm




### Code 0.02506.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 2000mm Width: 31mm Height: 83mm




### Code 0.02506.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 2000mm Width: 31mm Height: 83mm



### Code 0.02507.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 3000mm Width: 31mm Height: 83mm




### Code 0.02507.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 3000mm Width: 31mm Height: 83mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels



### Code 0.02508.0010 - H Track | Surface/Pendant


Finishing: White (Standard)  
Length: 4000mm Width: 31mm Height: 83mm



### Code 0.02508.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 4000mm Width: 31mm Height: 83mm

## Optics




Optic included - Code 0.35130.0000 - Ø75mm precision optic 12° - LED

Finishing:  
Description:



Narrow 12°




Code 0.35131.0000 - Ø75mm precision optic 23° - LED

Finishing:  
Description:




Medium 23°

## Accessories




**Code 0.26404.004A - Red glass filter 1 mm**

Type: Optical  
Finishing: Red




**Code 0.26404.005A - Green glass filter 1 mm**

Type: Optical  
Finishing: Green




**Code 0.26404.006A - Blue glass filter 1 mm**

Type: Optical  
Finishing: Blue




**Code 0.26404.007A - Pink glass filter 1 mm**

Type: Optical  
Finishing: Pink



**Code 0.26404.008A - Yellow glass filter 1 mm**


Type: Optical  
Finishing: Yellow



**Code 0.26404.009A - Orange glass filter 1 mm**


Type: Optical  
Finishing: Orange

## Accessories





**Code 0.26508.0000 - Ghost lock - accessory for vertical installation**

Type: Mounting  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Description: Max 3,5kg





**Code 0.26412.0000 - Colored Gel Slides (2 pieces)**

Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




**Code 0.26420.0000 - Selective filter 2700K - 2500K**

Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




**Code 0.26428.0000 - Selective filter 2700K - 2200K**

Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



**Code 0.26436.0000 - Selective filter 2700K - 2000K**

Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




**Code 0.26444.0000 - Honeycomb dense texture**

Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Accessories



### Code 0.26452.0000 - Honeycomb wide texture

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26458.0000 - Ribbed glass

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26464.0000 - Opal lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26472.0000 - Diffusive lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26478.0000 - Cross blade louver

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26486.0000 - Barn doors

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

## Accessories




### Code 0.26490.0012 - Cone 45 ° wall washer

Type: Optical  
Finishing: Embossed matt white (Standard)




### Code 0.26490.0031 - Cone 45 ° wall washer

Type: Optical  
Finishing: Embossed matt black (Standard)




### Code 0.26500.0000 - Standard spacer - 110mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 110mm




### Code 0.26501.0000 - Standard spacer - 220mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 220mm



### Code 0.26502.0000 - Customizable spacer - 300mm


Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 300mm



### Code 0.26503.0000 - Customizable spacer - 400mm


Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 400mm

## Accessories




### Code 0.26504.0000 - Customizable spacer - 600mm

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 600mm




### Code 0.26505.0000 - Customizable spacer - 800mm

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 800mm





### Code 0.26506.0000 - Customizable spacer - 1000mm

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 1000mm




### Code 0.26507.0000 - Customizable spacer - 1200mm

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 1200mm



### Code 0.26569.0000 - Selective filter 3000K-3600K


Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26577.0000 - Selective filter 3000K-4000K

Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

Indoor | Track mounted luminaires | Yori Evo Ghostrack



**Code 0.3X.LH72B.HCC0**

### Light source features

**Number of light sources:** 3

**Source type:** LED

**Watt:** 9W

**Lm:** 960lm

**Lm/W:** 107lm/W

**Kelvin/CRI:** 3000K / >98

**SDCM/L90 B10:** < 2 / 50000

### Electrical features

**Driver included:** YES

**Driver position:** integrated

**Driver type:** On-Off 120/277 Vac 50/60 Hz

**Total power consumption (LED + DRIVER):** 11

**Isolation class:** Class II

### Optical features

**Beam angle:** 12°

**Optical type, adjustability:** Adjustable

**Interchangeable optic (IOS):** YES

### Physical features

**Material:** Die-cast aluminum

**Mounting:** Track

**Fixing:** Ceiling

**Adjustability:** 356° horizontal axis 90° vertical axis

**Finishing:** Royal matt white



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

### Reggiani SPA Illuminazione

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net  
contact@reggiani.net


## Photometries



0\_LH72B\_HC\_C0.ies


0\_LH72B\_HC\_C0.LDT

## Tracks/channels




### Code 0.02030.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




### Code 0.02030.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




### Code 0.02030.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




### Code 0.02031.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm



### Code 0.02031.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm




### Code 0.02031.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02032.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




### Code 0.02032.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




### Code 0.02032.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




### Code 0.02033.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm



### Code 0.02033.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm




### Code 0.02033.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02034.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02034.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02034.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02035.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm



**Code 0.02035.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm




**Code 0.02035.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02036.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02036.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02036.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02037.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



**Code 0.02037.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm





**Code 0.02037.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02505.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 1000mm Width: 31mm Height: 83mm




### Code 0.02505.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 1000mm Width: 31mm Height: 83mm




### Code 0.02506.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 2000mm Width: 31mm Height: 83mm




### Code 0.02506.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 2000mm Width: 31mm Height: 83mm



### Code 0.02507.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 3000mm Width: 31mm Height: 83mm




### Code 0.02507.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 3000mm Width: 31mm Height: 83mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels



### Code 0.02508.0010 - H Track | Surface/Pendant


Finishing: White (Standard)  
Length: 4000mm Width: 31mm Height: 83mm



### Code 0.02508.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 4000mm Width: 31mm Height: 83mm

## Optics




**Optic included - Code 0.35150.0000 - Ø75mm performance optic 12° - LED**

Finishing:  
Description:



Narrow 12°




**Code 0.35151.0000 - Ø75mm performance optic 23° - LED**

Finishing:  
Description:



Medium 23°




**Code 0.35152.0000 - Ø75mm performance optic 48° - LED**

Finishing:  
Description:



Medium-wide 48°




**Code 0.35153.0000 - Ø75mm performance optic 37° - LED**

Finishing:  
Description:




Medium-wide 37°

## Accessories




**Code 0.26405.004A - Red glass filter 1 mm**

Type: Optical  
Finishing: Red




**Code 0.26405.005A - Green glass filter 1 mm**

Type: Optical  
Finishing: Green




**Code 0.26405.006A - Blue glass filter 1 mm**

Type: Optical  
Finishing: Blue




**Code 0.26405.007A - Pink glass filter 1 mm**

Type: Optical  
Finishing: Pink



**Code 0.26405.008A - Yellow glass filter 1 mm**


Type: Optical  
Finishing: Yellow



**Code 0.26405.009A - Orange glass filter 1 mm**


Type: Optical  
Finishing: Orange

## Accessories




### Code 0.26508.0000 - Ghost lock - accessory for vertical installation

Type: Mounting  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Description: Max 3,5kg





### Code 0.26413.0000 - Colored Gel Slides (2 pieces)

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26421.0000 - Selective filter 2700K - 2500K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26429.0000 - Selective filter 2700K - 2200K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26437.0000 - Selective filter 2700K - 2000K


Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26445.0000 - Honeycomb dense texture

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)


## Accessories



### Code 0.26453.0000 - Honeycomb wide texture

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26465.0000 - Opal lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26473.0000 - Diffusive lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26482.0000 - Cross blade louver

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26494.0000 - Ribbed glass

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26498.0012 - Cone 45 ° wall washer

Type: Optical


Finishing: Embossed matt white (Standard)

## Accessories




### Code 0.26498.0031 - Cone 45 ° wall washer

Type: Optical  
Finishing: Embossed matt black (Standard)




### Code 0.26500.0000 - Standard spacer - 110mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 110mm




### Code 0.26501.0000 - Standard spacer - 220mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 220mm




### Code 0.26502.0000 - Customizable spacer - 300mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 300mm



### Code 0.26503.0000 - Customizable spacer - 400mm


Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 400mm



### Code 0.26504.0000 - Customizable spacer - 600mm


Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 600mm

## Accessories




### Code 0.26505.0000 - Customizable spacer - 800mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 800mm




### Code 0.26506.0000 - Customizable spacer - 1000mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 1000mm




### Code 0.26507.0000 - Customizable spacer - 1200mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 1200mm



### Code 0.26570.0000 - Selective filter 3000K-3600K


Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26578.0000 - Selective filter 3000K-4000K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

Indoor | Track mounted luminaires | Yori Evo Ghostrack



Narrow 12°



IP20



Risk 1

850°



**Code 0.3X.MH63B.WWN0**

### Light source features

**Number of light sources:** 3

**Source type:** LED

**Watt:** 12W

**Lm:** 1859lm

**Lm/W:** 155lm/W

**Kelvin/CRI:** 3000K / >80

**SDCM/L90 B10:** < 2 / 50000

**Fixture total output:** 1208 lm

**Fixture efficacy:** 86 lm/W

**Imax:** 23367 cd

### Electrical features

**Driver included:** YES

**Driver position:** integrated

**Driver type:** On-Off 220/240 Vac 50/60 Hz

**Total power consumption (LED + DRIVER):** 14

**Isolation class:** Class II

### Optical features

**Beam angle:** 12°

**Optical type, adjustability:** Adjustable

**Interchangeable optic (IOS):** YES

### Physical features

**Material:** Die-cast aluminum

**Mounting:** Track

**Fixing:** Ceiling

**Adjustability:** 356° horizontal axis 90° vertical axis

**Finishing:** Brushed copper

### Notes:

- 1X,2X,3X,4X = no. of light sources. The photometric data refer to the single light source



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

**Reggiani SPA Illuminazione**

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net  
contact@reggiani.net


## Photometries



0\_MH63B\_WW\_N0.ies


0\_MH63B\_WW\_N0.LDT

## Tracks/channels




### Code 0.02030.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




### Code 0.02030.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




### Code 0.02030.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




### Code 0.02031.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm



### Code 0.02031.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm





### Code 0.02031.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02032.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




### Code 0.02032.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




### Code 0.02032.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm





### Code 0.02033.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm



### Code 0.02033.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm




### Code 0.02033.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02034.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02034.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02034.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02035.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm



**Code 0.02035.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm




**Code 0.02035.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02036.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02036.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02036.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02037.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



**Code 0.02037.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm





**Code 0.02037.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02505.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 1000mm Width: 31mm Height: 83mm




### Code 0.02505.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 1000mm Width: 31mm Height: 83mm




### Code 0.02506.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 2000mm Width: 31mm Height: 83mm




### Code 0.02506.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 2000mm Width: 31mm Height: 83mm



### Code 0.02507.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 3000mm Width: 31mm Height: 83mm




### Code 0.02507.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 3000mm Width: 31mm Height: 83mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels



### Code 0.02508.0010 - H Track | Surface/Pendant


Finishing: White (Standard)  
Length: 4000mm Width: 31mm Height: 83mm



### Code 0.02508.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 4000mm Width: 31mm Height: 83mm

## Optics




**Optic included - Code 0.35135.0000 - Ø95mm precision optic 12° - LED**

Finishing:  
Description:




Narrow 12°



**Code 0.35037.0000 - LL7 - Very wide beam (53°) - LED**

Finishing:  
Description:


Wide Wide



**Code 0.35038.0000 - LL7 - Very wide beam (53°) - LED**

Finishing:  
Description:

Very wide Very wide




**Code 0.35136.0000 - Ø95mm precision optic 24° - LED**

Finishing:  
Description:




Medium 24°

## Accessories




**Code 0.26406.004A - Red glass filter 1 mm**

Type: Optical  
Finishing: Red




**Code 0.26406.005A - Green glass filter 1 mm**

Type: Optical  
Finishing: Green




**Code 0.26406.006A - Blue glass filter 1 mm**

Type: Optical  
Finishing: Blue




**Code 0.26406.007A - Pink glass filter 1 mm**

Type: Optical  
Finishing: Pink



**Code 0.26406.008A - Yellow glass filter 1 mm**


Type: Optical  
Finishing: Yellow



**Code 0.26406.009A - Orange glass filter 1 mm**


Type: Optical  
Finishing: Orange

## Accessories




### Code 0.26508.0000 - Ghost lock - accessory for vertical installation

Type: Mounting  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Description: Max 3,5kg





### Code 0.26414.0000 - Colored Gel Slides (2 pieces)

Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26422.0000 - Selective filter 2700K - 2500K

Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26430.0000 - Selective filter 2700K - 2200K

Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26438.0000 - Selective filter 2700K - 2000K

Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26446.0000 - Honeycomb dense texture

Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).


## Accessories



### Code 0.26454.0000 - Honeycomb wide texture

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26459.0000 - Ribbed glass

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26466.0000 - Opal lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26474.0000 - Diffusive lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26479.0000 - Cross blade louver

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26487.0000 - Barn doors

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

## Accessories




### Code 0.26491.0012 - Cone 45 ° wall washer

Type: Optical  
Finishing: Embossed matt white (Standard)




### Code 0.26491.0031 - Cone 45 ° wall washer

Type: Optical  
Finishing: Embossed matt black (Standard)




### Code 0.26500.0000 - Standard spacer - 110mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 110mm




### Code 0.26501.0000 - Standard spacer - 220mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 220mm



### Code 0.26502.0000 - Customizable spacer - 300mm


Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 300mm



### Code 0.26503.0000 - Customizable spacer - 400mm


Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 400mm

## Accessories




### Code 0.26504.0000 - Customizable spacer - 600mm

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 600mm




### Code 0.26505.0000 - Customizable spacer - 800mm

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 800mm





### Code 0.26506.0000 - Customizable spacer - 1000mm

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 1000mm




### Code 0.26507.0000 - Customizable spacer - 1200mm

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 1200mm



### Code 0.26571.0000 - Selective filter 3000K-3600K

Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26579.0000 - Selective filter 3000K-4000K

Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Indoor | Track mounted luminaires | Yori Evo Ghostrack



Medium 20°



IP20



Risk 1

850°



**Code 0.3X.MH73E.HWD0**

### Light source features

**Number of light sources:** 3

**Source type:** LED

**Watt:** 12W

**Lm:** 1491lm

**Lm/W:** 124lm/W

**Kelvin/CRI:** 2700K / >90

**SDCM/L90 B10:** < 2 / 50000

### Electrical features

**Driver included:** YES

**Driver position:** integrated

**Driver type:** On-Off 120/277 Vac 50/60 Hz

**Total power consumption (LED + DRIVER):** 14

**Isolation class:** Class II

### Optical features

**Beam angle:** 20°

**Optical type, adjustability:** Adjustable

**Interchangeable optic (IOS):** YES

### Physical features

**Material:** Die-cast aluminum

**Mounting:** Track

**Fixing:** Ceiling

**Adjustability:** 356° horizontal axis 90° vertical axis

**Finishing:** Brushed brass

### Notes:

- 1X,2X,3X,4X = no. of light sources. The photometric data refer to the single light source



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

**Reggiani SPA Illuminazione**

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net  
contact@reggiani.net


## Photometries



0\_MH73E\_HW\_D0.ies


0\_MH73E\_HW\_D0.LDT

## Tracks/channels




### Code 0.02030.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




### Code 0.02030.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




### Code 0.02030.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm





### Code 0.02031.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm



### Code 0.02031.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm




### Code 0.02031.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02032.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




### Code 0.02032.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




### Code 0.02032.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




### Code 0.02033.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm



### Code 0.02033.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm




### Code 0.02033.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02034.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02034.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02034.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02035.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm



**Code 0.02035.0021 - 3-circuit track recessed**


Finishing: Black (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm



**Code 0.02035.0028 - 3-circuit track recessed**


Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm

## Tracks/channels




**Code 0.02036.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02036.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02036.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02037.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



**Code 0.02037.0021 - 3-circuit track recessed**



Finishing: Black (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



**Code 0.02037.0028 - 3-circuit track recessed**



Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm

## Tracks/channels




### Code 0.02505.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 1000mm Width: 31mm Height: 83mm




### Code 0.02505.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 1000mm Width: 31mm Height: 83mm




### Code 0.02506.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 2000mm Width: 31mm Height: 83mm




### Code 0.02506.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 2000mm Width: 31mm Height: 83mm



### Code 0.02507.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 3000mm Width: 31mm Height: 83mm




### Code 0.02507.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 3000mm Width: 31mm Height: 83mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels



### Code 0.02508.0010 - H Track | Surface/Pendant


Finishing: White (Standard)  
Length: 4000mm Width: 31mm Height: 83mm



### Code 0.02508.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 4000mm Width: 31mm Height: 83mm

## Optics




**Optic included - Code 0.35156.0000 - Ø95mm performance optic 20° - LED**

Finishing:  
Description:



Medium 20°




**Code 0.35155.0000 - Ø95mm performance optic 10°-12° - LED**

Finishing:  
Description:



Very narrow 10°




**Code 0.35157.0000 - Ø95mm performance optic 31° - LED**

Finishing:  
Description:



Medium 31°




**Code 0.35158.0000 - Ø95mm performance optic 40° - LED**

Finishing:  
Description:




Medium-wide 40°

## Accessories




**Code 0.26407.004A - Red glass filter 1 mm**

Type: Optical  
Finishing: Red




**Code 0.26407.005A - Green glass filter 1 mm**

Type: Optical  
Finishing: Green




**Code 0.26407.006A - Blue glass filter 1 mm**

Type: Optical  
Finishing: Blue




**Code 0.26407.007A - Pink glass filter 1 mm**

Type: Optical  
Finishing: Pink



**Code 0.26407.008A - Yellow glass filter 1 mm**


Type: Optical  
Finishing: Yellow



**Code 0.26407.009A - Orange glass filter 1 mm**


Type: Optical  
Finishing: Orange

## Accessories





### Code 0.26508.0000 - Ghost lock - accessory for vertical installation

Type: Mounting  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Description: Max 3,5kg





### Code 0.26415.0000 - Colored Gel Slides (2 pieces)

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26423.0000 - Selective filter 2700K - 2500K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26431.0000 - Selective filter 2700K - 2200K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26439.0000 - Selective filter 2700K - 2000K


Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26447.0000 - Honeycomb dense texture

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)


## Accessories



### Code 0.26455.0000 - Honeycomb wide texture

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26467.0000 - Opal lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26475.0000 - Diffusive lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26483.0000 - Cross blade louver

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26495.0000 - Ribbed glass

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26499.0012 - Cone 45 ° wall washer

Type: Optical


Finishing: Embossed matt white (Standard)

## Accessories




### Code 0.26499.0031 - Cone 45 ° wall washer

Type: Optical  
Finishing: Embossed matt black (Standard)




### Code 0.26500.0000 - Standard spacer - 110mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 110mm




### Code 0.26501.0000 - Standard spacer - 220mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 220mm




### Code 0.26502.0000 - Customizable spacer - 300mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 300mm



### Code 0.26503.0000 - Customizable spacer - 400mm


Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 400mm



### Code 0.26504.0000 - Customizable spacer - 600mm


Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 600mm

## Accessories




**Code 0.26505.0000 - Customizable spacer - 800mm**

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 800mm





**Code 0.26506.0000 - Customizable spacer - 1000mm**

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 1000mm




**Code 0.26507.0000 - Customizable spacer - 1200mm**

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 1200mm



**Code 0.26572.0000 - Selective filter 3000K-3600K**

Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)





**Code 0.26580.0000 - Selective filter 3000K-4000K**

Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Indoor | Track mounted luminaires | Yori Evo Ghostrack



Narrow 12°

01

IP20



Risk 1

850°



**Code 0.4X.GH62B.HC01**

### Light source features

**Number of light sources:** 4

**Source type:** LED

**Watt:** 9W

**Lm:** 960lm

**Lm/W:** 107lm/W

**Kelvin/CRI:** 3000K / >98

**SDCM/L90 B10:** < 2 / 50000

**Fixture total output:** 787 lm

**Fixture efficacy:** 76 lm/W

**Imax:** 12440 cd

### Electrical features

**Driver included:** YES

**Driver position:** integrated

**Driver type:** On-Off 220/240 Vac 50/60 Hz

**Total power consumption (LED + DRIVER):** 11

**Isolation class:** Class II

### Optical features

**Beam angle:** 12°

**Optical type, adjustability:** Adjustable

**Interchangeable optic (IOS):** YES

### Physical features

**Material:** Die-cast aluminum

**Mounting:** Track

**Fixing:** Ceiling

**Adjustability:** 355° horizontal axis 90° vertical axis

**Finishing:** Chrome

### Notes:

- 1X,2X,3X,4X = no. of light sources. The photometric data refer to the single light source
- Version with 220mm interdistance adapter is available on request



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

**Reggiani SPA Illuminazione**

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net  
contact@reggiani.net


## Photometries



0\_GH62B\_HC\_01.ies


0\_GH62B\_HC\_01.LDT

## Tracks/channels




**Code 0.02030.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




**Code 0.02030.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




**Code 0.02030.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




**Code 0.02031.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm



**Code 0.02031.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm




**Code 0.02031.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02032.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




**Code 0.02032.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




**Code 0.02032.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




**Code 0.02033.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm



**Code 0.02033.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm




**Code 0.02033.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02034.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02034.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02034.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02035.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm



**Code 0.02035.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm




**Code 0.02035.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02036.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02036.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02036.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02037.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



**Code 0.02037.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm





**Code 0.02037.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02505.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 1000mm Width: 31mm Height: 83mm




### Code 0.02505.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 1000mm Width: 31mm Height: 83mm




### Code 0.02506.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 2000mm Width: 31mm Height: 83mm




### Code 0.02506.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 2000mm Width: 31mm Height: 83mm



### Code 0.02507.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 3000mm Width: 31mm Height: 83mm




### Code 0.02507.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 3000mm Width: 31mm Height: 83mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels



### Code 0.02508.0010 - H Track | Surface/Pendant


Finishing: White (Standard)  
Length: 4000mm Width: 31mm Height: 83mm



### Code 0.02508.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 4000mm Width: 31mm Height: 83mm

## Optics




Optic included - Code 0.35125.0000 - Ø60mm precision optic 12° - LED

Finishing:  
Description:



Narrow 12°




Code 0.35126.0000 - Ø60mm precision optic 20° - LED

Finishing:  
Description:



Medium 20°




Code 0.35127.0000 - Ø60mm precision optic 32° - LED

Finishing:  
Description:




Wide 32°

## Accessories




**Code 0.26402.004A - Red glass filter 1 mm**

Type: Optical  
Finishing: Red




**Code 0.26402.005A - Green glass filter 1 mm**

Type: Optical  
Finishing: Green




**Code 0.26402.006A - Blue glass filter 1 mm**

Type: Optical  
Finishing: Blue




**Code 0.26402.007A - Pink glass filter 1 mm**

Type: Optical  
Finishing: Pink



**Code 0.26402.008A - Yellow glass filter 1 mm**


Type: Optical  
Finishing: Yellow



**Code 0.26402.009A - Orange glass filter 1 mm**

Type: Optical  
Finishing: Orange

## Accessories




### Code 0.26508.0000 - Ghost lock - accessory for vertical installation

Type: Mounting  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Description: Max 3,5kg





### Code 0.26410.0000 - Colored Gel Slides (2 pieces)

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26418.0000 - Selective filter 2700K - 2500K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26426.0000 - Selective filter 2700K - 2200K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26434.0000 - Selective filter 2700K - 2000K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26442.0000 - Honeycomb dense texture

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)


## Accessories



### Code 0.26450.0000 - Honeycomb wide texture

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26457.0000 - Ribbed glass

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26462.0000 - Opal lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26470.0000 - Diffusive lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26477.0000 - Cross blade louver

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26485.0000 - Barn doors

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

## Accessories




### Code 0.26489.0012 - Cone 45 ° wall washer

Type: Optical  
Finishing: Embossed matt white (Standard)




### Code 0.26489.0031 - Cone 45 ° wall washer

Type: Optical  
Finishing: Embossed matt black (Standard)




### Code 0.26500.0000 - Standard spacer - 110mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 110mm




### Code 0.26501.0000 - Standard spacer - 220mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 220mm



### Code 0.26502.0000 - Customizable spacer - 300mm


Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 300mm



### Code 0.26503.0000 - Customizable spacer - 400mm


Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 400mm

## Accessories




### Code 0.26504.0000 - Customizable spacer - 600mm

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 600mm




### Code 0.26505.0000 - Customizable spacer - 800mm

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 800mm





### Code 0.26506.0000 - Customizable spacer - 1000mm

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 1000mm




### Code 0.26507.0000 - Customizable spacer - 1200mm

Type: Structural  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
 Length: 1200mm



### Code 0.26567.0000 - Selective filter 3000K-3600K


Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26575.0000 - Selective filter 3000K-4000K


Type: Optical  
 Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

## Accessories



**Code 0.26650.0021 - Framing accessory, light shape - round**


Type: Optical  
Finishing: Black (Standard)



**Code 0.26651.0021 - Framing accessory, light shape - square**

Type: Optical  
Finishing: Black (Standard)

Indoor | Track mounted luminaires | Yori Evo Ghostrack



Narrow 13°



IP20



Risk 1

850°



EAC



CE

CB

**Code 0.4X.GH72B.HCC0**

### Light source features

**Number of light sources:** 4

**Source type:** LED

**Watt:** 9W

**Lm:** 960lm

**Lm/W:** 107lm/W

**Kelvin/CRI:** 3000K / >98

**SDCM/L90 B10:** < 2 / 50000

**Fixture total output:** 797 lm

**Fixture efficacy:** 77 lm/W

**Imax:** 10201 cd

### Electrical features

**Driver included:** YES

**Driver position:** integrated

**Driver type:** On-Off 220/240 Vac 50/60 Hz

**Total power consumption (LED + DRIVER):** 11

**Isolation class:** Class II

### Optical features

**Beam angle:** 13°

**Optical type, adjustability:** Adjustable

**Interchangeable optic (IOS):** YES

### Physical features

**Material:** Die-cast aluminum

**Mounting:** Track

**Fixing:** Ceiling

**Adjustability:** 356° horizontal axis 90° vertical axis

**Finishing:** Royal matt white

### Notes:

- 1X,2X,3X,4X = no. of light sources. The photometric data refer to the single light source
- Version with 220mm interdistance adapter is available on request



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

**Reggiani SPA Illuminazione**

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net  
contact@reggiani.net


## Photometries



0\_GH72B\_HC\_C0.ies


0\_GH72B\_HC\_C0.LDT

## Tracks/channels




**Code 0.02030.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




**Code 0.02030.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




**Code 0.02030.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




**Code 0.02031.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm



**Code 0.02031.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm




**Code 0.02031.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02032.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




### Code 0.02032.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




### Code 0.02032.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm





### Code 0.02033.0010 - 3-circuit track surface/pendant

Finishing: White (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm



### Code 0.02033.0021 - 3-circuit track surface/pendant

Finishing: Black (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm




### Code 0.02033.0028 - 3-circuit track surface/pendant

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02034.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02034.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02034.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02035.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm



**Code 0.02035.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm




**Code 0.02035.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02036.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02036.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02036.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




**Code 0.02037.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



**Code 0.02037.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm





**Code 0.02037.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02505.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 1000mm Width: 31mm Height: 83mm




### Code 0.02505.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 1000mm Width: 31mm Height: 83mm




### Code 0.02506.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 2000mm Width: 31mm Height: 83mm




### Code 0.02506.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 2000mm Width: 31mm Height: 83mm



### Code 0.02507.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 3000mm Width: 31mm Height: 83mm




### Code 0.02507.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 3000mm Width: 31mm Height: 83mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels



### Code 0.02508.0010 - H Track | Surface/Pendant


Finishing: White (Standard)  
Length: 4000mm Width: 31mm Height: 83mm



### Code 0.02508.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 4000mm Width: 31mm Height: 83mm

## Optics




Optic included - Code 0.35145.0000 - Ø60mm performance optic 13° - LED

Finishing:  
Description:



Narrow 13°




Code 0.35146.0000 - Ø60mm performance optic 24° - LED

Finishing:  
Description:



Medium 24°




Code 0.35147.0000 - Ø60mm performance optic 39° - LED

Finishing:  
Description:




Medium-wide 38°

## Accessories




**Code 0.26403.004A - Red glass filter 1 mm**

Type: Optical  
Finishing: Red




**Code 0.26403.005A - Green glass filter 1 mm**

Type: Optical  
Finishing: Green




**Code 0.26403.006A - Blue glass filter 1 mm**

Type: Optical  
Finishing: Blue




**Code 0.26403.007A - Pink glass filter 1 mm**

Type: Optical  
Finishing: Pink



**Code 0.26403.008A - Yellow glass filter 1 mm**


Type: Optical  
Finishing: Yellow



**Code 0.26403.009A - Orange glass filter 1 mm**


Type: Optical  
Finishing: Orange

## Accessories





### Code 0.26508.0000 - Ghost lock - accessory for vertical installation

Type: Mounting  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Description: Max 3,5kg





### Code 0.26411.0000 - Colored Gel Slides (2 pieces)

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26419.0000 - Selective filter 2700K - 2500K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26427.0000 - Selective filter 2700K - 2200K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26435.0000 - Selective filter 2700K - 2000K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26443.0000 - Honeycomb dense texture

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)


## Accessories



### Code 0.26451.0000 - Honeycomb wide texture

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26463.0000 - Opal lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26471.0000 - Diffusive lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26481.0000 - Cross blade louvre

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26493.0000 - Ribbed glass

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26497.0012 - Cone 45 ° wall washer

Type: Optical


Finishing: Embossed matt white (Standard)

## Accessories




### Code 0.26497.0031 - Cone 45 ° wall washer

Type: Optical  
Finishing: Embossed matt black (Standard)




### Code 0.26500.0000 - Standard spacer - 110mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 110mm




### Code 0.26501.0000 - Standard spacer - 220mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 220mm




### Code 0.26502.0000 - Customizable spacer - 300mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 300mm



### Code 0.26503.0000 - Customizable spacer - 400mm


Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 400mm



### Code 0.26504.0000 - Customizable spacer - 600mm


Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 600mm

## Accessories




### Code 0.26505.0000 - Customizable spacer - 800mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 800mm





### Code 0.26506.0000 - Customizable spacer - 1000mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 1000mm




### Code 0.26507.0000 - Customizable spacer - 1200mm

Type: Structural  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)  
Length: 1200mm




### Code 0.26568.0000 - Selective filter 3000K-3600K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26576.0000 - Selective filter 3000K-4000K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26650.0021 - Framing accessory, light shape - round

Type: Optical  
Finishing: Black (Standard)

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Accessories



**Code 0.26651.0021 - Framing accessory, light shape - square**

Type: Optical

Finishing: Black (Standard)