



Indoor | Track mounted luminaires | Yori Slot



Very narrow 7°

31 IP20 Risk 1 850° NO NO 5 ENE CCC CE CB

### Code 0.FL71A.HQ31

#### Light source features

**Number of light sources:** 1  
**Source type:** LED HQ  
**Watt:** 4W  
**Lm:** 415lm  
**Lm/W:** 104lm/W  
**Kelvin/CRI:** 3000K / >90  
**SDCM/L90 B10:** < 3 / 50000

#### Electrical features

**Driver included:** YES  
**Driver position:** integrated  
**Driver type:** On-Off  
**Isolation class:** Class II

#### Optical features

**Beam angle:** 7°  
**Optical type, adjustability:** Adjustable  
**Interchangeable optic (IOS):** NO

#### Physical features

**Material:** Die-cast aluminium  
**Mounting:** Track  
**Fixing:** Ceiling  
**Adjustability:** 90° horizontal axis 355x2° vertical axis  
**Finishing:** Embossed matt black (Standard)  
**Weight:** 0.6Kg

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

**Reggiani SPA Illuminazione**  
 Viale Monza, 16 20845 Sovico (MB) Italy  
 Tel. (+39) 039 2071.1 fax (+39) 039 2071 999


www.reggiani.net  
 contact@reggiani.net

## Photometries




Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Accessories




### Code 0.26400.004A - Red glass filter 1 mm

Type: Optical  
Finishing: Red




### Code 0.26400.005A - Green glass filter 1 mm

Type: Optical  
Finishing: Green




### Code 0.26400.006A - Blue glass filter 1 mm

Type: Optical  
Finishing: Blue



### Code 0.26400.007A - Pink glass filter 1 mm

Type: Optical  
Finishing: Pink



### Code 0.26400.008A - Yellow glass filter 1 mm



Type: Optical  
Finishing: Yellow



### Code 0.26408.0000 - Colored Gel Slides (2 pieces)

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



## Accessories



**Code 0.26416.0000 - Selective filter 2700K - 2500K**

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



**Code 0.26424.0000 - Selective filter 2700K - 2200K**

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



**Code 0.26432.0000 - Selective filter 2700K - 2000K**

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



**Code 0.26440.0000 - Honeycomb dense texture**

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



**Code 0.26448.0000 - Honeycomb wide texture**

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




**Code 0.26456.0000 - Ribbed glass**

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

## Accessories




### Code 0.26460.0000 - Opal lens

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26468.0000 - Diffusive lens

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26476.0000 - Cross blade louver

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26484.0000 - Barn doors

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26488.0012 - Cone 45 ° wall washer


Type: Optical  
Finishing: Embossed matt white (Standard)



### Code 0.26488.0031 - Cone 45 ° wall washer


Type: Optical  
Finishing: Embossed matt black (Standard)

## Accessories





### Code 0.26556.0012 - Short snoot

Type: Optical  
Finishing: Embossed matt white (Standard)





### Code 0.26556.0031 - Short snoot

Type: Optical  
Finishing: Embossed matt black (Standard)




### Code 0.26557.0000 - Selective filter 3000K-2700K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26565.0000 - Selective filter 3000K-3600K



Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26573.0000 - Selective filter 3000K-4000K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

Indoor | Track mounted luminaires | Yori Slot



Very narrow 8°

31

IP20



Risk 1

850°



**Code 0.FL81B.HQ31**

### Light source features

**Number of light sources:** 1

**Source type:** LED HQ

**Watt:** 4W

**Lm:** 415lm

**Lm/W:** 104lm/W

**Kelvin/CRI:** 3000K / >90

**SDCM/L90 B10:** < 3 / 50000

### Electrical features

**Driver included:** YES

**Driver position:** integrated

**Driver type:** On-Off

**Isolation class:** Class II

### Optical features

**Beam angle:** 8°

**Optical type, adjustability:** Adjustable

**Interchangeable optic (IOS):** NO

### Physical features

**Material:** Die-cast aluminium

**Mounting:** Track

**Fixing:** Ceiling

**Adjustability:** 90° horizontal axis 355x2° vertical axis

**Finishing:** Embossed matt black (Standard)

**Weight:** 0.6Kg

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

**Reggiani SPA Illuminazione**

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999


www.reggiani.net  
contact@reggiani.net

## Photometries






## Tracks/channels




**Code 0.02030.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




**Code 0.02030.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




**Code 0.02030.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




**Code 0.02031.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm



**Code 0.02031.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm




**Code 0.02031.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02032.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




**Code 0.02032.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




**Code 0.02032.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm





**Code 0.02033.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm



**Code 0.02033.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm




**Code 0.02033.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02034.0010 - 3-circuit track recessed

Finishing: White (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




### Code 0.02034.0021 - 3-circuit track recessed

Finishing: Black (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




### Code 0.02034.0028 - 3-circuit track recessed

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




### Code 0.02035.0010 - 3-circuit track recessed

Finishing: White (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm



### Code 0.02035.0021 - 3-circuit track recessed

Finishing: Black (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm




### Code 0.02035.0028 - 3-circuit track recessed

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02036.0010 - 3-circuit track recessed

Finishing: White (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




### Code 0.02036.0021 - 3-circuit track recessed

Finishing: Black (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




### Code 0.02036.0028 - 3-circuit track recessed

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




### Code 0.02037.0010 - 3-circuit track recessed

Finishing: White (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



### Code 0.02037.0021 - 3-circuit track recessed

Finishing: Black (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm





### Code 0.02037.0028 - 3-circuit track recessed

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02505.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 1000mm Width: 31mm Height: 83mm




### Code 0.02505.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 1000mm Width: 31mm Height: 83mm





### Code 0.02506.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 2000mm Width: 31mm Height: 83mm




### Code 0.02506.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 2000mm Width: 31mm Height: 83mm



### Code 0.02507.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 3000mm Width: 31mm Height: 83mm





### Code 0.02507.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 3000mm Width: 31mm Height: 83mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels



### Code 0.02508.0010 - H Track | Surface/Pendant


Finishing: White (Standard)  
Length: 4000mm Width: 31mm Height: 83mm



### Code 0.02508.0021 - H Track | Surface/Pendant


Finishing: Black (Standard)  
Length: 4000mm Width: 31mm Height: 83mm

## Accessories




**Code 0.26401.004A - Red glass filter 1 mm**

Type: Optical  
Finishing: Red




**Code 0.26401.005A - Green glass filter 1 mm**

Type: Optical  
Finishing: Green




**Code 0.26401.006A - Blue glass filter 1 mm**

Type: Optical  
Finishing: Blue




**Code 0.26401.007A - Pink glass filter 1 mm**

Type: Optical  
Finishing: Pink



**Code 0.26401.008A - Yellow glass filter 1 mm**

Type: Optical  
Finishing: Yellow



**Code 0.26401.009A - Orange glass filter 1 mm**

Type: Optical  
Finishing: Orange



## Accessories



### Code 0.26409.0000 - Colored Gel Slides (2 pieces)

Type: Optical



Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26417.0000 - Selective filter 2700K - 2500K

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26425.0000 - Selective filter 2700K - 2200K

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26433.0000 - Selective filter 2700K - 2000K

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26441.0000 - Honeycomb dense texture

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26449.0000 - Honeycomb wide texture

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




## Accessories



### Code 0.26461.0000 - Opal lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26469.0000 - Diffusive lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26480.0000 - Cross blade louver

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26492.0000 - Ribbed glass

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26496.0012 - Cone 45 ° wall washer

Type: Optical

Finishing: Embossed matt white (Standard)





### Code 0.26496.0031 - Cone 45 ° wall washer

Type: Optical

Finishing: Embossed matt black (Standard)



## Accessories



**Code 0.26558.0000 - Selective filter 3000K-2700K**

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



**Code 0.26566.0000 - Selective filter 3000K-3600K**

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)





**Code 0.26574.0000 - Selective filter 3000K-4000K**

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

Indoor | Track mounted luminaires | Yori Slot



Narrow 12°

31

IP20



Risk 1

850°



**Code 0.GL72B.HC31**

### Light source features

**Number of light sources:** 1

**Source type:** LED HC

**Watt:** 9W

**Lm:** 960lm

**Lm/W:** 107lm/W

**Kelvin/CRI:** 3000K / >98

**SDCM/L90 B10:** < 2 / 50000

**Fixture total output:** 787 lm

**Fixture efficacy:** 76 lm/W

**Imax:** 12440 cd

### Electrical features

**Driver included:** YES

**Driver position:** integrated

**Driver type:** On-Off

**Isolation class:** Class II

### Optical features

**Beam angle:** 12°

**Optical type, adjustability:** Adjustable

**Interchangeable optic (IOS):** NO

### Physical features

**Material:** Die-cast aluminium

**Mounting:** Track

**Fixing:** Ceiling

**Adjustability:** 90° horizontal axis 355x2° vertical axis

**Finishing:** Embossed matt black (Standard)

**Weight:** 0.75Kg



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

**Reggiani SPA Illuminazione**

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net  
contact@reggiani.net



## Photometries



0\_GL72B\_HC\_31.ies


0\_GL72B\_HC\_31.LDT

## Tracks/channels





**Code 0.02030.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




**Code 0.02030.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




**Code 0.02030.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




**Code 0.02031.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm



**Code 0.02031.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm




**Code 0.02031.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02032.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




**Code 0.02032.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




**Code 0.02032.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




**Code 0.02033.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm



**Code 0.02033.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm




**Code 0.02033.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02034.0010 - 3-circuit track recessed

Finishing: White (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




### Code 0.02034.0021 - 3-circuit track recessed

Finishing: Black (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




### Code 0.02034.0028 - 3-circuit track recessed

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




### Code 0.02035.0010 - 3-circuit track recessed

Finishing: White (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm



### Code 0.02035.0021 - 3-circuit track recessed

Finishing: Black (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm




### Code 0.02035.0028 - 3-circuit track recessed

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02036.0010 - 3-circuit track recessed

Finishing: White (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm





### Code 0.02036.0021 - 3-circuit track recessed

Finishing: Black (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




### Code 0.02036.0028 - 3-circuit track recessed

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




### Code 0.02037.0010 - 3-circuit track recessed

Finishing: White (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



### Code 0.02037.0021 - 3-circuit track recessed

Finishing: Black (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm





### Code 0.02037.0028 - 3-circuit track recessed

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).





## Tracks/channels




### Code 0.02505.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 1000mm Width: 31mm Height: 83mm





### Code 0.02505.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 1000mm Width: 31mm Height: 83mm





### Code 0.02506.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 2000mm Width: 31mm Height: 83mm




### Code 0.02506.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 2000mm Width: 31mm Height: 83mm



### Code 0.02507.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 3000mm Width: 31mm Height: 83mm




### Code 0.02507.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 3000mm Width: 31mm Height: 83mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels



### Code 0.02508.0010 - H Track | Surface/Pendant


Finishing: White (Standard)  
Length: 4000mm Width: 31mm Height: 83mm



### Code 0.02508.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 4000mm Width: 31mm Height: 83mm

## Optics




**Code 0.35125.0000 - Ø60mm precision optic 12° - LED**

Finishing:  
Description:



Narrow 12°




**Code 0.35126.0000 - Ø60mm precision optic 20° - LED**

Finishing:  
Description:



Medium 20°




**Code 0.35127.0000 - Ø60mm precision optic 32° - LED**

Finishing:  
Description:




Wide 32°

## Accessories




**Code 0.26402.004A - Red glass filter 1 mm**

Type: Optical  
Finishing: Red




**Code 0.26402.005A - Green glass filter 1 mm**

Type: Optical  
Finishing: Green




**Code 0.26402.006A - Blue glass filter 1 mm**

Type: Optical  
Finishing: Blue



**Code 0.26402.007A - Pink glass filter 1 mm**

Type: Optical  
Finishing: Pink



**Code 0.26402.008A - Yellow glass filter 1 mm**



Type: Optical  
Finishing: Yellow



**Code 0.26410.0000 - Colored Gel Slides (2 pieces)**

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



## Accessories



**Code 0.26418.0000 - Selective filter 2700K - 2500K**

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



**Code 0.26426.0000 - Selective filter 2700K - 2200K**

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



**Code 0.26434.0000 - Selective filter 2700K - 2000K**

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



**Code 0.26442.0000 - Honeycomb dense texture**

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



**Code 0.26450.0000 - Honeycomb wide texture**

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




**Code 0.26457.0000 - Ribbed glass**

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)


## Accessories



### Code 0.26462.0000 - Opal lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26470.0000 - Diffusive lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26477.0000 - Cross blade louver

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26485.0000 - Barn doors

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26489.0012 - Cone 45 ° wall washer

Type: Optical

Finishing: Embossed matt white (Standard)





### Code 0.26489.0031 - Cone 45 ° wall washer

Type: Optical

Finishing: Embossed matt black (Standard)



## Accessories



**Code 0.26559.0000 - Selective filter 3000K-2700K**

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



**Code 0.26567.0000 - Selective filter 3000K-3600K**

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



**Code 0.26575.0000 - Selective filter 3000K-4000K**

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)





**Code 0.26650.0021 - Framing accessory, light shape - round**

Type: Optical

Finishing: Black (Standard)

Indoor | Track mounted luminaires | Yori Slot



Narrow 13°

31

IP20



Risk 1

850°



**Code 0.GL82B.NN31**

### Light source features

**Number of light sources:** 1

**Source type:** LED NN

**Watt:** 9W

**Lm:** 1360lm

**Lm/W:** 151lm/W

**Kelvin/CRI:** 4000K / >80

**SDCM/L90 B10:** < 3 / 50000

**Fixture total output:** 1129 lm

**Fixture efficacy:** 110 lm/W

**Imax:** 14451 cd

### Electrical features

**Driver included:** YES

**Driver position:** integrated

**Driver type:** On-Off

**Isolation class:** Class II

### Optical features

**Beam angle:** 13°

**Optical type, adjustability:** Adjustable

**Interchangeable optic (IOS):** NO

### Physical features

**Material:** Die-cast aluminium

**Mounting:** Track

**Fixing:** Ceiling

**Adjustability:** 90° horizontal axis 355x2° vertical axis

**Finishing:** Embossed matt black (Standard)

**Weight:** 0.75Kg

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).



**Reggiani SPA Illuminazione**

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net  
contact@reggiani.net




## Photometries



0\_GL82B\_NN\_31.ies



0\_GL82B\_NN\_31.LDT

## Tracks/channels




**Code 0.02030.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




**Code 0.02030.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




**Code 0.02030.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm





**Code 0.02031.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm



**Code 0.02031.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm





**Code 0.02031.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02032.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




**Code 0.02032.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm





**Code 0.02032.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




**Code 0.02033.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm



**Code 0.02033.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm




**Code 0.02033.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02034.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02034.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02034.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02035.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm



**Code 0.02035.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm




**Code 0.02035.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02036.0010 - 3-circuit track recessed

Finishing: White (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




### Code 0.02036.0021 - 3-circuit track recessed

Finishing: Black (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




### Code 0.02036.0028 - 3-circuit track recessed

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




### Code 0.02037.0010 - 3-circuit track recessed

Finishing: White (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



### Code 0.02037.0021 - 3-circuit track recessed

Finishing: Black (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm





### Code 0.02037.0028 - 3-circuit track recessed

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02505.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 1000mm Width: 31mm Height: 83mm




### Code 0.02505.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 1000mm Width: 31mm Height: 83mm





### Code 0.02506.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 2000mm Width: 31mm Height: 83mm





### Code 0.02506.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 2000mm Width: 31mm Height: 83mm



### Code 0.02507.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 3000mm Width: 31mm Height: 83mm




### Code 0.02507.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 3000mm Width: 31mm Height: 83mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels



### Code 0.02508.0010 - H Track | Surface/Pendant


Finishing: White (Standard)  
Length: 4000mm Width: 31mm Height: 83mm



### Code 0.02508.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 4000mm Width: 31mm Height: 83mm

## Optics




**Code 0.35145.0000 - Ø60mm performance optic 13° - LED**

Finishing:  
Description:



Narrow 13°




**Code 0.35146.0000 - Ø60mm performance optic 24° - LED**

Finishing:  
Description:



Medium 24°



**Code 0.35147.0000 - Ø60mm performance optic 39° - LED**


Finishing:  
Description:



Medium-wide 38°




## Accessories




**Code 0.26403.004A - Red glass filter 1 mm**

Type: Optical  
Finishing: Red




**Code 0.26403.005A - Green glass filter 1 mm**

Type: Optical  
Finishing: Green




**Code 0.26403.006A - Blue glass filter 1 mm**

Type: Optical  
Finishing: Blue




**Code 0.26403.007A - Pink glass filter 1 mm**

Type: Optical  
Finishing: Pink



**Code 0.26403.008A - Yellow glass filter 1 mm**



Type: Optical  
Finishing: Yellow



**Code 0.26419.0000 - Selective filter 2700K - 2500K**

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)


## Accessories



**Code 0.26427.0000 - Selective filter 2700K - 2200K**

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



**Code 0.26435.0000 - Selective filter 2700K - 2000K**

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



**Code 0.26443.0000 - Honeycomb dense texture**

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



**Code 0.26451.0000 - Honeycomb wide texture**

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



**Code 0.26463.0000 - Opal lens**

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




**Code 0.26471.0000 - Diffusive lens**

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

## Accessories



### Code 0.26481.0000 - Cross blade louvre

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26493.0000 - Ribbed glass

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)





### Code 0.26497.0012 - Cone 45 ° wall washer

Type: Optical  
Finishing: Embossed matt white (Standard)





### Code 0.26497.0031 - Cone 45 ° wall washer

Type: Optical  
Finishing: Embossed matt black (Standard)



### Code 0.26560.0000 - Selective filter 3000K-2700K


Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26568.0000 - Selective filter 3000K-3600K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)


## Accessories



### Code 0.26576.0000 - Selective filter 3000K-4000K

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26650.0021 - Framing accessory, light shape - round

Type: Optical

Finishing: Black (Standard)





### Code 0.26651.0021 - Framing accessory, light shape - square

Type: Optical

Finishing: Black (Standard)

Indoor | Track mounted luminaires | Yori Slot



Narrow 12°

31

IP20



Risk 1

850°



**Code 0.LL73B.HC31**

### Light source features

**Number of light sources:** 1

**Source type:** LED HC

**Watt:** 12W

**Lm:** 1323lm

**Lm/W:** 110lm/W

**Kelvin/CRI:** 3000K / >98

**SDCM/L90 B10:** < 2 / 50000

### Electrical features

**Driver included:** YES

**Driver position:** integrated

**Driver type:** On-Off

**Isolation class:** Class II

### Optical features

**Beam angle:** 12°

**Optical type, adjustability:** Adjustable

**Interchangeable optic (IOS):** NO

### Physical features

**Material:** Die-cast aluminium

**Mounting:** Track

**Fixing:** Ceiling

**Adjustability:** 90° horizontal axis 355x2° vertical axis

**Finishing:** Embossed matt black (Standard)

**Weight:** 1.05Kg

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

**Reggiani SPA Illuminazione**

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999


www.reggiani.net  
contact@reggiani.net

## Photometries




Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels





**Code 0.02030.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




**Code 0.02030.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm





**Code 0.02030.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




**Code 0.02031.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm



**Code 0.02031.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm




**Code 0.02031.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels





**Code 0.02032.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




**Code 0.02032.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




**Code 0.02032.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




**Code 0.02033.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm



**Code 0.02033.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm




**Code 0.02033.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).




## Tracks/channels




### Code 0.02034.0010 - 3-circuit track recessed

Finishing: White (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




### Code 0.02034.0021 - 3-circuit track recessed

Finishing: Black (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




### Code 0.02034.0028 - 3-circuit track recessed

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




### Code 0.02035.0010 - 3-circuit track recessed

Finishing: White (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm



### Code 0.02035.0021 - 3-circuit track recessed

Finishing: Black (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm




### Code 0.02035.0028 - 3-circuit track recessed

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02036.0010 - 3-circuit track recessed

Finishing: White (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




### Code 0.02036.0021 - 3-circuit track recessed

Finishing: Black (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




### Code 0.02036.0028 - 3-circuit track recessed

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




### Code 0.02037.0010 - 3-circuit track recessed

Finishing: White (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



### Code 0.02037.0021 - 3-circuit track recessed

Finishing: Black (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm





### Code 0.02037.0028 - 3-circuit track recessed

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02505.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 1000mm Width: 31mm Height: 83mm





### Code 0.02505.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 1000mm Width: 31mm Height: 83mm




### Code 0.02506.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 2000mm Width: 31mm Height: 83mm





### Code 0.02506.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 2000mm Width: 31mm Height: 83mm



### Code 0.02507.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 3000mm Width: 31mm Height: 83mm




### Code 0.02507.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 3000mm Width: 31mm Height: 83mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels



### Code 0.02508.0010 - H Track | Surface/Pendant


Finishing: White (Standard)  
Length: 4000mm Width: 31mm Height: 83mm



### Code 0.02508.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 4000mm Width: 31mm Height: 83mm

## Optics




**Code 0.35130.0000 - Ø75mm precision optic 12° - LED**

Finishing:  
Description:



Narrow 12°




**Code 0.35131.0000 - Ø75mm precision optic 23° - LED**

Finishing:  
Description:




Medium 23°

## Accessories




**Code 0.26404.004A - Red glass filter 1 mm**

Type: Optical  
Finishing: Red




**Code 0.26404.005A - Green glass filter 1 mm**

Type: Optical  
Finishing: Green




**Code 0.26404.006A - Blue glass filter 1 mm**

Type: Optical  
Finishing: Blue




**Code 0.26404.007A - Pink glass filter 1 mm**

Type: Optical  
Finishing: Pink



**Code 0.26404.008A - Yellow glass filter 1 mm**

Type: Optical  
Finishing: Yellow



**Code 0.26404.009A - Orange glass filter 1 mm**

Type: Optical  
Finishing: Orange



## Accessories



### Code 0.26412.0000 - Colored Gel Slides (2 pieces)

Type: Optical



Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26420.0000 - Selective filter 2700K - 2500K

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26428.0000 - Selective filter 2700K - 2200K

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26436.0000 - Selective filter 2700K - 2000K

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26444.0000 - Honeycomb dense texture

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26452.0000 - Honeycomb wide texture

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)


## Accessories



### Code 0.26458.0000 - Ribbed glass

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26464.0000 - Opal lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26472.0000 - Diffusive lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26478.0000 - Cross blade louver

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26486.0000 - Barn doors

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26490.0012 - Cone 45 ° wall washer

Type: Optical

Finishing: Embossed matt white (Standard)





## Accessories





### Code 0.26490.0031 - Cone 45 ° wall washer

Type: Optical  
Finishing: Embossed matt black (Standard)




### Code 0.26561.0000 - Selective filter 3000K-2700K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26569.0000 - Selective filter 3000K-3600K



Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26577.0000 - Selective filter 3000K-4000K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

Indoor | Track mounted luminaires | Yori Slot



Narrow 12°

31

IP20



Risk 1

850°



**Code 0.LL83B.HC31**

### Light source features

**Number of light sources:** 1

**Source type:** LED HC

**Watt:** 12W

**Lm:** 1323lm

**Lm/W:** 110lm/W

**Kelvin/CRI:** 3000K / >98

**SDCM/L90 B10:** < 2 / 50000

### Electrical features

**Driver included:** YES

**Driver position:** integrated

**Driver type:** On-Off

**Isolation class:** Class II

### Optical features

**Beam angle:** 12°

**Optical type, adjustability:** Adjustable

**Interchangeable optic (IOS):** NO

### Physical features

**Material:** Die-cast aluminium

**Mounting:** Track

**Fixing:** Ceiling

**Adjustability:** 90° horizontal axis 355x2° vertical axis

**Finishing:** Embossed matt black (Standard)

**Weight:** 1.05Kg



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

**Reggiani SPA Illuminazione**

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999



www.reggiani.net  
contact@reggiani.net

## Photometries




0\_LL83B\_HC\_31.ies  
0\_LL83B\_HC\_31.LDT

## Tracks/channels




**Code 0.02030.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




**Code 0.02030.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




**Code 0.02030.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 31.4mm Height: 37.8mm




**Code 0.02031.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm



**Code 0.02031.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm





**Code 0.02031.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 31.4mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels





**Code 0.02032.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




**Code 0.02032.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




**Code 0.02032.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 31.4mm Height: 37.8mm




**Code 0.02033.0010 - 3-circuit track surface/pendant**

Finishing: White (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm



**Code 0.02033.0021 - 3-circuit track surface/pendant**

Finishing: Black (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm




**Code 0.02033.0028 - 3-circuit track surface/pendant**

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 31.4mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




**Code 0.02034.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02034.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02034.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 1000mm Width: 52mm Height: 37.8mm




**Code 0.02035.0010 - 3-circuit track recessed**

Finishing: White (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm



**Code 0.02035.0021 - 3-circuit track recessed**

Finishing: Black (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm





**Code 0.02035.0028 - 3-circuit track recessed**

Finishing: Metallised grey (Standard)  
Length: 2000mm Width: 52mm Height: 37.8mm


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02036.0010 - 3-circuit track recessed

Finishing: White (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




### Code 0.02036.0021 - 3-circuit track recessed

Finishing: Black (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




### Code 0.02036.0028 - 3-circuit track recessed

Finishing: Metallised grey (Standard)  
Length: 3000mm Width: 52mm Height: 37.8mm




### Code 0.02037.0010 - 3-circuit track recessed

Finishing: White (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



### Code 0.02037.0021 - 3-circuit track recessed

Finishing: Black (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm





### Code 0.02037.0028 - 3-circuit track recessed

Finishing: Metallised grey (Standard)  
Length: 4000mm Width: 52mm Height: 37.8mm



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Tracks/channels




### Code 0.02505.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 1000mm Width: 31mm Height: 83mm




### Code 0.02505.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 1000mm Width: 31mm Height: 83mm




### Code 0.02506.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 2000mm Width: 31mm Height: 83mm




### Code 0.02506.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 2000mm Width: 31mm Height: 83mm



### Code 0.02507.0010 - H Track | Surface/Pendant

Finishing: White (Standard)  
Length: 3000mm Width: 31mm Height: 83mm




### Code 0.02507.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 3000mm Width: 31mm Height: 83mm

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).




## Tracks/channels



### Code 0.02508.0010 - H Track | Surface/Pendant


Finishing: White (Standard)  
Length: 4000mm Width: 31mm Height: 83mm



### Code 0.02508.0021 - H Track | Surface/Pendant

Finishing: Black (Standard)  
Length: 4000mm Width: 31mm Height: 83mm

## Optics




**Optic included - Code 0.35150.0000 - Ø75mm performance optic 12° - LED**

Finishing:  
Description:



Narrow 12°




**Code 0.35151.0000 - Ø75mm performance optic 23° - LED**

Finishing:  
Description:



Medium 23°




**Code 0.35152.0000 - Ø75mm performance optic 48° - LED**

Finishing:  
Description:



Medium-wide 48°




**Code 0.35153.0000 - Ø75mm performance optic 37° - LED**

Finishing:  
Description:




Medium-wide 37°

## Accessories




**Code 0.26405.004A - Red glass filter 1 mm**

Type: Optical  
Finishing: Red




**Code 0.26405.005A - Green glass filter 1 mm**

Type: Optical  
Finishing: Green




**Code 0.26405.006A - Blue glass filter 1 mm**

Type: Optical  
Finishing: Blue




**Code 0.26405.007A - Pink glass filter 1 mm**

Type: Optical  
Finishing: Pink



**Code 0.26405.008A - Yellow glass filter 1 mm**

Type: Optical  
Finishing: Yellow



**Code 0.26405.009A - Orange glass filter 1 mm**

Type: Optical  
Finishing: Orange



## Accessories



### Code 0.26413.0000 - Colored Gel Slides (2 pieces)

Type: Optical



Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26421.0000 - Selective filter 2700K - 2500K

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26429.0000 - Selective filter 2700K - 2200K

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26437.0000 - Selective filter 2700K - 2000K

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26445.0000 - Honeycomb dense texture

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26453.0000 - Honeycomb wide texture

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)


## Accessories



### Code 0.26465.0000 - Opal lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26473.0000 - Diffusive lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26482.0000 - Cross blade louver

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26494.0000 - Ribbed glass

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26498.0012 - Cone 45° wall washer

Type: Optical

Finishing: Embossed matt white (Standard)





### Code 0.26498.0031 - Cone 45° wall washer

Type: Optical

Finishing: Embossed matt black (Standard)


## Accessories



**Code 0.26562.0000 - Selective filter 3000K-2700K**

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



**Code 0.26570.0000 - Selective filter 3000K-3600K**

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



**Code 0.26578.0000 - Selective filter 3000K-4000K**

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)