



Indoor | Recessed luminaires | Traceline Recessed - Yori Module



Product No optic

12

IP20



Risk 0

850°



Code X.BM820.TS12

Light source features

Number of light sources: 0
Source type: FOR SPOT TS
Watt: 0
SDCM/L90 B10: < 0 / 0

Electrical features

Driver included: NO
Driver position: remote
Driver type: no driver included 220/240 Vac 50/60 Hz
Isolation class: Class II
Driver note: See wiring diagrams for configurations

Optical features

Beam angle: No optic
Interchangeable optic (IOS): NO

Physical features

Material: Extruded aluminum
Mounting: Recessed
Finishing: Embossed matt white (Standard)

Notes:

- End caps not included, to be ordered separately
- For configuration of Yori Evo Spotlights with Traceline modules, pick up Traceline driver options (no Ghosttrack driver needed).


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Reggiani SPA Illuminazione

Viale Monza, 16 20845 Sovico (MB) Italy
 Tel. (+39) 039 2071.1 fax (+39) 039 2071 999


www.reggiani.net
 contact@reggiani.net

Driver




Code 0.30828.0000 - Driver

Type: On-Off
Watt: W - AC Input: 120-240V - mA:mA
Description:




Code 0.30829.0000 - Driver

Type: On-Off
Watt: W - AC Input: 120-240V - mA:mA
Description:




Code 0.30830.0000 - Driver

Type: On-Off
Watt: W - AC Input: 120-240V - mA:mA
Description:




Code 0.30838.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:250mA
Description:



Code 0.30839.0000 - Driver


Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:350mA
Description:



Code 0.30840.0000 - Driver


Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:500mA
Description:

Driver




Code 0.30841.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:700mA
Description:




Code 0.30842.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:800mA
Description:




Code 0.30843.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:900mA
Description:




Code 0.30844.0000 - Driver

Type: On-Off
Watt: W - AC Input: 110-240Vac - mA:350LVmA
Description:



Code 0.30845.0000 - Driver


Type: On-Off
Watt: W - AC Input: 110-240Vac - mA:700LVmA
Description:



Code 0.30846.0000 - Driver


Type: On-Off
Watt: W - AC Input: 110-240Vac - mA:900LVmA
Description:

Driver




Code D.30838.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:250mA
Description:




Code D.30839.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:350mA
Description:




Code D.30840.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:500mA
Description:




Code D.30841.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:700mA
Description:



Code D.30842.0000 - Driver


Type: DALI
Watt: W - AC Input: 110-240V - mA:800mA
Description:



Code D.30843.0000 - Driver


Type: DALI
Watt: W - AC Input: 110-240V - mA:900mA
Description:

Driver




Code D.30845.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:700LVmA
Description:




Code H.30831.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:250mA
Description:




Code H.30832.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:350mA
Description:




Code H.30833.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:500mA
Description:



Code H.30834.0000 - Dimmer


Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:600mA
Description:



Code H.30835.0000 - Dimmer


Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:700mA
Description:

Driver




Code H.30836.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:800mA
Description:




Code H.30837.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:900mA
Description:




Code V.30838.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:250mA
Description:




Code V.30839.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:350mA
Description:



Code V.30840.0000 - Driver


Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:500mA
Description:



Code V.30841.0000 - Driver


Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:700mA
Description:

Driver




Code V.30842.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:800mA
Description:




Code V.30843.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:900mA
Description:




Code V.30844.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:350LVmA
Description:



Code V.30845.0000 - Driver


Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:700LVmA
Description:



Code V.30846.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:900LVmA
Description:


Yori Spotlights



Yori Pendant Ghostrack Ø22mm - Ø22mm | H 400 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes.


...



Yori Pendant Ghostrack Ø22mm - Ø22mm | H 800 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes.


...



Yori Pendant Ghostrack Ø22mm - Ø22mm | H 1600 mm


From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes.

...




Yori Pendant Ghostrack Ø35mm - Ø35mm | H 150 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....



Yori Pendant Ghostrack Ø35mm - Ø35mm | H 400 mm


From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....



Yori Pendant Ghostrack Ø35mm - Ø35mm | H 800 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....

Yori Spotlights



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø60mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø75mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...




Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø95mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...




Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 205mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...




Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 255mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...




Yori Spotlights




Yori Evo Ghostrack Mini - Ø22mm / 1X / Precision

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack Mini - Ø35mm / 1X / Precision

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack Mini - Ø43mm / 1X / Precision



Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack Mini - Ø43mm / 1X / Performance



Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...

Accessories





Code 0.26809.0001 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Chrome





Code 0.26809.0012 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Embossed matt white (Standard)





Code 0.26809.0031 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Embossed matt black (Standard)





Code 0.26809.00B0 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Royal matt black



Code 0.26809.00C0 - End caps (2x) Traceline Deep Recessed Trim



Type: Mounting
Finishing: Royal matt white



Code 0.26809.00D0 - End caps (2x) Traceline Deep Recessed Trim



Type: Mounting
Finishing: Brushed brass

Accessories





Code 0.26809.00E0 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Brushed gold





Code 0.26809.00L0 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Antiqued brushed bronze





Code 0.26809.00M0 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Brushed aluminum



Code 0.26809.00N0 - End caps (2x) Traceline Deep Recessed Trim



Type: Mounting
Finishing: Brushed copper



Code 0.26809.00T1 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Anodized Bronze

Indoor | Recessed luminaires | Traceline Recessed - Yori Module



Product No optic

31 IP20 Risk 0 850° NO NO 5 CE

Code X.HM820.TS31

Light source features

Number of light sources: 0
Source type: FOR SPOT TS
Watt: 0
SDCM/L90 B10: < 0 / 0

Electrical features

Driver included: NO
Driver position: remote
Driver type: no driver included 220/240 Vac 50/60 Hz
Isolation class: Class II
Driver note: See wiring diagrams for configurations

Optical features

Beam angle: No optic
Interchangeable optic (IOS): NO

Physical features

Material: Extruded aluminum
Mounting: Recessed
Finishing: Embossed matt black (Standard)

Notes:


-End caps not included, to be ordered separately
 -For configuration of Yori Evo Spotlights with Traceline modules, pick up Traceline driver options (no Ghosttrack driver needed).

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Reggiani SPA Illuminazione
 Viale Monza, 16 20845 Sovico (MB) Italy
 Tel. (+39) 039 2071.1 fax (+39) 039 2071 999


www.reggiani.net
 contact@reggiani.net

Driver




Code 0.30828.0000 - Driver

Type: On-Off
Watt: W - AC Input: 120-240V - mA:mA
Description:




Code 0.30829.0000 - Driver

Type: On-Off
Watt: W - AC Input: 120-240V - mA:mA
Description:




Code 0.30830.0000 - Driver

Type: On-Off
Watt: W - AC Input: 120-240V - mA:mA
Description:




Code 0.30838.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:250mA
Description:



Code 0.30839.0000 - Driver


Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:350mA
Description:



Code 0.30840.0000 - Driver


Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:500mA
Description:

Driver




Code 0.30841.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:700mA
Description:




Code 0.30842.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:800mA
Description:




Code 0.30843.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:900mA
Description:




Code 0.30844.0000 - Driver

Type: On-Off
Watt: W - AC Input: 110-240Vac - mA:350LVmA
Description:



Code 0.30845.0000 - Driver


Type: On-Off
Watt: W - AC Input: 110-240Vac - mA:700LVmA
Description:



Code 0.30846.0000 - Driver


Type: On-Off
Watt: W - AC Input: 110-240Vac - mA:900LVmA
Description:

Driver




Code D.30838.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:250mA
Description:




Code D.30839.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:350mA
Description:




Code D.30840.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:500mA
Description:




Code D.30841.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:700mA
Description:



Code D.30842.0000 - Driver


Type: DALI
Watt: W - AC Input: 110-240V - mA:800mA
Description:



Code D.30843.0000 - Driver


Type: DALI
Watt: W - AC Input: 110-240V - mA:900mA
Description:

Driver




Code D.30845.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:700LVmA
Description:




Code H.30831.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:250mA
Description:




Code H.30832.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:350mA
Description:




Code H.30833.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:500mA
Description:



Code H.30834.0000 - Dimmer


Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:600mA
Description:



Code H.30835.0000 - Dimmer


Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:700mA
Description:

Driver




Code H.30836.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:800mA
Description:




Code H.30837.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:900mA
Description:




Code V.30838.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:250mA
Description:




Code V.30839.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:350mA
Description:



Code V.30840.0000 - Driver


Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:500mA
Description:



Code V.30841.0000 - Driver


Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:700mA
Description:

Driver




Code V.30842.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:800mA
Description:




Code V.30843.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:900mA
Description:




Code V.30844.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:350LVmA
Description:



Code V.30845.0000 - Driver


Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:700LVmA
Description:



Code V.30846.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:900LVmA
Description:


Yori Spotlights



Yori Pendant Ghostrack Ø22mm - Ø22mm | H 400 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes.


...



Yori Pendant Ghostrack Ø22mm - Ø22mm | H 800 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes.


...



Yori Pendant Ghostrack Ø22mm - Ø22mm | H 1600 mm


From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes.

...




Yori Pendant Ghostrack Ø35mm - Ø35mm | H 150 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....



Yori Pendant Ghostrack Ø35mm - Ø35mm | H 400 mm


From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....



Yori Pendant Ghostrack Ø35mm - Ø35mm | H 800 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....

Yori Spotlights



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø60mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...




Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø75mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...




Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø95mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...




Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 205mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...




Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 255mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...




Yori Spotlights




Yori Evo Ghostrack Mini - Ø22mm / 1X / Precision

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack Mini - Ø35mm / 1X / Precision

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack Mini - Ø43mm / 1X / Precision



Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack Mini - Ø43mm / 1X / Performance



Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...

Accessories





Code 0.26811.0001 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Chrome





Code 0.26811.0012 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Embossed matt white (Standard)





Code 0.26811.0031 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Embossed matt black (Standard)





Code 0.26811.00B0 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Royal matt black



Code 0.26811.00C0 - End caps (2x) Traceline Deep Recessed Trimless



Type: Mounting
Finishing: Royal matt white



Code 0.26811.00D0 - End caps (2x) Traceline Deep Recessed Trimless



Type: Mounting
Finishing: Brushed brass

Accessories





Code 0.26811.00E0 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Brushed gold





Code 0.26811.00L0 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Antiqued brushed bronze





Code 0.26811.00M0 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Brushed aluminum



Code 0.26811.00N0 - End caps (2x) Traceline Deep Recessed Trimless



Type: Mounting
Finishing: Brushed copper



Code 0.26811.00T1 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Anodized Bronze

Indoor | Recessed luminaires | Traceline Recessed - Yori Module



Product No optic

31 IP20 Risk 0 850°

Code X.BM850.TS31

Light source features

Number of light sources: 0
Source type: FOR SPOT TS
Watt: 0
SDCM/L90 B10: < 0 / 0

Electrical features

Driver included: NO
Driver position: remote
Driver type: no driver included 220/240 Vac 50/60 Hz
Isolation class: Class II
Driver note: See wiring diagrams for configurations

Optical features

Beam angle: No optic
Interchangeable optic (IOS): NO

Physical features

Material: Extruded aluminum
Mounting: Recessed
Finishing: Embossed matt black (Standard)

Notes:


-End caps not included, to be ordered separately
 -For configuration of Yori Evo Spotlights with Traceline modules, pick up Traceline driver options (no Ghosttrack driver needed).

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Reggiani SPA Illuminazione
 Viale Monza, 16 20845 Sovico (MB) Italy
 Tel. (+39) 039 2071.1 fax (+39) 039 2071 999


www.reggiani.net
 contact@reggiani.net

Driver




Code 0.30828.0000 - Driver

Type: On-Off
Watt: W - AC Input: 120-240V - mA:mA
Description:




Code 0.30829.0000 - Driver

Type: On-Off
Watt: W - AC Input: 120-240V - mA:mA
Description:




Code 0.30830.0000 - Driver

Type: On-Off
Watt: W - AC Input: 120-240V - mA:mA
Description:




Code 0.30838.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:250mA
Description:



Code 0.30839.0000 - Driver


Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:350mA
Description:



Code 0.30840.0000 - Driver


Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:500mA
Description:

Driver




Code 0.30841.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:700mA
Description:




Code 0.30842.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:800mA
Description:




Code 0.30843.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:900mA
Description:




Code 0.30844.0000 - Driver

Type: On-Off
Watt: W - AC Input: 110-240Vac - mA:350LVmA
Description:



Code 0.30845.0000 - Driver


Type: On-Off
Watt: W - AC Input: 110-240Vac - mA:700LVmA
Description:



Code 0.30846.0000 - Driver


Type: On-Off
Watt: W - AC Input: 110-240Vac - mA:900LVmA
Description:

Driver




Code D.30838.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:250mA
Description:




Code D.30839.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:350mA
Description:




Code D.30840.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:500mA
Description:




Code D.30841.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:700mA
Description:



Code D.30842.0000 - Driver


Type: DALI
Watt: W - AC Input: 110-240V - mA:800mA
Description:



Code D.30843.0000 - Driver


Type: DALI
Watt: W - AC Input: 110-240V - mA:900mA
Description:

Driver




Code D.30845.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:700LVmA
Description:




Code H.30831.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:250mA
Description:




Code H.30832.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:350mA
Description:




Code H.30833.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:500mA
Description:



Code H.30834.0000 - Dimmer


Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:600mA
Description:



Code H.30835.0000 - Dimmer


Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:700mA
Description:

Driver




Code H.30836.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:800mA
Description:




Code H.30837.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:900mA
Description:




Code V.30838.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:250mA
Description:




Code V.30839.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:350mA
Description:



Code V.30840.0000 - Driver


Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:500mA
Description:



Code V.30841.0000 - Driver


Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:700mA
Description:

Driver




Code V.30842.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:800mA
Description:




Code V.30843.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:900mA
Description:




Code V.30844.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:350LVmA
Description:



Code V.30845.0000 - Driver


Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:700LVmA
Description:



Code V.30846.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:900LVmA
Description:


Yori Spotlights



Yori Pendant Ghostrack Ø22mm - Ø22mm | H 400 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes.


...



Yori Pendant Ghostrack Ø22mm - Ø22mm | H 800 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes.


...



Yori Pendant Ghostrack Ø22mm - Ø22mm | H 1600 mm


From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes.

...




Yori Pendant Ghostrack Ø35mm - Ø35mm | H 150 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....



Yori Pendant Ghostrack Ø35mm - Ø35mm | H 400 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....




Yori Pendant Ghostrack Ø35mm - Ø35mm | H 800 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Yori Spotlights



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø60mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø75mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...




Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø95mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 205mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...




Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 255mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...




Yori Spotlights




Yori Evo Ghostrack Mini - Ø22mm / 1X / Precision

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack Mini - Ø35mm / 1X / Precision

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack Mini - Ø43mm / 1X / Precision



Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack Mini - Ø43mm / 1X / Performance



Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...

Accessories





Code 0.26809.0001 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Chrome





Code 0.26809.0012 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Embossed matt white (Standard)





Code 0.26809.0031 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Embossed matt black (Standard)





Code 0.26809.00B0 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Royal matt black



Code 0.26809.00C0 - End caps (2x) Traceline Deep Recessed Trim



Type: Mounting
Finishing: Royal matt white



Code 0.26809.00D0 - End caps (2x) Traceline Deep Recessed Trim



Type: Mounting
Finishing: Brushed brass

Accessories





Code 0.26809.00E0 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Brushed gold





Code 0.26809.00L0 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Antiqued brushed bronze





Code 0.26809.00M0 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Brushed aluminum



Code 0.26809.00N0 - End caps (2x) Traceline Deep Recessed Trim



Type: Mounting
Finishing: Brushed copper



Code 0.26809.00T1 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Anodized Bronze

Indoor | Recessed luminaires | Traceline Recessed - Yori Module



Product No optic

31

IP20



Risk 0

850°



Code X.HM850.TS31

Light source features

Number of light sources: 0
Source type: FOR SPOT TS
Watt: 0
SDCM/L90 B10: < 0 / 0

Electrical features

Driver included: NO
Driver position: remote
Driver type: no driver included 220/240 Vac 50/60 Hz
Isolation class: Class II
Driver note: See wiring diagrams for configurations

Optical features

Beam angle: No optic
Interchangeable optic (IOS): NO

Physical features

Material: Extruded aluminum
Mounting: Recessed
Finishing: Embossed matt black (Standard)

Notes:

-End caps not included, to be ordered separately
 -For configuration of Yori Evo Spotlights with Traceline modules, pick up Traceline driver options (no Ghosttrack driver needed).


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Reggiani SPA Illuminazione

Viale Monza, 16 20845 Sovico (MB) Italy
 Tel. (+39) 039 2071.1 fax (+39) 039 2071 999


www.reggiani.net
 contact@reggiani.net

Driver




Code 0.30828.0000 - Driver

Type: On-Off
Watt: W - AC Input: 120-240V - mA:mA
Description:




Code 0.30829.0000 - Driver

Type: On-Off
Watt: W - AC Input: 120-240V - mA:mA
Description:




Code 0.30830.0000 - Driver

Type: On-Off
Watt: W - AC Input: 120-240V - mA:mA
Description:




Code 0.30838.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:250mA
Description:



Code 0.30839.0000 - Driver


Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:350mA
Description:



Code 0.30840.0000 - Driver


Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:500mA
Description:

Driver




Code 0.30841.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:700mA
Description:




Code 0.30842.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:800mA
Description:




Code 0.30843.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:900mA
Description:




Code 0.30844.0000 - Driver

Type: On-Off
Watt: W - AC Input: 110-240Vac - mA:350LVmA
Description:



Code 0.30845.0000 - Driver


Type: On-Off
Watt: W - AC Input: 110-240Vac - mA:700LVmA
Description:



Code 0.30846.0000 - Driver


Type: On-Off
Watt: W - AC Input: 110-240Vac - mA:900LVmA
Description:

Driver




Code D.30838.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:250mA
Description:




Code D.30839.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:350mA
Description:




Code D.30840.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:500mA
Description:




Code D.30841.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:700mA
Description:



Code D.30842.0000 - Driver


Type: DALI
Watt: W - AC Input: 110-240V - mA:800mA
Description:



Code D.30843.0000 - Driver


Type: DALI
Watt: W - AC Input: 110-240V - mA:900mA
Description:

Driver




Code D.30845.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:700LVmA
Description:




Code H.30831.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:250mA
Description:




Code H.30832.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:350mA
Description:




Code H.30833.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:500mA
Description:



Code H.30834.0000 - Dimmer


Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:600mA
Description:



Code H.30835.0000 - Dimmer


Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:700mA
Description:

Driver




Code H.30836.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:800mA
Description:




Code H.30837.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:900mA
Description:




Code V.30838.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:250mA
Description:




Code V.30839.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:350mA
Description:



Code V.30840.0000 - Driver


Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:500mA
Description:



Code V.30841.0000 - Driver


Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:700mA
Description:

Driver




Code V.30842.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:800mA
Description:




Code V.30843.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:900mA
Description:




Code V.30844.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:350LVmA
Description:



Code V.30845.0000 - Driver


Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:700LVmA
Description:



Code V.30846.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:900LVmA
Description:


Yori Spotlights



Yori Pendant Ghostrack Ø22mm - Ø22mm | H 400 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes.


...



Yori Pendant Ghostrack Ø22mm - Ø22mm | H 800 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes.


...



Yori Pendant Ghostrack Ø22mm - Ø22mm | H 1600 mm


From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes.

...




Yori Pendant Ghostrack Ø35mm - Ø35mm | H 150 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....



Yori Pendant Ghostrack Ø35mm - Ø35mm | H 400 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....




Yori Pendant Ghostrack Ø35mm - Ø35mm | H 800 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Yori Spotlights



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø60mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...




Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø75mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...




Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø95mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...




Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 205mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...




Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 255mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...




Yori Spotlights




Yori Evo Ghostrack Mini - Ø22mm / 1X / Precision

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack Mini - Ø35mm / 1X / Precision

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack Mini - Ø43mm / 1X / Precision



Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack Mini - Ø43mm / 1X / Performance



Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...

Accessories





Code 0.26811.0001 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Chrome





Code 0.26811.0012 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Embossed matt white (Standard)





Code 0.26811.0031 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Embossed matt black (Standard)





Code 0.26811.00B0 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Royal matt black



Code 0.26811.00C0 - End caps (2x) Traceline Deep Recessed Trimless



Type: Mounting
Finishing: Royal matt white



Code 0.26811.00D0 - End caps (2x) Traceline Deep Recessed Trimless



Type: Mounting
Finishing: Brushed brass

Accessories





Code 0.26811.00E0 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Brushed gold





Code 0.26811.00L0 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Antiqued brushed bronze





Code 0.26811.00M0 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Brushed aluminum



Code 0.26811.00N0 - End caps (2x) Traceline Deep Recessed Trimless



Type: Mounting
Finishing: Brushed copper



Code 0.26811.00T1 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Anodized Bronze

Indoor | Recessed luminaires | Traceline Recessed - Yori Module



Product No optic

31 IP20 Risk 0 850°

Code X.BM890.TS31

Light source features

Number of light sources: 0
Source type: FOR SPOT TS
Watt: 0
SDCM/L90 B10: < 0 / 0

Electrical features

Driver included: NO
Driver position: remote
Driver type: no driver included 220/240 Vac 50/60 Hz
Isolation class: Class II
Driver note: See wiring diagrams for configurations

Optical features

Beam angle: No optic
Interchangeable optic (IOS): NO

Physical features

Material: Extruded aluminum
Mounting: Recessed
Finishing: Embossed matt black (Standard)

Notes:


-End caps not included, to be ordered separately
 -For configuration of Yori Evo Spotlights with Traceline modules, pick up Traceline driver options (no Ghosttrack driver needed).

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Reggiani SPA Illuminazione
 Viale Monza, 16 20845 Sovico (MB) Italy
 Tel. (+39) 039 2071.1 fax (+39) 039 2071 999


www.reggiani.net
 contact@reggiani.net

Driver




Code 0.30828.0000 - Driver

Type: On-Off
Watt: W - AC Input: 120-240V - mA:mA
Description:




Code 0.30829.0000 - Driver

Type: On-Off
Watt: W - AC Input: 120-240V - mA:mA
Description:




Code 0.30830.0000 - Driver

Type: On-Off
Watt: W - AC Input: 120-240V - mA:mA
Description:




Code 0.30838.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:250mA
Description:



Code 0.30839.0000 - Driver


Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:350mA
Description:



Code 0.30840.0000 - Driver


Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:500mA
Description:

Driver




Code 0.30841.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:700mA
Description:




Code 0.30842.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:800mA
Description:




Code 0.30843.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:900mA
Description:




Code 0.30844.0000 - Driver

Type: On-Off
Watt: W - AC Input: 110-240Vac - mA:350LVmA
Description:



Code 0.30845.0000 - Driver


Type: On-Off
Watt: W - AC Input: 110-240Vac - mA:700LVmA
Description:



Code 0.30846.0000 - Driver


Type: On-Off
Watt: W - AC Input: 110-240Vac - mA:900LVmA
Description:

Driver




Code D.30838.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:250mA
Description:




Code D.30839.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:350mA
Description:




Code D.30840.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:500mA
Description:




Code D.30841.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:700mA
Description:



Code D.30842.0000 - Driver


Type: DALI
Watt: W - AC Input: 110-240V - mA:800mA
Description:



Code D.30843.0000 - Driver


Type: DALI
Watt: W - AC Input: 110-240V - mA:900mA
Description:

Driver




Code D.30845.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:700LVmA
Description:




Code H.30831.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:250mA
Description:




Code H.30832.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:350mA
Description:




Code H.30833.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:500mA
Description:



Code H.30834.0000 - Dimmer


Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:600mA
Description:



Code H.30835.0000 - Dimmer


Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:700mA
Description:

Driver




Code H.30836.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:800mA
Description:




Code H.30837.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:900mA
Description:




Code V.30838.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:250mA
Description:




Code V.30839.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:350mA
Description:



Code V.30840.0000 - Driver


Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:500mA
Description:



Code V.30841.0000 - Driver


Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:700mA
Description:

Driver




Code V.30842.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:800mA
Description:




Code V.30843.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:900mA
Description:




Code V.30844.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:350LVmA
Description:



Code V.30845.0000 - Driver


Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:700LVmA
Description:



Code V.30846.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:900LVmA
Description:


Yori Spotlights



Yori Pendant Ghostrack Ø22mm - Ø22mm | H 400 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes.


...



Yori Pendant Ghostrack Ø22mm - Ø22mm | H 800 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes.


...



Yori Pendant Ghostrack Ø22mm - Ø22mm | H 1600 mm


From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes.

...




Yori Pendant Ghostrack Ø35mm - Ø35mm | H 150 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....



Yori Pendant Ghostrack Ø35mm - Ø35mm | H 400 mm


From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....



Yori Pendant Ghostrack Ø35mm - Ø35mm | H 800 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....

Yori Spotlights



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø60mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø75mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø95mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 205mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...




Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 255mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...




Yori Spotlights




Yori Evo Ghostrack Mini - Ø22mm / 1X / Precision

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack Mini - Ø35mm / 1X / Precision

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack Mini - Ø43mm / 1X / Precision



Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack Mini - Ø43mm / 1X / Performance



Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...

Accessories





Code 0.26809.0001 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Chrome





Code 0.26809.0012 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Embossed matt white (Standard)





Code 0.26809.0031 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Embossed matt black (Standard)





Code 0.26809.00B0 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Royal matt black



Code 0.26809.00C0 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Royal matt white





Code 0.26809.00D0 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Brushed brass



Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Accessories





Code 0.26809.00E0 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Brushed gold





Code 0.26809.00L0 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Antiqued brushed bronze





Code 0.26809.00M0 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Brushed aluminum



Code 0.26809.00N0 - End caps (2x) Traceline Deep Recessed Trim



Type: Mounting
Finishing: Brushed copper



Code 0.26809.00T1 - End caps (2x) Traceline Deep Recessed Trim

Type: Mounting
Finishing: Anodized Bronze

Indoor | Recessed luminaires | Traceline Recessed - Yori Module



Product No optic

12

IP20



Risk 0

850°



Code X.HM890.TS12

Light source features

Number of light sources: 0
Source type: FOR SPOT TS
Watt: 0
SDCM/L90 B10: < 0 / 0

Electrical features

Driver included: NO
Driver position: remote
Driver type: no driver included 220/240 Vac 50/60 Hz
Isolation class: Class II
Driver note: See wiring diagrams for configurations

Optical features

Beam angle: No optic
Interchangeable optic (IOS): NO

Physical features

Material: Extruded aluminum
Mounting: Recessed
Finishing: Embossed matt white (Standard)

Notes:

-End caps not included, to be ordered separately
 -For configuration of Yori Evo Spotlights with Traceline modules, pick up Traceline driver options (no Ghosttrack driver needed).


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Reggiani SPA Illuminazione

Viale Monza, 16 20845 Sovico (MB) Italy
 Tel. (+39) 039 2071.1 fax (+39) 039 2071 999


www.reggiani.net
 contact@reggiani.net

Driver




Code 0.30828.0000 - Driver

Type: On-Off
Watt: W - AC Input: 120-240V - mA:mA
Description:




Code 0.30829.0000 - Driver

Type: On-Off
Watt: W - AC Input: 120-240V - mA:mA
Description:




Code 0.30830.0000 - Driver

Type: On-Off
Watt: W - AC Input: 120-240V - mA:mA
Description:




Code 0.30838.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:250mA
Description:



Code 0.30839.0000 - Driver


Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:350mA
Description:



Code 0.30840.0000 - Driver


Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:500mA
Description:

Driver




Code 0.30841.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:700mA
Description:




Code 0.30842.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:800mA
Description:




Code 0.30843.0000 - Driver

Type: On-Off
Watt: W - AC Input: 220-240Vac - mA:900mA
Description:




Code 0.30844.0000 - Driver

Type: On-Off
Watt: W - AC Input: 110-240Vac - mA:350LVmA
Description:



Code 0.30845.0000 - Driver


Type: On-Off
Watt: W - AC Input: 110-240Vac - mA:700LVmA
Description:



Code 0.30846.0000 - Driver


Type: On-Off
Watt: W - AC Input: 110-240Vac - mA:900LVmA
Description:

Driver




Code D.30838.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:250mA
Description:




Code D.30839.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:350mA
Description:




Code D.30840.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:500mA
Description:




Code D.30841.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:700mA
Description:



Code D.30842.0000 - Driver


Type: DALI
Watt: W - AC Input: 110-240V - mA:800mA
Description:



Code D.30843.0000 - Driver


Type: DALI
Watt: W - AC Input: 110-240V - mA:900mA
Description:

Driver




Code D.30845.0000 - Driver

Type: DALI
Watt: W - AC Input: 110-240V - mA:700LVmA
Description:




Code H.30831.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:250mA
Description:




Code H.30832.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:350mA
Description:




Code H.30833.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:500mA
Description:



Code H.30834.0000 - Dimmer


Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:600mA
Description:



Code H.30835.0000 - Dimmer


Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:700mA
Description:

Driver




Code H.30836.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:800mA
Description:




Code H.30837.0000 - Dimmer

Type: Bluetooth
Watt: W - AC Input: 24-48Vcc - mA:900mA
Description:




Code V.30838.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:250mA
Description:




Code V.30839.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:350mA
Description:



Code V.30840.0000 - Driver


Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:500mA
Description:



Code V.30841.0000 - Driver


Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:700mA
Description:

Driver




Code V.30842.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:800mA
Description:




Code V.30843.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:900mA
Description:




Code V.30844.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:350LVmA
Description:



Code V.30845.0000 - Driver


Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:700LVmA
Description:



Code V.30846.0000 - Driver

Type: DIMM 1-10V
Watt: W - AC Input: 110-240V - mA:900LVmA
Description:


Yori Spotlights



Yori Pendant Ghostrack Ø22mm - Ø22mm | H 400 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes.


...



Yori Pendant Ghostrack Ø22mm - Ø22mm | H 800 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes.


...



Yori Pendant Ghostrack Ø22mm - Ø22mm | H 1600 mm


From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes.

...




Yori Pendant Ghostrack Ø35mm - Ø35mm | H 150 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....



Yori Pendant Ghostrack Ø35mm - Ø35mm | H 400 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....




Yori Pendant Ghostrack Ø35mm - Ø35mm | H 800 mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes....

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Yori Spotlights



Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø60mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...




Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø75mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...




Yori Evo Ghostrack - Traceline - Traceline Yori Spot Ø95mm

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...




Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 205mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...




Yori Pendant Ghostrack Ø60mm - Traceline - Yori Pendant Ghostrack Ø60mm - 255mm

From the Yori Evo Ghostrack family, a new line of suspension luminaires is born: Yori Evo Ghostrack Pendant allows a discreet installation thanks to the invisible adapter and driver. It comes in four different sizes and a wide range of finishes...




Yori Spotlights




Yori Evo Ghostrack Mini - Ø22mm / 1X / Precision

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack Mini - Ø35mm / 1X / Precision

Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack Mini - Ø43mm / 1X / Precision



Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...



Yori Evo Ghostrack Mini - Ø43mm / 1X / Performance



Yori Evo Ghostrack lets you create unique lighting schemes and configurations. Thanks to its brand new patented technology it features an invisible adapter and driver for single or clusters installations on a standard 3-circuit track. The series includes new optics that allow outstanding light output...

Accessories





Code 0.26811.0001 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Chrome





Code 0.26811.0012 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Embossed matt white (Standard)





Code 0.26811.0031 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Embossed matt black (Standard)





Code 0.26811.00B0 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Royal matt black



Code 0.26811.00C0 - End caps (2x) Traceline Deep Recessed Trimless



Type: Mounting
Finishing: Royal matt white



Code 0.26811.00D0 - End caps (2x) Traceline Deep Recessed Trimless



Type: Mounting
Finishing: Brushed brass

Accessories





Code 0.26811.00E0 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Brushed gold





Code 0.26811.00L0 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Antiqued brushed bronze





Code 0.26811.00M0 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Brushed aluminum



Code 0.26811.00N0 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Brushed copper



Code 0.26811.00T1 - End caps (2x) Traceline Deep Recessed Trimless

Type: Mounting
Finishing: Anodized Bronze