


## Yori Surface Base 60mm - Precision (No Driver)

Indoor | Ceiling mounted luminaires | Yori Surface Base



Product no optic included

12

IP20



Risk 1

850°



### Code X.GP73K.WW12

#### Light source features

**Number of light sources:** 1

**Source type:** LED WW

**Watt:** 12W

**Lm:** 1700lm

**Lm/W:** 142lm/W

**Kelvin/CRI:** 3000K / >80

**SDCM/L90 B10:** < 3 / 50000

#### Electrical features

**Driver included:** NO

**Driver position:** remote

**Driver type:** no driver included

**Isolation class:** Class III

#### Optical features

**Beam angle:** no optic included

**Optical type, adjustability:** Adjustable

**Interchangeable optic (IOS):** NO

#### Physical features

**Material:** Die-cast aluminium

**Mounting:** Surface mounted

**Fixing:** Ceiling

**Adjustability:** 90° horizontal axis 356° vertical axis

**Finishing:** Embossed matt white (Standard)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

#### Reggiani SPA Illuminazione

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net  
contact@reggiani.net

## Optics




**Code 0.35125.0000 - Ø60mm precision optic 12° - LED**

Finishing:  
Description:



Narrow 12°




**Code 0.35126.0000 - Ø60mm precision optic 20° - LED**

Finishing:  
Description:



Medium 20°




**Code 0.35127.0000 - Ø60mm precision optic 32° - LED**

Finishing:  
Description:




Wide 32°

## Driver




### Code 0.30412.0000 - Driver Mood

Type: On-Off  
Watt: W - AC Input: 220-240Vac - mA:350mA  
Description: Connection options:  
Trybeca 100mm: 1pz  
Mood XL: 1pz  
Yori Semi-recessed 60mm - 75mm - 95mm: 1pz  
For more information download the dedicated driver board




### Code D.30040.0000 - Driver

Type: DALI  
Watt: W - AC Input: 220-240Vac - mA:350mA  
Description: Connection options:  
Mood L: 1pz  
Yori Semi-recessed 60mm - 75mm - 95mm: 1pz  
For more information download the dedicated driver board



### Code T.30412.0000 - Driver Mood


Type: PHASE CUT  
Watt: W - AC Input: 220-240Vac - mA:350mA  
Description: Connection options:  
Trybeca 100mm: 1pz  
Mood L: 1pz  
Yori Semi-recessed 60mm - 75mm - 95mm: 1pz  
For more information download the dedicated driver board



### Code V.30040.0000 - Driver


Type: DIMM 1-10V  
Watt: W - AC Input: 220-240Vac - mA:350mA  
Description: Connection options:  
Mood L: 1pz  
Yori Semi-recessed 60mm - 75mm - 95mm: 1pz  
For more information download the dedicated driver board

## Accessories




**Code 0.26402.004A - Red glass filter 1 mm**

Type: Optical  
Finishing: Red




**Code 0.26402.005A - Green glass filter 1 mm**

Type: Optical  
Finishing: Green




**Code 0.26402.006A - Blue glass filter 1 mm**

Type: Optical  
Finishing: Blue




**Code 0.26402.007A - Pink glass filter 1 mm**

Type: Optical  
Finishing: Pink



**Code 0.26402.008A - Yellow glass filter 1 mm**

Type: Optical  
Finishing: Yellow



**Code 0.26402.009A - Orange glass filter 1 mm**

Type: Optical  
Finishing: Orange



## Accessories



### Code 0.26410.0000 - Colored Gel Slides (2 pieces)

Type: Optical



Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26418.0000 - Selective filter 2700K - 2500K

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26426.0000 - Selective filter 2700K - 2200K

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26434.0000 - Selective filter 2700K - 2000K

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26442.0000 - Honeycomb dense texture

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26450.0000 - Honeycomb wide texture

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

## Accessories




### Code 0.26457.0000 - Ribbed glass

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26462.0000 - Opal lens

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26470.0000 - Diffusive lens

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26477.0000 - Cross blade louvre

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26485.0000 - Barn doors


Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26489.0012 - Cone 45 ° wall washer


Type: Optical  
Finishing: Embossed matt white (Standard)

## Accessories





### Code 0.26489.0031 - Cone 45 ° wall washer

Type: Optical  
Finishing: Embossed matt black (Standard)




### Code 0.26559.0000 - Selective filter 3000K-2700K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26567.0000 - Selective filter 3000K-3600K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26575.0000 - Selective filter 3000K-4000K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26650.0021 - Framing accessory, light shape - round

Type: Optical  
Finishing: Black (Standard)




### Code 0.26651.0021 - Framing accessory, light shape - square

Type: Optical  
Finishing: Black (Standard)

## Yori Surface Base 60mm - Precision (No Driver)

Indoor | Ceiling mounted luminaires | Yori Surface Base



Medium 20°

31

IP20



Risk 1

850°



**Code X.GP72E.NN31**

### Light source features

**Number of light sources:** 1

**Source type:** LED NN

**Watt:** 9W

**Lm:** 1360lm

**Lm/W:** 151lm/W

**Kelvin/CRI:** 4000K / >80

**SDCM/L90 B10:** < 3 / 50000

### Electrical features

**Driver included:** NO

**Driver position:** remote

**Driver type:** no driver included

**Isolation class:** Class III

### Optical features

**Beam angle:** 20°

**Optical type, adjustability:** Adjustable

**Interchangeable optic (IOS):** NO

### Physical features

**Material:** Die-cast aluminium

**Mounting:** Surface mounted

**Fixing:** Ceiling

**Adjustability:** 90° horizontal axis 356° vertical axis

**Finishing:** Embossed matt black (Standard)

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).


**Reggiani SPA Illuminazione**

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net  
contact@reggiani.net



## Optics




**Code 0.35125.0000 - Ø60mm precision optic 12° - LED**

Finishing:  
Description:



Narrow 12°




**Code 0.35126.0000 - Ø60mm precision optic 20° - LED**

Finishing:  
Description:



Medium 20°




**Code 0.35127.0000 - Ø60mm precision optic 32° - LED**

Finishing:  
Description:




Wide 32°

## Driver




### Code 0.30021.0000 - Driver

Type: On-Off  
Watt: 42W - AC Input: 220-240Vac - mA:260mA  
Description: Connection options:  
Yori Semi-rec 60mm: 1pz  
Yori Recessed 60mm: 1pz




### Code D.30021.0000 - Driver

Type: DALI  
Watt: 20W - AC Input: 220-240Vac - mA:250mA  
Description: Connection options:  
Yori Semi-rec 60mm: 1pz  
Yori Recessed 60mm: 1pz



### Code T.30021.0000 - Driver


Type: PHASE CUT  
Watt: 10W - AC Input: 220-240Vac - mA:250mA  
Description: Connection options:  
Yori Semi-rec 60mm: 1pz  
Yori Recessed 60mm: 1pz



### Code V.30021.0000 - Driver


Type: DIMM 1-10V  
Watt: 20W - AC Input: 99-264Vac , 170-280VdC - mA:260mA  
Description: Connection options:  
Yori Semi-rec 60mm: 1pz  
Yori Recessed 60mm: 1pz

## Accessories




**Code 0.26402.004A - Red glass filter 1 mm**

Type: Optical  
Finishing: Red




**Code 0.26402.005A - Green glass filter 1 mm**

Type: Optical  
Finishing: Green




**Code 0.26402.006A - Blue glass filter 1 mm**

Type: Optical  
Finishing: Blue




**Code 0.26402.007A - Pink glass filter 1 mm**

Type: Optical  
Finishing: Pink



**Code 0.26402.008A - Yellow glass filter 1 mm**

Type: Optical  
Finishing: Yellow



**Code 0.26402.009A - Orange glass filter 1 mm**

Type: Optical  
Finishing: Orange



## Accessories



### Code 0.26410.0000 - Colored Gel Slides (2 pieces)

Type: Optical



Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26418.0000 - Selective filter 2700K - 2500K

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26426.0000 - Selective filter 2700K - 2200K

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26434.0000 - Selective filter 2700K - 2000K

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26442.0000 - Honeycomb dense texture

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26450.0000 - Honeycomb wide texture

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)


## Accessories



### Code 0.26457.0000 - Ribbed glass

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26462.0000 - Opal lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26470.0000 - Diffusive lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26477.0000 - Cross blade louver

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26485.0000 - Barn doors

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26489.0012 - Cone 45 ° wall washer

Type: Optical


Finishing: Embossed matt white (Standard)

## Accessories





**Code 0.26489.0031 - Cone 45 ° wall washer**

Type: Optical  
Finishing: Embossed matt black (Standard)




**Code 0.26559.0000 - Selective filter 3000K-2700K**

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




**Code 0.26567.0000 - Selective filter 3000K-3600K**

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




**Code 0.26575.0000 - Selective filter 3000K-4000K**

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



**Code 0.26650.0021 - Framing accessory, light shape - round**

Type: Optical  
Finishing: Black (Standard)




**Code 0.26651.0021 - Framing accessory, light shape - square**

Type: Optical  
Finishing: Black (Standard)

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

## Yori Surface Base 60mm - Precision (No Driver)

Indoor | Ceiling mounted luminaires | Yori Surface Base



Medium 20°

31 IP20 III Risk 1 850° NO ♻️ 5

**Code X.GP72E.HW31**

### Light source features

**Number of light sources:** 1

**Source type:** LED HW

**Watt:** 9W

**Lm:** 1050lm

**Lm/W:** 117lm/W

**Kelvin/CRI:** 2700K / >90

**SDCM/L90 B10:** < 2 / 50000

### Electrical features

**Driver included:** NO

**Driver position:** remote

**Driver type:** no driver included

**Isolation class:** Class III

### Optical features

**Beam angle:** 20°

**Optical type, adjustability:** Adjustable

**Interchangeable optic (IOS):** NO

### Physical features

**Material:** Die-cast aluminium

**Mounting:** Surface mounted

**Fixing:** Ceiling

**Adjustability:** 90° horizontal axis 356° vertical axis

**Finishing:** Embossed matt black (Standard)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

**Reggiani SPA Illuminazione**

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net  
contact@reggiani.net

## Optics




**Code 0.35125.0000 - Ø60mm precision optic 12° - LED**

Finishing:  
Description:



Narrow 12°




**Code 0.35126.0000 - Ø60mm precision optic 20° - LED**

Finishing:  
Description:



Medium 20°



**Code 0.35127.0000 - Ø60mm precision optic 32° - LED**


Finishing:  
Description:



Wide 32°




## Driver




### Code 0.30021.0000 - Driver

Type: On-Off  
Watt: 42W - AC Input: 220-240Vac - mA:260mA  
Description: Connection options:  
Yori Semi-rec 60mm: 1pz  
Yori Recessed 60mm: 1pz




### Code D.30021.0000 - Driver

Type: DALI  
Watt: 20W - AC Input: 220-240Vac - mA:250mA  
Description: Connection options:  
Yori Semi-rec 60mm: 1pz  
Yori Recessed 60mm: 1pz



### Code T.30021.0000 - Driver


Type: PHASE CUT  
Watt: 10W - AC Input: 220-240Vac - mA:250mA  
Description: Connection options:  
Yori Semi-rec 60mm: 1pz  
Yori Recessed 60mm: 1pz



### Code V.30021.0000 - Driver


Type: DIMM 1-10V  
Watt: 20W - AC Input: 99-264Vac , 170-280VdC - mA:260mA  
Description: Connection options:  
Yori Semi-rec 60mm: 1pz  
Yori Recessed 60mm: 1pz

## Accessories




**Code 0.26402.004A - Red glass filter 1 mm**

Type: Optical  
Finishing: Red




**Code 0.26402.005A - Green glass filter 1 mm**

Type: Optical  
Finishing: Green




**Code 0.26402.006A - Blue glass filter 1 mm**

Type: Optical  
Finishing: Blue




**Code 0.26402.007A - Pink glass filter 1 mm**

Type: Optical  
Finishing: Pink



**Code 0.26402.008A - Yellow glass filter 1 mm**

Type: Optical  
Finishing: Yellow



**Code 0.26402.009A - Orange glass filter 1 mm**

Type: Optical  
Finishing: Orange



## Accessories



### Code 0.26410.0000 - Colored Gel Slides (2 pieces)

Type: Optical



Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26418.0000 - Selective filter 2700K - 2500K

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26426.0000 - Selective filter 2700K - 2200K

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26434.0000 - Selective filter 2700K - 2000K

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26442.0000 - Honeycomb dense texture

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26450.0000 - Honeycomb wide texture

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

## Accessories




### Code 0.26457.0000 - Ribbed glass

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26462.0000 - Opal lens

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26470.0000 - Diffusive lens

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26477.0000 - Cross blade louvre

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26485.0000 - Barn doors


Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26489.0012 - Cone 45 ° wall washer


Type: Optical  
Finishing: Embossed matt white (Standard)

## Accessories





### Code 0.26489.0031 - Cone 45 ° wall washer

Type: Optical  
Finishing: Embossed matt black (Standard)




### Code 0.26559.0000 - Selective filter 3000K-2700K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26567.0000 - Selective filter 3000K-3600K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26575.0000 - Selective filter 3000K-4000K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26650.0021 - Framing accessory, light shape - round

Type: Optical  
Finishing: Black (Standard)




### Code 0.26651.0021 - Framing accessory, light shape - square

Type: Optical  
Finishing: Black (Standard)

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Indoor | Ceiling mounted luminaires | Yori Surface Base



Narrow 12°

31

IP20



Risk 1

850°



**Code 0.TP72B.HW31**

### Light source features

**Number of light sources:** 1

**Source type:** LED HW

**Watt:** 9W

**Lm:** 1050lm

**Lm/W:** 117lm/W

**Kelvin/CRI:** 2700K / >90

**SDCM/L90 B10:** < 2 / 50000

### Electrical features

**Driver included:** YES

**Driver position:** integrated

**Driver type:** On-Off

**Isolation class:** Class III

### Optical features

**Beam angle:** 12°

**Optical type, adjustability:** Adjustable

**Interchangeable optic (IOS):** NO

### Physical features

**Material:** Die-cast aluminium

**Mounting:** Surface mounted

**Fixing:** Ceiling

**Adjustability:** 90° horizontal axis 356° vertical axis

**Finishing:** Embossed matt black (Standard)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

**Reggiani SPA Illuminazione**

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net  
contact@reggiani.net

## Optics




**Code 0.35125.0000 - Ø60mm precision optic 12° - LED**

Finishing:  
Description:



Narrow 12°




**Code 0.35126.0000 - Ø60mm precision optic 20° - LED**

Finishing:  
Description:



Medium 20°




**Code 0.35127.0000 - Ø60mm precision optic 32° - LED**

Finishing:  
Description:




Wide 32°

## Accessories




**Code 0.26402.004A - Red glass filter 1 mm**

Type: Optical  
Finishing: Red




**Code 0.26402.005A - Green glass filter 1 mm**

Type: Optical  
Finishing: Green




**Code 0.26402.006A - Blue glass filter 1 mm**

Type: Optical  
Finishing: Blue




**Code 0.26402.007A - Pink glass filter 1 mm**

Type: Optical  
Finishing: Pink



**Code 0.26402.008A - Yellow glass filter 1 mm**

Type: Optical  
Finishing: Yellow



**Code 0.26402.009A - Orange glass filter 1 mm**

Type: Optical  
Finishing: Orange





## Accessories



### Code 0.26410.0000 - Colored Gel Slides (2 pieces)

Type: Optical



Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26418.0000 - Selective filter 2700K - 2500K

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26426.0000 - Selective filter 2700K - 2200K

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26434.0000 - Selective filter 2700K - 2000K

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26442.0000 - Honeycomb dense texture

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26450.0000 - Honeycomb wide texture

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

## Accessories




### Code 0.26457.0000 - Ribbed glass

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26462.0000 - Opal lens

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26470.0000 - Diffusive lens

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26477.0000 - Cross blade louvre

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26485.0000 - Barn doors


Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26489.0012 - Cone 45 ° wall washer


Type: Optical  
Finishing: Embossed matt white (Standard)

## Accessories





### Code 0.26489.0031 - Cone 45 ° wall washer

Type: Optical  
Finishing: Embossed matt black (Standard)




### Code 0.26559.0000 - Selective filter 3000K-2700K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26567.0000 - Selective filter 3000K-3600K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26575.0000 - Selective filter 3000K-4000K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26650.0021 - Framing accessory, light shape - round


Type: Optical  
Finishing: Black (Standard)



### Code 0.26651.0021 - Framing accessory, light shape - square

Type: Optical  
Finishing: Black (Standard)

Indoor | Ceiling mounted luminaires | Yori Surface Base



Medium 20°

31

IP20



Risk 1

850°



**Code 0.TP72E.NN31**

### Light source features

**Number of light sources:** 1

**Source type:** LED NN

**Watt:** 9W

**Lm:** 1360lm

**Lm/W:** 151lm/W

**Kelvin/CRI:** 4000K / >80

**SDCM/L90 B10:** < 3 / 50000

### Electrical features

**Driver included:** YES

**Driver position:** integrated

**Driver type:** On-Off

**Isolation class:** Class III

### Optical features

**Beam angle:** 20°

**Optical type, adjustability:** Adjustable

**Interchangeable optic (IOS):** NO

### Physical features

**Material:** Die-cast aluminium

**Mounting:** Surface mounted

**Fixing:** Ceiling

**Adjustability:** 90° horizontal axis 356° vertical axis

**Finishing:** Embossed matt black (Standard)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

**Reggiani SPA Illuminazione**

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net  
contact@reggiani.net

## Optics




**Code 0.35125.0000 - Ø60mm precision optic 12° - LED**

Finishing:  
Description:



Narrow 12°




**Code 0.35126.0000 - Ø60mm precision optic 20° - LED**

Finishing:  
Description:



Medium 20°




**Code 0.35127.0000 - Ø60mm precision optic 32° - LED**

Finishing:  
Description:




Wide 32°

## Accessories




**Code 0.26402.004A - Red glass filter 1 mm**

Type: Optical  
Finishing: Red




**Code 0.26402.005A - Green glass filter 1 mm**

Type: Optical  
Finishing: Green




**Code 0.26402.006A - Blue glass filter 1 mm**

Type: Optical  
Finishing: Blue




**Code 0.26402.007A - Pink glass filter 1 mm**

Type: Optical  
Finishing: Pink



**Code 0.26402.008A - Yellow glass filter 1 mm**

Type: Optical  
Finishing: Yellow



**Code 0.26402.009A - Orange glass filter 1 mm**

Type: Optical  
Finishing: Orange


## Accessories



### Code 0.26410.0000 - Colored Gel Slides (2 pieces)

Type: Optical



Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26418.0000 - Selective filter 2700K - 2500K

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26426.0000 - Selective filter 2700K - 2200K

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26434.0000 - Selective filter 2700K - 2000K

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26442.0000 - Honeycomb dense texture

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26450.0000 - Honeycomb wide texture

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

## Accessories




### Code 0.26457.0000 - Ribbed glass

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26462.0000 - Opal lens

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26470.0000 - Diffusive lens

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26477.0000 - Cross blade louvre

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26485.0000 - Barn doors

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26489.0012 - Cone 45 ° wall washer

Type: Optical  
Finishing: Embossed matt white (Standard)




## Accessories





**Code 0.26489.0031 - Cone 45 ° wall washer**

Type: Optical  
Finishing: Embossed matt black (Standard)




**Code 0.26559.0000 - Selective filter 3000K-2700K**

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




**Code 0.26567.0000 - Selective filter 3000K-3600K**

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




**Code 0.26575.0000 - Selective filter 3000K-4000K**

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



**Code 0.26650.0021 - Framing accessory, light shape - round**

Type: Optical  
Finishing: Black (Standard)




**Code 0.26651.0021 - Framing accessory, light shape - square**

Type: Optical  
Finishing: Black (Standard)

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Indoor | Ceiling mounted luminaires | Yori Surface Base



Medium 24°

12

IP20



Risk 1

850°



**Code X.GP82E.HW12**

### Light source features

**Number of light sources:** 1

**Source type:** LED HW

**Watt:** 9W

**Lm:** 1050lm

**Lm/W:** 117lm/W

**Kelvin/CRI:** 2700K / >90

**SDCM/L90 B10:** < 2 / 50000

### Electrical features

**Driver included:** NO

**Driver position:** remote

**Driver type:** no driver included

**Isolation class:** Class III

### Optical features

**Beam angle:** 24°

**Optical type, adjustability:** Adjustable

**Interchangeable optic (IOS):** NO

### Physical features

**Material:** Die-cast aluminium

**Mounting:** Surface mounted

**Fixing:** Ceiling

**Adjustability:** 90° horizontal axis 356° vertical axis

**Finishing:** Embossed matt white (Standard)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

**Reggiani SPA Illuminazione**

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net  
contact@reggiani.net

## Optics




**Code 0.35145.0000 - Ø60mm performance optic 13° - LED**

Finishing:  
Description:



Narrow 13°




**Code 0.35146.0000 - Ø60mm performance optic 24° - LED**

Finishing:  
Description:



Medium 24°




**Code 0.35147.0000 - Ø60mm performance optic 39° - LED**

Finishing:  
Description:




Medium-wide 38°

## Driver




### Code 0.30021.0000 - Driver

Type: On-Off  
Watt: 42W - AC Input: 220-240Vac - mA:260mA  
Description: Connection options:  
Yori Semi-rec 60mm: 1pz  
Yori Recessed 60mm: 1pz




### Code D.30021.0000 - Driver

Type: DALI  
Watt: 20W - AC Input: 220-240Vac - mA:250mA  
Description: Connection options:  
Yori Semi-rec 60mm: 1pz  
Yori Recessed 60mm: 1pz



### Code T.30021.0000 - Driver


Type: PHASE CUT  
Watt: 10W - AC Input: 220-240Vac - mA:250mA  
Description: Connection options:  
Yori Semi-rec 60mm: 1pz  
Yori Recessed 60mm: 1pz



### Code V.30021.0000 - Driver


Type: DIMM 1-10V  
Watt: 20W - AC Input: 99-264Vac , 170-280VdC - mA:260mA  
Description: Connection options:  
Yori Semi-rec 60mm: 1pz  
Yori Recessed 60mm: 1pz

## Accessories




**Code 0.26403.004A - Red glass filter 1 mm**

Type: Optical  
Finishing: Red




**Code 0.26403.005A - Green glass filter 1 mm**

Type: Optical  
Finishing: Green




**Code 0.26403.006A - Blue glass filter 1 mm**

Type: Optical  
Finishing: Blue




**Code 0.26403.007A - Pink glass filter 1 mm**

Type: Optical  
Finishing: Pink



**Code 0.26403.008A - Yellow glass filter 1 mm**

Type: Optical  
Finishing: Yellow



**Code 0.26403.009A - Orange glass filter 1 mm**



Type: Optical  
Finishing: Orange

## Accessories




### Code 0.26411.0000 - Colored Gel Slides (2 pieces)

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26427.0000 - Selective filter 2700K - 2200K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26435.0000 - Selective filter 2700K - 2000K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26443.0000 - Honeycomb dense texture

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26451.0000 - Honeycomb wide texture


Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26463.0000 - Opal lens


Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

## Accessories




**Code 0.26471.0000 - Diffusive lens**

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



**Code 0.26481.0000 - Cross blade louvre**

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



**Code 0.26493.0000 - Ribbed glass**

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)





**Code 0.26497.0012 - Cone 45 ° wall washer**

Type: Optical  
Finishing: Embossed matt white (Standard)



**Code 0.26497.0031 - Cone 45 ° wall washer**


Type: Optical  
Finishing: Embossed matt black (Standard)



**Code 0.26568.0000 - Selective filter 3000K-3600K**

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)


## Accessories



### Code 0.26576.0000 - Selective filter 3000K-4000K

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26650.0021 - Framing accessory, light shape - round

Type: Optical

Finishing: Black (Standard)




### Code 0.26651.0021 - Framing accessory, light shape - square

Type: Optical

Finishing: Black (Standard)



Indoor | Ceiling mounted luminaires | Yori Surface Base



Narrow 13°

12

IP20



Risk 1

850°



**Code X.GP82B.HC12**

### Light source features

**Number of light sources:** 1

**Source type:** LED HC

**Watt:** 9W

**Lm:** 960lm

**Lm/W:** 107lm/W

**Kelvin/CRI:** 3000K / >98

**SDCM/L90 B10:** < 2 / 50000

### Electrical features

**Driver included:** NO

**Driver position:** remote

**Driver type:** no driver included

**Isolation class:** Class III

### Optical features

**Beam angle:** 13°

**Optical type, adjustability:** Adjustable

**Interchangeable optic (IOS):** NO

### Physical features

**Material:** Die-cast aluminium

**Mounting:** Surface mounted

**Fixing:** Ceiling

**Adjustability:** 90° horizontal axis 356° vertical axis

**Finishing:** Embossed matt white (Standard)


Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

**Reggiani SPA Illuminazione**

Viale Monza, 16 20845 Sovico (MB) Italy  
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net  
contact@reggiani.net

## Optics




**Code 0.35145.0000 - Ø60mm performance optic 13° - LED**

Finishing:  
Description:



Narrow 13°




**Code 0.35146.0000 - Ø60mm performance optic 24° - LED**

Finishing:  
Description:



Medium 24°




**Code 0.35147.0000 - Ø60mm performance optic 39° - LED**

Finishing:  
Description:




Medium-wide 38°

## Driver




### Code 0.30021.0000 - Driver

Type: On-Off  
Watt: 42W - AC Input: 220-240Vac - mA:260mA  
Description: Connection options:  
Yori Semi-rec 60mm: 1pz  
Yori Recessed 60mm: 1pz




### Code D.30021.0000 - Driver

Type: DALI  
Watt: 20W - AC Input: 220-240Vac - mA:250mA  
Description: Connection options:  
Yori Semi-rec 60mm: 1pz  
Yori Recessed 60mm: 1pz



### Code T.30021.0000 - Driver


Type: PHASE CUT  
Watt: 10W - AC Input: 220-240Vac - mA:250mA  
Description: Connection options:  
Yori Semi-rec 60mm: 1pz  
Yori Recessed 60mm: 1pz



### Code V.30021.0000 - Driver


Type: DIMM 1-10V  
Watt: 20W - AC Input: 99-264Vac , 170-280VdC - mA:260mA  
Description: Connection options:  
Yori Semi-rec 60mm: 1pz  
Yori Recessed 60mm: 1pz

## Accessories




**Code 0.26403.004A - Red glass filter 1 mm**

Type: Optical  
Finishing: Red




**Code 0.26403.005A - Green glass filter 1 mm**

Type: Optical  
Finishing: Green




**Code 0.26403.006A - Blue glass filter 1 mm**

Type: Optical  
Finishing: Blue




**Code 0.26403.007A - Pink glass filter 1 mm**

Type: Optical  
Finishing: Pink



**Code 0.26403.008A - Yellow glass filter 1 mm**

Type: Optical  
Finishing: Yellow



**Code 0.26403.009A - Orange glass filter 1 mm**

Type: Optical  
Finishing: Orange



## Accessories



### Code 0.26411.0000 - Colored Gel Slides (2 pieces)

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26427.0000 - Selective filter 2700K - 2200K

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26435.0000 - Selective filter 2700K - 2000K

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26443.0000 - Honeycomb dense texture

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26451.0000 - Honeycomb wide texture

Type: Optical

Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)




### Code 0.26463.0000 - Opal lens

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)

## Accessories




### Code 0.26471.0000 - Diffusive lens

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26481.0000 - Cross blade louvre

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26493.0000 - Ribbed glass

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)





### Code 0.26497.0012 - Cone 45 ° wall washer

Type: Optical  
Finishing: Embossed matt white (Standard)



### Code 0.26497.0031 - Cone 45 ° wall washer


Type: Optical  
Finishing: Embossed matt black (Standard)



### Code 0.26568.0000 - Selective filter 3000K-3600K

Type: Optical  
Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)


## Accessories



### Code 0.26576.0000 - Selective filter 3000K-4000K

Type: Optical


Finishing: Without finish / Stainles Steel / Natural aluminium (Standard)



### Code 0.26650.0021 - Framing accessory, light shape - round

Type: Optical

Finishing: Black (Standard)



### Code 0.26651.0021 - Framing accessory, light shape - square

Type: Optical

Finishing: Black (Standard)