

PRODUCT INFORMATION

Description	DOMED NEON RGB 12 x 29 SV 24V 12W 223LM 100mm Cut 1000mm
Product Code	012-0401
Product Range	Specialist Neon

PRODUCT SPECIFICATION

Dimensions	H29.00/W12.00mm
Cutting Interval	100mm
LED Pitch	16.67mm
Bend Direction	SV
Minimum Bend Radius	120mm
Colour Temperature	RGB
Bin/step	3SDCM
Lifetime	> 50000 h
Operating Temp	Min = -20Â°C, Max = 45Â°C
IP Rating	IP68
Mounting	Aluminium profile
Connection	Hardwire tails Injection Moulds




PERFORMANCE DATA (for 1000mm)

Power Consumption	12.00 W
Supply Voltage	24.00V DC
Supply Current	0.50 A
Luminous Flux	223.00lm/m
Lumen Efficiency	19.00lm/w
Max Power Length	7000mm
Beam Angle	160Â°



TECHNICAL DRAWING



PRODUCT INFORMATION

Description	DOMED NEON RGBW+2700K 12 x 29 SV 24V 80CRI 15W 261LM 100mm Cut 1000mm
Product Code	012-0451
Product Range	Specialist Neon

PRODUCT SPECIFICATION

Dimensions	H29.00/W12.00mm
Cutting Interval	100mm
LED Pitch	16.67mm
Bend Direction	SV
Minimum Bend Radius	120mm
Colour Temperature	RGBW 2700K
Bin/step	3SDCM
Lifetime	> 50000 h
Operating Temp	Min = -20°C, Max = 45°C
IP Rating	IP68
Mounting	Aluminium profile
Connection	Hardwire tails Injection Moulds




PERFORMANCE DATA (for 1000mm)

Power Consumption	15.00 W
Supply Voltage	24.00V DC
Supply Current	0.62 A
Luminous Flux	261.00lm/m
Lumen Efficiency	18.00lm/w
Max Power Length	5000mm
Beam Angle	160°



TECHNICAL DRAWING



PRODUCT INFORMATION

Description	DOMED NEON RGBW+4000K 12 x 29 SV 24V 80CRI 15W 263LM 100mm Cut 1000mm
Product Code	012-0454
Product Range	Specialist Neon

PRODUCT SPECIFICATION

Dimensions	H29.00/W12.00mm
Cutting Interval	100mm
LED Pitch	16.67mm
Bend Direction	SV
Minimum Bend Radius	120mm
Colour Temperature	RGBW 4000K
Bin/step	3SDCM
Lifetime	> 50000 h
Operating Temp	Min = -20°C, Max = 45°C
IP Rating	IP68
Mounting	Aluminium profile
Connection	Hardwire tails Injection Moulds




PERFORMANCE DATA (for 1000mm)

Power Consumption	15.00 W
Supply Voltage	24.00V DC
Supply Current	0.62 A
Luminous Flux	263.00lm/m
Lumen Efficiency	18.00lm/w
Max Power Length	5000mm
Beam Angle	160°



TECHNICAL DRAWING



PRODUCT INFORMATION

Description	DOMED NEON RGBW+3000K 12 x 29 SV 24V 80CRI 15W 262LM 100mm Cut 1000mm
Product Code	012-0455
Product Range	Specialist Neon

PRODUCT SPECIFICATION

Dimensions	H29.00/W12.00mm
Cutting Interval	100mm
LED Pitch	16.67mm
Bend Direction	SV
Minimum Bend Radius	120mm
Colour Temperature	RGBW 3000K
Bin/step	3SDCM
Lifetime	> 50000 h
Operating Temp	Min = -20°C, Max = 45°C
IP Rating	IP68
Mounting	Aluminium profile
Connection	Hardwire tails Injection Moulds



PERFORMANCE DATA (for 1000mm)

Power Consumption	15.00 W
Supply Voltage	24.00V DC
Supply Current	0.62 A
Luminous Flux	262.00lm/m
Lumen Efficiency	18.00lm/w
Max Power Length	5000mm
Beam Angle	160°



TECHNICAL DRAWING

